

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/6/2019 Revision date: 7/25/2023 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Trade name	: FRESH CUT GRASS #EU19510F
UFI	: M11R-W12E-A00P-F92M
Product code	: EU19510F
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	:	Industrial use,Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute toxicity (oral). Category 4

······································	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

H302

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Warning
Contains	<ul> <li>Benzyl benzoate; Benzenepropanol, .beta.,.betadimethyl-; Hexyl salicylate; Hexyl cinnamic aldehyde; Amyl salicylate; Triplal (Vertocitral); Cyclamal; Helional; Orange essence oil; Linalyl acetate; Geraniol; Nerol; Isocyclocitral</li> </ul>
Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment.
	P280 - Wear eye protection, face protection, face shield, protective clothing, protective gloves.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	23.605 – 47.21	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	4.055 – 15.11	Eye Irrit. 2, H319
Benzenepropanol, .beta.,.betadimethyl-	CAS-No.: 13351-61-6 EC-No.: 236-400-9	0.07 – 14	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	3.32 – 7.9	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	3.25 – 6.5	Skin Sens. 1, H317 Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	3.24 – 6.48	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	1.875 – 3.75	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Verdyl acetate	CAS-No.: 5413-60-5 EC-No.: 226-501-6	1.75 – 3.5	Aquatic Chronic 3, H412
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	1.375 – 2.75	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Orange essence oil	CAS-No.: 68514-75-0 EC-No.: 232-433-8	1.25 – 2.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.625 – 1.25	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	0.575 – 1.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.39 – 0.78	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.325 – 0.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Isocyclocitral	CAS-No.: 1335-66-6 EC-No.: 215-638-7	0.3 – 0.6	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.26 – 0.52	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 - 0.04	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.01	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Specific treatment (see Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	<ul> <li>If eye irritation persists: Get medical advice/attention. Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>	
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause an allergic skin reaction.</li> <li>Causes skin irritation. Irritation. May cause an allergic skin reaction.</li> <li>Causes serious eye irritation. Eye irritation.</li> <li>Swallowing a small quantity of this material will result in serious health hazard.</li> </ul>	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	ctive equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.
7.3. Specific end use(s)	

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

decyl alcohol (112-30-1)			
Bulgaria - Occupational Exposure Limits			
OEL TWA 10 mg/m <sup>3</sup>			
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

decyl alcohol (112-30-1)			
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Latvia - Occupational Exposure Limits			
OEL TWA	10 mg/m <sup>3</sup>		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	10 mg/m <sup>3</sup>		
Romania - Occupational Exposure Limits			
OEL TWA	100 mg/m³		
OEL TWA [ppm]	15 ppm		
OEL STEL	200 mg/m <sup>3</sup>		
OEL STEL [ppm]	30 ppm		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)		
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)		
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)		
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)		
Aldehyde C-6 (66-25-1)			
Finland - Occupational Exposure Limits			
HTP (OEL STEL)	42 mg/m <sup>3</sup>		
HTP (OEL STEL) [ppm]	10 ppm		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	40 mg/m <sup>3</sup>		
NDSCh (OEL STEL)	80 mg/m <sup>3</sup>		
	1		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

**Other information:** Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
	· characteristic
Odour	
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 93 °C (closed cup) ASTM D7094
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 1.08
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Not established.

10.3. Possibility of hazardous reactions

Not established.

**10.4. Conditions to avoid** 

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (dermal)	Harmful if swallowed. Not classified Not classified			
FRESH CUT GRASS #EU19510F				
ATE CLP (oral)	952.889 mg/kg bodyweight			
Benzyl benzoate (120-51-4)				
LD50 oral rat	500 mg/kg			
LD50 oral	1160 mg/kg bodyweight			
LD50 dermal rabbit	4000 mg/kg			
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (	63500-71-0)			
LD50 dermal rabbit	> 2000 mg/kg			
Benzenepropanol, .beta.,.betadimethyl- (13351-61-6)				
LD50 oral	1970 mg/kg bodyweight			
LD50 dermal rat	> 15000 mg/kg			
Hexyl salicylate (6259-76-3)				
LD50 oral rat	> 5 g/kg			
LD50 dermal rabbit	> 5000 mg/kg			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Amyl salicylate (2050-08-0)			
LD50 oral rat	4100 mg/kg		
LD50 oral	2000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	3900 mg/kg bodyweight		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg		
LD50 oral	3810 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg		
Helional (1205-17-0)			
LD50 dermal rabbit	> 2000 mg/kg		
Verdyl acetate (5413-60-5)			
LD50 oral	3050 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg		
Linalyl acetate (115-95-7)			
LD50 oral rat	14550 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Methyl ionone (mixture of isomers) (1335-46-2)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
LD50 dermal	2900 mg/kg bodyweight		
Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg		
LD50 oral	3600 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg		
Nerol (106-25-2)			
LD50 oral rat	4500 mg/kg		
LD50 oral	4500 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg		
decyl alcohol (112-30-1)			
LD50 oral rat	4720 mg/kg		
LD50 dermal rabbit	3560 mg/kg		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isocyclocitral (1335-66-6)	
LD50 oral rat	4500 mg/kg
LD50 oral	3220 mg/kg bodyweight
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg
LD50 dermal rabbit	> 8100 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Additional information	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
11.2. Information on other hazards	
1.2.1. Endocrine disrupting properties	

#### 11.2.2. Other information

Potential adverse human health effects and	: Harmful if swallowed, Based on available data, the classification criteria are not met
symptoms	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water : Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	
Methyl ionone (mixture of isomers) (1335-46-2)		
LC50 - Fish [1]	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Geraniol (106-24-1)			
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])		
Nerol (106-25-2)			
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
decyl alcohol (112-30-1)			
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Aldehyde C-6 (66-25-1)			
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
12.2. Persistence and degradability			
FRESH CUT GRASS #EU19510F			
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.		
Benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
FRESH CUT GRASS #EU19510F			
Bioaccumulative potential	Not established.		
Benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (	63500-71-0)		
Partition coefficient n-octanol/water (Log Pow)1.65 (at 23 °C (at pH >6.09-<6.74)			
Benzenepropanol, .beta.,.betadimethyl- (133	51-61-6)		
Partition coefficient n-octanol/water (Log Pow)	2.24 (at 23.8 °C (at pH 7)		
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
Amyl salicylate (2050-08-0)			
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)		
Cyclamal (103-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)		
Helional (1205-17-0)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)		
Verdyl acetate (5413-60-5)			
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 30 °C (at pH 5.92)		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
Methyl ionone (mixture of isomers) (1335-46-2	2)		
Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)		
Geraniol (106-24-1)			
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)		
Nerol (106-25-2)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)		
decyl alcohol (112-30-1)			
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)		
Aldehyde C-6 (66-25-1)			
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Additional information :	Avoid release to the environment.		

## SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.</li> </ul>
Ecology - waste materials HP Code	: Avoid release to the environment. : HP3 - "Flammable:"
	<ul> <li>– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point &gt; 55 °C and ≤ 75 °C;</li> </ul>
	<ul> <li>– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;</li> <li>– flammable solid waste: solid waste which is readily combustible or may cause or</li> </ul>
	contribute to fire through friction;
	<ul> <li>– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;</li> </ul>
	<ul> <li>water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;</li> </ul>
	<ul> <li>other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.</li> </ul>
	HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin
	irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one
	or more sectors of the environment

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	·		·
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)
Transport document descr	iption		I	
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9 III
14.3. Transport hazard o	lass(es)			
9	9	9	9	9
14.4. Packing group				
III	III	Ш	III	III
14.5. Environmental haz	ards		-	
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1	1	1

## Overland transport

Overland transport		
Classification code (ADR)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	Τ4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading	:	CV13
and handling (ADR)		
Hazard identification number (Kemler No.)	:	90

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	ueu	by Regulation (EU) 2020/676
Orange plates	:	90
		3082
Tunnel restriction code (ADR)	:	-
EAC code	:	•3Z
Transport by sea		
Special provisions (IMDG)	:	274, 335, 969
Limited quantities (IMDG)		5 L
Excepted quantities (IMDG)		E1
Packing instructions (IMDG)		LP01, P001
Special packing provisions (IMDG)		PP1
IBC packing instructions (IMDG)		IBC03
Tank instructions (IMDG)		T4
Tank special provisions (IMDG)		TP1, TP29
EmS-No. (Fire)		F-A
EmS-No. (Spillage)		S-F
Stowage category (IMDG)	:	A
Air transport		
PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA)		Y964
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	964
PCA max net quantity (IATA)	:	450L
CAO packing instructions (IATA)	:	964
CAO max net quantity (IATA)		450L
Special provisions (IATA)		A97, A158, A197, A215
ERG code (IATA)	:	9L
Inland waterway transport		
Classification code (ADN)		M6
Special provisions (ADN)	:	
Limited quantities (ADN)		5 L
Excepted quantities (ADN)		E1
Carriage permitted (ADN)		Т
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Limited quantities (RID)		5L
Excepted quantities (RID)		E1
Packing instructions (RID)		P001, IBC03, LP01, R001
Special packing provisions (RID)		PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)		W12
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW31
Colis express (express parcels) (RID)		CE8
Hazard identification number (RID)		90
	•	

### 14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange essence oil ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	FRESH CUT GRASS #EU19510F ; Benzyl benzoate ; 2-Isobutyl-4- methyltetrahydro-2H- pyran-4-ol ; Benzenepropanol, .beta.,.betadimethyl- ; Hexyl salicylate ; Hexyl cinnamic aldehyde ; Amyl salicylate ; Triplal (Vertocitral) ; Cyclamal ; Helional ; Orange essence oil ; Linalyl acetate ; Methyl ionone (mixture of isomers) ; Geraniol ; Nerol ; Isocyclocitral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	FRESH CUT GRASS #EU19510F ; Benzyl benzoate ; Benzenepropanol, .beta.,.betadimethyl- ; Hexyl salicylate ; Hexyl cinnamic aldehyde ; Amyl salicylate ; Triplal (Vertocitral) ; Cyclamal ; Helional ; Verdyl acetate ; Orange essence oil ; Methyl ionone (mixture of isomers) ; decyl alcohol ; Isocyclocitral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange essence oil ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Triplal (Vertocitral),Orange essence oil are listed
SZW-lijst van mutagene stoffen	: Triplal (Vertocitral),Orange essence oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information			
Other information	: None.		
Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		

Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

#### : ATP 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.