

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/30/2019 Revision date: 9/22/2023 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

 Trade name
 : Waffle Cone Vanilla #EU19529F

 UFI
 : 0P2R-H15Y-5002-1S4U

Product code : EU19529F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

#### 1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS09

Signal word (CLP) : Wa

Contains : Benzyl benzoate; COUMARIN

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H302 - Harmful if swallowed.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

rotection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH-statements : EUH208 - Contains Acetyl Propionyl, Heliotropine, COUMARIN, 1,2-Cyclopentanedione, 3-

methyl-. May produce an allergic reaction.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	40.425 – 80.85	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	3.75 – 7.5	Eye Irrit. 2, H319
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	2.25 – 4.5	Eye Irrit. 2, H319
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	1 – 2	Aquatic Chronic 3, H412
acetyl propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.15 – 0.3	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.125 – 0.25	Acute Tox. 4 (Oral), H302

9/22/2023 (Revision date) EN (English) 2/18

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.1 – 0.2	Skin Sens. 1B, H317
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
1,2-Cyclopentanedione, 3-methyl-	CAS-No.: 765-70-8 EC-No.: 212-154-8	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.05 – 0.1	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4 1 Da	scrintion	of firet aid	measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell. First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes.

Wear personal protective equipment.

Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

9/22/2023 (Revision date) EN (English) 4/18

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

acetyl propionyl (600-14-6)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	0.083 mg/m³	
AGW (OEL TWA) [2]	0.02 ppm	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.083 mg/m³	
OEL TWA [ppm]	0.02 ppm	
OEL STEL	0.083 mg/m³	
OEL STEL [ppm]	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	0.08 mg/m³	
MAK (OEL TWA) [2]	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m³	
KZGW (OEL STEL) [ppm]	0.04 ppm	
OEL chemical category	Sensitizer, Skin notation	
Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	4.4 mg/m³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL C)	17.4 mg/m³	
HTP (OEL C) [ppm]]	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	

9/22/2023 (Revision date) EN (English) 5/18

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzaldehyde (100-52-7)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
Benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	45 mg/m³	
HTP (OEL TWA) [2]	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

OEL TWA [ppm]         10 ppm           Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m²           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m²           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           URING Senginal Exposure Limits           IPPRV (OEL TWA)         5 mg/m³           Lithuania - Occupational Exposure Limits           Portugal - Occupational Exposure Limits           URING Senginal Exposure Limits           OEL TWA [ppm]         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         8 ppm           OEL STEL [ppm]         30 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure L			
Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m³           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m³           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           URINA Occupational Exposure Limits           Portugal - Occupational Exposure Limits           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         4 A Not Classiflable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         8 ppm           OEL STEL [ppm]         8 ppm           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]	Benzyl acetate (140-11-4)		
OEL TWA [1]         61 mg/m²           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m³           OEL STEL (ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL (ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m²           Lithuania - Occupational Exposure Limits           PPRV (OEL TWA)         5 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA (ppm]         10 ppm           OEL TWA (ppm]         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         50 mg/m³           OEL TWA (ppm]         8 ppm           OEL TWA (ppm]         13 ppm           Spain - Occupational Exposure Limits         VI.A-ED (OEL TWA) [1]         62 mg/m³           VI.A-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA (ppm]         10 ppm	OEL TWA [ppm]	10 ppm	
OEL TWA [2]         10 ppm           OEL STEL         122 mg/m²           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m²           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m²           OEL TWA         50 mg/m²           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m²           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m²           VLA-ED (OEL TWA) [2]         10 ppm           USA- ACGIH - Occupational Exposure Limits           VLA-ED (OEL TWA) [2]         10 ppm	Denmark - Occupational Exposure Limits		
OEL STEL         122 mg/m³           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           UPRV (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         9 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VCSIH OEL TWA [ppm]         10 ppm	OEL TWA [1]	61 mg/m³	
OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits         10 ppm           OEL TWA [2]         30 ppm (calculated)           Latvia - Occupational Exposure Limits         5 mg/m³           CPL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         8 ppm           OEL STEL [ppm]         30 ppm/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VSA - ACGIH - Occupational Exposure Limits	OEL TWA [2]	10 ppm	
Ireland - Occupational Exposure Limits  OEL TWA [2] 10 ppm  OEL STEL [ppm] 30 ppm (calculated)  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL STEL 8 80 mg/m³  OEL STEL 9 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  VSA - ACGIH - Occupational Exposure Limits	OEL STEL	122 mg/m³	
OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           5 mg/m³           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         44 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         10 ppm	OEL STEL [ppm]	20 ppm	
OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits         5 mg/m³           Lithuania - Occupational Exposure Limits         5 mg/m³           IPRV (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits         OEL TWA [ppm]           OEL TWA [ppm]         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m³           OEL TWA         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VLA-ED (Ppm]         10 ppm	Ireland - Occupational Exposure Limits		
Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA [ppm] 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [2]	10 ppm	
OEL TWA       5 mg/m³         Lithuania - Occupational Exposure Limits       5 mg/m³         Portugal - Occupational Exposure Limits       6 mg/m³         OEL TWA (ppm]       10 ppm         OEL chemical category       A4 - Not Classifiable as a Human Carcinogen         Romania - Occupational Exposure Limits         OEL TWA       50 mg/m³         OEL TWA (ppm]       8 ppm         OEL STEL       80 mg/m³         OEL STEL (ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA (ppm]       10 ppm	OEL STEL [ppm]	30 ppm (calculated)	
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA 50 mg/m³  OEL TWA 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	5 mg/m³	
Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Lithuania - Occupational Exposure Limits		
OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 0 80 mg/m³ OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	IPRV (OEL TWA)	5 mg/m³	
OEL chemical category  Romania - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm]  Sepm  OEL STEL  OEL STEL  OEL STEL [ppm]  13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1]  VLA-ED (OEL TWA) [2]  DESA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm]  A4 - Not Classifiable as a Human Carcinogen  50 mg/m³  8 ppm  8 ppm  9 ppm  10 ppm  10 ppm  10 ppm	Portugal - Occupational Exposure Limits		
Romania - Occupational Exposure Limits  OEL TWA [ppm]	OEL TWA [ppm]	10 ppm	
OEL TWA       50 mg/m³         OEL TWA [ppm]       8 ppm         OEL STEL       80 mg/m³         OEL STEL [ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]       10 ppm	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL TWA [ppm]       8 ppm         OEL STEL       80 mg/m³         OEL STEL [ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]       10 ppm	Romania - Occupational Exposure Limits		
OEL STEL       80 mg/m³         OEL STEL [ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]       10 ppm	OEL TWA	50 mg/m³	
OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [ppm]	8 ppm	
Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         10 ppm	OEL STEL [ppm]	13 ppm	
VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Spain - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	VLA-ED (OEL TWA) [1]	62 mg/m³	
ACGIH OEL TWA [ppm] 10 ppm	VLA-ED (OEL TWA) [2]	10 ppm	
	USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category Not Classifiable as a Human Carcinogen	ACGIH OEL TWA [ppm]	10 ppm	
The State and a Human Gardinagen	ACGIH chemical category	Not Classifiable as a Human Carcinogen	

#### 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Non flammable. **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 93.33  $^{\circ}$ C (closed cup) ASTM D7094

Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Not available Viscosity, kinematic Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 1.08 Relative vapour density at 20°C : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Waffle Cone Vanilla #EU19529F		
ATE CLP (oral)	610.874 mg/kg bodyweight	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg bodyweight	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Anisic aldehyde (123-11-5)	
LD50 oral rat	> 2000 mg/kg (Source: OECD_SIDS)
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: OECD_SIDS)
acetyl propionyl (600-14-6)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)
LD50 dermal	2500 mg/kg bodyweight
Benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
Heliotropine (120-57-0)	
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)
LD50 oral	2700 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral	290 mg/kg bodyweight
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
1,2-Cyclopentanedione, 3-methyl- (765-70-8)	
LD50 oral	1067 mg/kg bodyweight
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation : Respiratory or skin sensitisation :	Causes serious eye irritation.  Not classified
Germ cell mutagenicity :	Not classified  Not classified
	Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

## acetyl propionyl (600-14-6)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

## Benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

#### Heliotropine (120-57-0)

Viscosity, kinematic Not applicable

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Harmful if swallowed, Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
0.168 mg/l		
53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
Ethyl vanillin (121-32-4)		
81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
Heliotropine (120-57-0)		
2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

## 12.2. Persistence and degradability

Waffle Cone Vanilla #EU19529F	
Persistence and degradability Not established.	
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

Waffle Cone Vanilla #EU19529F		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	
Anisic aldehyde (123-11-5)		
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)	
Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)	
Benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	

## 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials HP Code

- Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
- Avoid release to the environment.
- HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

n accordance with ADR / IMI	DG / IATA / ADN / RID			I	
ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082 UN 3082 UN 3082		UN 3082	
14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	
Transport document descr	ription				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	
14.3. Transport hazard class(es)					
9	9	9	9	9	
	**************************************				

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) : T4 Tank instructions (IMDG) : TP1, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	acetyl propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Waffle Cone Vanilla #EU19529F; Benzyl benzoate; acetyl propionyl; Benzaldehyde ; Benzyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Waffle Cone Vanilla #EU19529F; Benzyl benzoate; Anisic aldehyde; Benzyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
40.	acetyl propionyl	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

#### 15.1.2. National regulations

#### **France**

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

9/22/2023 (Revision date) EN (English) 16/18

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Danish National Regulations** 

: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Other information : None.

Full text of H- and EUI	H-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains Acetyl Propionyl, Heliotropine, COUMARIN, 1,2-Cyclopentanedione, 3-methyl May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

The classification complies with : ATP 12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.