

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/10/2021 Revision date: 5/18/2023 Supersedes version of: 11/10/2021 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: MANGO #EU27089F
UFI	: GQ0E-W293-P00D-VKJK
Product code	: EU27089F
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use,Professional use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	GHS07 GHS08 GHS09 : Warning
5	0
Contains	: Geraniol; Nerol; Hexyl salicylate; Lemon oil ; Linalyl acetate; Linalool; Triplal (Vertocitral)
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H361 - Suspected of damaging fertility or the unborn child.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	3.8 – 7.5	Aquatic Chronic 3, H412
Dimethylbenzyl carbinyl butyrate(DMBCB)	CAS-No.: 10094-34-5 EC-No.: 233-221-8 REACH-no: 01-2120742578- 44	3.6 – 7.25	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8;616-925-3	1.8 – 3.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	1.8 – 3.5213	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.6 – 3.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	1.6 – 3.1	Aquatic Chronic 3, H412
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	1.5 – 2.97	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	1 – 1.98	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.4 – 0.85	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.28932 – 0.57864	Not classified
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.3 – 0.55	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Call a physician immediately. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effect	s after	skin	cont	act
Symptoms/effect	s after	eye	cont	act

: Irritation. May cause an allergic skin reaction.: Serious damage to eyes. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	quipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, includi	ing any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging Packaging materials	Store in a closed container.Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)				
Belgium - Occupational Exposure Limits				
OEL TWA 62 mg/m ³				
OEL TWA [ppm]	10 ppm			
Denmark - Occupational Exposure Limits				
OEL TWA [1] 61 mg/m ³				
OEL TWA [2] 10 ppm				
Ireland - Occupational Exposure Limits				
DEL TWA [2] 10 ppm				
OEL STEL [ppm] 30 ppm (calculated)				
Latvia - Occupational Exposure Limits				
OEL TWA 5 mg/m ³				
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA) 5 mg/m ³				
Portugal - Occupational Exposure Limits				
OEL TWA [ppm]	10 ppm			
OEL chemical category A4 - Not Classifiable as a Human Carcinogen				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	Benzyl acetate (140-11-4)				
Romania - Occupational Exposure Limits					
OEL TWA	50 mg/m³				
OEL TWA [ppm]	8 ppm				
OEL STEL	80 mg/m³				
OEL STEL [ppm]	13 ppm				
Spain - Occupational Exposure Limits					
VLA-ED (OEL TWA) [1]	62 mg/m³				
VLA-ED (OEL TWA) [2]	10 ppm				
USA - ACGIH - Occupational Exposure Limits	·				
ACGIH OEL TWA [ppm]	10 ppm				
ACGIH chemical category	Not Classifiable as a Human Carcinogen				
Carbitol (111-90-0)					
Austria - Occupational Exposure Limits					
MAK (OEL TWA)	35 mg/m³				
MAK (OEL TWA) [ppm]	6 ppm				
MAK (OEL STEL)	140 mg/m ³				
MAK (OEL STEL) [ppm] 24 ppm					
Estonia - Occupational Exposure Limits					
OEL TWA	50.1 mg/m ³				
OEL TWA [ppm]	10 ppm				
OEL chemical category	Skin notation				
Germany - Occupational Exposure Limits (TRGS 90	0)				
AGW (OEL TWA) [1]	$35~\text{mg/m}^{\text{s}}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)				
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)				
Slovenia - Occupational Exposure Limits	·				
OEL TWA	35 mg/m³				
OEL TWA [ppm]	6 ppm				
OEL STEL	70 mg/m³				
OEL STEL [ppm]	12 ppm				
Sweden - Occupational Exposure Limits					
NGV (OEL TWA)	80 mg/m³				
NGV (OEL TWA) [ppm]	15 ppm				
KTV (OEL STEL)	170 mg/m ³				
KTV (OEL STEL) [ppm]	30 ppm				
OEL chemical category	Skin notation				
Switzerland - Occupational Exposure Limits					
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbitol (111-90-0)			
KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour)			
8.1.2. Recommended monitoring procedures			

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: light yellow. amber.
Odour	: characteristic. characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 91 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 0.94
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)
Acute toxicity (dermal)
Acute toxicity (inhalation)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

L050 oral rat18500 mg/kgL050 demal rat> 2000 mg/kgDimetylbenzyl carbinyl butyrate(DMBCB) (1004-34-34-54)L050 oral rat> 6 y kgL050 oral rat3600 mg/kg bodyweightL050 oral rat3600 mg/kg bodyweightL050 oral rat3600 mg/kg bodyweightL050 oral rat4500 mg/kg bodyweightL050 oral rat2400 mg/kg bodyweightL050 oral rat2500 mg/kgL050 oral rat2400 mg/kg bodyweightL050 oral rat2500 mg/kgL050 oral rat2500 mg/kgL050 oral rat2500 mg/kgL050 oral rat2500 mg/kgL050 oral rat1500 mg/kgL050 oral rabit150 mg/kgL050 oral rabit160 m	Aldehyde C-14 (104-67-6)				
Dimethylbenzyl carbinyl butyrate(DMBCB) (109-34-5) LD50 oral rat > 5 g/kg Geraniol (106-24-1) 3600 mg/kg bodyweight LD50 oral rat 3600 mg/kg bodyweight LD50 oral rat 3600 mg/kg bodyweight LD50 oral rat 4500 mg/kg bodyweight LD50 oral rat 2400 mg/kg bodyweight LD50 oral rat 2500 mg/kg LD50 oral rat 2600 mg/kg bodyweight LD50 oral rat 2600 mg/kg LD50 oral rat 2600 mg/kg LD50 oral rat 260 mg/kg LD50 oral rat 250 mg/kg bodyweight	LD50 oral rat 18500 mg/kg				
LD50 oral rat> 6 g/kgGeranici (106-24-1)3600 mg/kgLD50 oral rat3600 mg/kg bodyweightLD50 oral rat3600 mg/kg bodyweightLD50 oral rat bbit> 5 g/kgNerol (106-25-2)1050 oral ratLD50 oral rat4500 mg/kg bodyweightLD50 oral rat4500 mg/kg bodyweightLD50 oral rat2490 mg/kgLD50 oral rat2490 mg/kgLD50 oral rat2490 mg/kg bodyweightLD50 oral rat2600 mg/kgLD50 oral rat5 g/kgLD50 oral rat2600 mg/kgLD50 oral rat5 g/kgLD50 oral rat5 g/kgLD50 oral rat2600 mg/kgLD50 oral rat2600 mg/kgLD50 oral rat2600 mg/kgLD50 oral rat2600 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat2190 mg/kg bodyweightLD50 oral rat219 mg/kg bodyweightLD50 oral rat500 mg/kgLD50 oral rat218 mg/kg bodyweightLD50 oral rat810 mg	LD50 dermal rat	> 2000 mg/kg			
Ceranici (106-24-1) LD50 oral rat 3600 mg/kg bodyweight LD50 oral 3600 mg/kg bodyweight LD50 demal rabbit > 5 g/kg Nerr (106-25-2) 4500 mg/kg bodyweight LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 5 g/kg LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 2500 mg/kg bodyweight LD50 oral rat 14550 mg/kg LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat 500 mg/kg LD50 oral rat 500 mg/kg	Dimethylbenzyl carbinyl butyrate(DMBCB) (10)094-34-5)			
LD50 oral rat3600 mg/kgLD50 oral3600 mg/kg bodyweightLD50 oral> 5 g/kgNercl (106-25-2)4500 mg/kg bodyweightLD50 oral rat4500 mg/kg bodyweightLD50 oral rat1> 5 g/kgBenzyl acctate (140-11-4)> 5 g/kgLD50 oral rat22490 mg/kg bodyweightLD50 oral rat32490 mg/kg bodyweightLD50 oral rat42490 mg/kg bodyweightLD50 oral rat5> 5 g/kgBenzyl acctate (140-11-4)2490 mg/kg bodyweightLD50 oral rat42490 mg/kg bodyweightLD50 oral rat5> 5 g/kgLD50 oral rat6> 5 g/kgLD50 oral rat7> 5 g/kgLD50 oral rat8> 5 g/kgLD50 oral rat92 800 mg/kgLD50 oral rat92 700 mg/kg bodyweightLD50 oral rat92 700 mg/kg bodyweightLD50 oral rat92 700 mg/kg bodyweightLD50 oral rat93 000 mg/kgLD50 oral rat93 000 mg/kg bodyweightLD50 oral rat93 000 mg/kg bodyweight	LD50 oral rat	> 5 g/kg			
LOSO oral3600 mg/kg bodyweightLDSO dermal rabbt> 5 g/kgNarcol (106-25-2)4500 mg/kg bodyweightLDSO oral rat4500 mg/kg bodyweightLDSO oral rat5 g/kgBenzyl acctate (140-11-4)2490 mg/kg bodyweightLDSO oral rat2490 mg/kg bodyweightLDSO oral rat2490 mg/kg bodyweightLDSO oral rat5 g/kgBenzyl acctate (140-11-4)2490 mg/kg bodyweightLDSO oral rat2490 mg/kg bodyweightLDSO oral rat5 g/kgLDSO oral rat5 g/kgLDSO oral rati> 5000 mg/kgHoxyl salicylate (6259-76-3)2490 mg/kg bodyweightLDSO oral rati> 5000 mg/kgLDSO oral rati218 mg/kg bodyweightLDSO oral rati500 mg/kgLDSO oral rati500 mg/kgLDSO oral rati500 mg/kgLDSO oral rati100 mg/kgLDSO oral rati100 mg/kgLDSO oral rati610 mg/kgLDSO oral ratio100 mg/kg bodyweightLDSO oral ratio100 mg/kg bodyweightLDSO oral ratio100 mg/kg bodyweightLDSO oral ratio <td< td=""><td>Geraniol (106-24-1)</td><td></td></td<>	Geraniol (106-24-1)				
LD50 dermal rabbit > 5 g/kg Norol (106-25-2) 4500 mg/kg LD50 oral rat 4500 mg/kg bodyweight LD50 dermal rabbit > 5 g/kg Benzyl acetate (140-11-4) 1000 mg/kg LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 5 g/kg Benzyl acetate (140-11-4) 1000 mg/kg LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat > 5 g/kg LD50 oral rat 2400 mg/kg LD50 oral rat 2400 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 500 mg/kg LD50 oral rat 500 mg/kg LD50 oral ra	LD50 oral rat	3600 mg/kg			
Norol (166-26-2) LD50 oral rat 4500 mg/kg LD50 oral rat 4500 mg/kg bodyweight LD50 oral rat > 5 g/kg Benzyl acetate (140-11-4) 2490 mg/kg LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 2490 mg/kg LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 2490 mg/kg LD50 oral rat 2490 mg/kg LD50 oral rat 2490 mg/kg LD50 oral rat 25000 mg/kg LD50 oral rat > 5 g/kg LD50 oral rat 2400 mg/kg LD50 oral rat 2640 mg/kg LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 2490 mg/kg bodyweight LD50 oral rat 25000 mg/kg LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat 5000 mg/kg LD50 oral r	LD50 oral	3600 mg/kg bodyweight			
LD50 oral rat4500 mg/kgLD50 oral rat4500 mg/kg bodyweightLD50 oral rabbit> 5 g/kgBenzyl acetate (140-11-4)2490 mg/kgLD50 oral rat2490 mg/kgLD50 oral rat2490 mg/kg bodyweightLD50 oral rat> 5000 mg/kgHoxyl salicylate (6259-76-3)>LD50 oral rat> 5 g/kgLD50 oral rat> 5 000 mg/kgLD50 oral rat> 5000 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat2 700 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat10 mg/kg bodyweightLD50 oral rabbit810 mg/kg bodyweightLD50 oral rabbit900 mg/kg bodyweightLD50 oral rabbit900 mg/kg bodyweightLD50 oral rabbit900 mg/kg bodyweightLD50 oral rabbit10 502 mg/kgLD50 oral rabbit10 502 mg/kg bodyweightCarbbit (111-90-0)10502 mg/kg	LD50 dermal rabbit	> 5 g/kg			
LD50 oral4500 mg/kg bodyweightLD50 dermal rabbit> 5 g/kgBenzyl acetato (140-11-4)2490 mg/kgLD50 oral rat2490 mg/kg bodyweightLD50 oral rat> 5000 mg/kgLD50 dermal rabbit> 5000 mg/kgHxyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 oral rat> 5 g/kgLD50 oral rat> 5 g/kgLD50 oral rat> 5 g/kgLD50 oral rat> 5 000 mg/kgLD50 oral rat> 5 000 mg/kgLD50 oral rat> 5 000 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat2900 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat18 mg/kg bodyweightLD50 oral rat500 mg/kgLD50 oral rat100 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat100 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightTripial (Vortocitral) (68039-49-6)10502 mg/kgLD50 oral rat10502 mg/kgCarbitol (111-80-0)10502 mg/kg	Nerol (106-25-2)				
LD50 dermal rabbit > 5 g/kg Benzyl acetate (140-11-4) 2490 mg/kg LD50 oral rat 2490 mg/kg bodyweight LD50 doral rat 2490 mg/kg bodyweight LD50 dermal rabbit > 5000 mg/kg Hexyl salicylate (6259-76-3) LD50 dermal rabbit > 5 g/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit 2480 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit 2790 mg/kg bodyweight LD50 dermal rabbit 500 mg/kg LD50 oral rat 500 mg/kg LD50 dermal rabbit 810 mg/kg LD50 dermal rabbit 810 mg/kg bodyweight LD50 dermal rabbit 810 mg/kg bodyweight Tripial (Vertocitral) (68039-49-6) 1050 mg/kg bodyweight Cabitol (11-90-0) 1050 zmg/kg	LD50 oral rat	4500 mg/kg			
Benzyl acetate (140-11-4)LD50 oral rat2490 mg/kgLD50 oral rat2490 mg/kg bodyweightLD50 oral rat> 5000 mg/kgHexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 oral rat> 5 g/kgLD50 oral rat> 5000 mg/kgLD60 oral rat> 5000 mg/kgLD60 oral rat> 5000 mg/kgLD60 oral rat2840 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat100 mg/kg bodyweightLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat810 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)1050 ran ratLD50 oral rat3900 mg/kg bodyweightCarbitol (111-90-0)1050 ran ratLD50 oral rat10502 mg/kg	LD50 oral	4500 mg/kg bodyweight			
LD50 oral rat2490 mg/kgLD50 oral2490 mg/kg bodyweightLD50 dermal rabbit> 5000 mg/kgHexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 oral rat> 5 g/kgLD50 oral rat> 5000 mg/kgLemon oil (8008-66-8)LD50 oral rat2840 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat100 mg/kgLD50 oral rat600 mg/kgLD50 oral rat600 mg/kgLD50 oral rat100 mg/kg bodyweightLD50 oral rat810 mg/kg bodyweightLD50 oral rat8900 mg/kg bodyweightLD50 oral3900 mg/kg bodyweightCarbitol (111-90-0)1502 mg/kgLD50 oral rat1502 mg/kg	LD50 dermal rabbit	> 5 g/kg			
D50 oral 2490 m/kg bodyweight LD50 dermal rabbit > 5000 mg/kg Hexyl salicylate (6259-76-3) LD50 oral rat > 5 g/kg LD50 dermal rabbit > 5 g/kg LD50 oral rat 2840 mg/kg LInalyl acetate (115-95-7) LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat 2790 mg/kg bodyweight LD50 oral rat 500 mg/kg LD50 oral rat 500 mg/kg LD50 oral rat 100 mg/kg bodyweight LD50 oral rat 810 mg/kg bodyweight LD50 oral rat 810 mg/kg bodyweight LD50 oral rat 100 mg/kg bodyweight LD50 oral rat 3900 mg/kg bodyweight Carbitol (111-90-0) <t< td=""><td>Benzyl acetate (140-11-4)</td><td></td></t<>	Benzyl acetate (140-11-4)				
LD50 dermal rabbit> 5000 mg/kgHexyl salicylate (6259-76-3)> 5 g/kgLD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kgLemon oil (8008-56-8)LD50 oral rat2840 mg/kgLinalyl acetate (115-95-7)2840 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat2790 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat2790 mg/kg bodyweightLD50 oral rat5000 mg/kgLD50 oral rat5000 mg/kgLD50 oral rat810 mg/kg bodyweightLD50 oral rat810 mg/kgLD50 oral rat810 mg/kgLD50 oral rat810 mg/kg bodyweightLD50 oral rat810 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightLD50 oral rat1050/raf ratLD50 oral rat1050/raf ratLD50 oral rat810 mg/kg bodyweightLD50 oral rat1050/raf ratLD50 oral rat1050/raf rat	LD50 oral rat	2490 mg/kg			
Hexyl salicylate (6259-76-3)LD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kgLemon oil (8008-56-8)Example of the second se	LD50 oral	2490 mg/kg bodyweight			
LD50 oral rat> 5 g/kgLD50 dermal rabbit> 5000 mg/kgLemon oil (8008-56-8)2840 mg/kgLD50 oral rat2840 mg/kgLD50 oral rat14550 mg/kgLD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgLD50 dermal rabbit> 5000 mg/kgLD50 oral rat2790 mg/kg bodyweightAllyl heptanoate (142-19-8)2790 mg/kg bodyweightLD50 oral rat500 mg/kgLD50 oral rat810 mg/kgLD50 oral rat810 mg/kgLD50 oral rat810 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightCarbicol (111-90-0)10502 mg/kgLD50 oral rat10502 mg/kg	LD50 dermal rabbit > 5000 mg/kg				
LD50 dermal rabbit > 5000 mg/kg Lemon oil (8008-56-8) 2840 mg/kg LD50 oral rat 2840 mg/kg Linalyl acetate (115-95-7) 1 LD50 oral rat 14550 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 oral rat 14550 mg/kg LD50 oral rat 2790 mg/kg bodyweight Allyl heptanoate (142-19-8) 1 LD50 oral rat 5000 mg/kg LD50 oral rat 810 mg/kg LD50 oral 810 mg/kg bodyweight Triplal (Vertocitral) (68039-49-6) 10500 ral LD50 oral 3900 mg/kg bodyweight Triplal (Vertocitral) (68039-49-6) 10500 ral LD50 oral 3900 mg/kg bodyweight	Hexyl salicylate (6259-76-3)				
Lemon oil (8008-56-8)LD50 oral rat2840 mg/kgLinalyl acetate (115-95-7)LD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgLinalool (78-70-6)LD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)LD50 oral rat5000 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat600 mg/kgLD50 oral rat180 mg/kg bodyweightLD50 dermal rabbit810 mg/kgLD50 dermal rabbit810 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)1900 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightLD50 oral rat10502 mg/kg	LD50 oral rat	> 5 g/kg			
LD50 oral rat2840 mg/kgLinalyl acetate (115-95-7)LD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgLinalool (78-70-6)LD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)LD50 oral rat500 mg/kgLD50 oral rat600 mg/kgLD50 dermal rabbit810 mg/kgLD50 dermal rabbit810 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)10500 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightLD50 oral rat10500 mg/kg bodyweight	LD50 dermal rabbit	> 5000 mg/kg			
Linalyl acetate (115-95-7)LD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgLinalool (78-70-6)LD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)LD50 oral rat500 mg/kgLD50 oral rat810 mg/kg bodyweightLD50 oral810 mg/kgLD50 dermal rabbit810 mg/kg bodyweightLD50 dermal rabbit810 mg/kg bodyweightLD50 oral3900 mg/kg bodyweightLD50 oral10502 mg/kg bodyweight	Lemon oil (8008-56-8)				
LD50 oral rat14550 mg/kgLD50 dermal rabbit> 5000 mg/kgLinalool (78-70-6)2790 mg/kg bodyweightLD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat810 mg/kg bodyweightLD50 dermal rabbit810 mg/kgLD50 dermal rabbit810 mg/kg bodyweightLD50 oral rat3900 mg/kg bodyweightLD50 oral rat10502 mg/kg bodyweight	LD50 oral rat	2840 mg/kg			
LD50 dermal rabbit> 5000 mg/kgLinalool (78-70-6)2790 mg/kg bodyweightLD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)500 mg/kgLD50 oral rat500 mg/kgLD50 oral rat218 mg/kg bodyweightLD50 dermal rabbit810 mg/kgLD50 dermal rabbit810 mg/kgLD50 dermal rabbit810 mg/kg bodyweightLD50 dermal rabbit3900 mg/kg bodyweightLD50 oral10 mg/kg bodyweight	Linalyl acetate (115-95-7)				
Linalool (78-70-6)LD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)LD50 oral rat500 mg/kgLD50 oral rat218 mg/kg bodyweightLD50 oral218 mg/kg bodyweightLD50 dermal rabbit810 mg/kgLD50 dermal810 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)3900 mg/kg bodyweightLD50 oral rat10502 mg/kg bodyweight	LD50 oral rat	14550 mg/kg			
LD50 oral2790 mg/kg bodyweightAllyl heptanoate (142-19-8)LD50 oral rat500 mg/kgLD50 oral rat218 mg/kg bodyweightLD50 oral810 mg/kgLD50 dermal rabbit810 mg/kg bodyweightLD50 dermal810 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)3900 mg/kg bodyweightLD50 oral3900 mg/kg bodyweightLD50 oral rat10502 mg/kg	LD50 dermal rabbit	> 5000 mg/kg			
Allyl heptanoate (142-19-8) LD50 oral rat 500 mg/kg LD50 oral 218 mg/kg bodyweight LD50 dermal rabbit 810 mg/kg LD50 dermal 810 mg/kg LD50 dermal 810 mg/kg bodyweight LD50 dermal 3900 mg/kg bodyweight Carbitol (111-90-0) 10502 mg/kg	Linalool (78-70-6)				
LD50 oral rat500 mg/kgLD50 oral218 mg/kg bodyweightLD50 dermal rabbit810 mg/kgLD50 dermal810 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)3900 mg/kg bodyweightLD50 oral3900 mg/kg bodyweightCarbitol (111-90-0)10502 mg/kg	LD50 oral	2790 mg/kg bodyweight			
LD50 oral218 mg/kg bodyweightLD50 dermal rabbit810 mg/kgLD50 dermal810 mg/kg bodyweightTriplal (Vertocitral) (68039-49-6)LD50 oral3900 mg/kg bodyweightCarbitol (111-90-0)LD50 oral rat10502 mg/kg	Allyl heptanoate (142-19-8)				
LD50 dermal rabbit 810 mg/kg LD50 dermal 810 mg/kg bodyweight Triplal (Vertocitral) (68039-49-6) 3900 mg/kg bodyweight LD50 oral 3900 mg/kg bodyweight Carbitol (111-90-0) 10502 mg/kg	LD50 oral rat	500 mg/kg			
LD50 dermal 810 mg/kg bodyweight Triplal (Vertocitral) (68039-49-6) LD50 oral 3900 mg/kg bodyweight Carbitol (111-90-0) LD50 oral rat 10502 mg/kg	LD50 oral	218 mg/kg bodyweight			
Triplal (Vertocitral) (68039-49-6) LD50 oral 3900 mg/kg bodyweight Carbitol (111-90-0) LD50 oral rat 10502 mg/kg	LD50 dermal rabbit	810 mg/kg			
LD50 oral 3900 mg/kg bodyweight Carbitol (111-90-0) I0502 mg/kg	LD50 dermal 810 mg/kg bodyweight				
Carbitol (111-90-0) LD50 oral rat 10502 mg/kg	Triplal (Vertocitral) (68039-49-6)				
LD50 oral rat 10502 mg/kg	LD50 oral 3900 mg/kg bodyweight				
	Carbitol (111-90-0)				
LD50 dermal rabbit 9143 mg/kg	LD50 oral rat	10502 mg/kg			
	LD50 dermal rabbit	9143 mg/kg			
LC50 Inhalation - Rat > 5240 mg/m ³ (Exposure time: 4 h)	LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

kin corrosion/irritation : Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
11.2. Information on other hazards	

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and	:	Based on available data, the classification criteria are not met
symptoms		

SECTION 12: Ecological information

12.1. Toxicity

and the second					
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adver effects in the environment. Toxic to aquatic life with long lasting effects.				
Hazardous to the aquatic environment, short-term	: Not classified				
(acute) Hazardous to the aquatic environment, long-term	: Toxic to aquatic life with long lasting effects.				
(chronic)					
Aldehyde C-14 (104-67-6)					
LC50 - Fish [1]	569 mg/l 96 h				
EC50 - Crustacea [1]	5.85 mg/l 48 h				
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h				
Geraniol (106-24-1)					
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])				
Nerol (106-25-2)					
LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])					
Linalyl acetate (115-95-7)					
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])				
Linalool (78-70-6)					
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)				
Carbitol (111-90-0)					
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])				
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])				
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)				

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability					
MANGO #EU27089F					
Persistence and degradability	Not established.				
12.3. Bioaccumulative potential					
MANGO #EU27089F					
Bioaccumulative potential	Not established.				
Aldehyde C-14 (104-67-6)					
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)				
Dimethylbenzyl carbinyl butyrate(DMBCB) (1	0094-34-5)				
Partition coefficient n-octanol/water (Log Pow)	4.7 (at 25 °C)				
Geraniol (106-24-1)					
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)				
Nerol (106-25-2)					
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)				
Benzyl acetate (140-11-4)					
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)				
Hexyl salicylate (6259-76-3)					
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)				
Linalyl acetate (115-95-7)					
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)				
Allyl heptanoate (142-19-8)					
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)				
Carbitol (111-90-0)					
Partition coefficient n-octanol/water (Log Pow)	-0.8				
12.4. Mobility in soil					
No additional information available	No additional information available				
12.5. Results of PBT and vPvB assessment					
No additional information available					
12.6. Endocrine disrupting properties					
No additional information available					
12.7. Other adverse effects					
Additional information :	Avoid release to the environment.				
SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
To. T. Waste treatment methods					

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ecology - waste materials HP Code	: HP - fl die - fl qua - fl cor - fl sta - w dar - o org HP irrit HP fert HP or r	sel and light heating oils havir ammable pyrophoric liquid an antities, is liable to ignite withir ammable solid waste: solid wa tribute to fire through friction; ammable gaseous waste: gas ndard pressure of 101.3 kPa; vater reactive waste: waste wh agerous quantities; ther flammable waste: flamma anic peroxides and flammable 4 - "Irritant – skin irritation and ation or damage to the eye. 10 - "Toxic for reproduction:" v ility in adult males and female	waste having a flash point belong a flash point > 55 °C and ≤ d solid waste: solid or liquid w n five minutes after coming int aste which is readily combusti seous waste which is flammab nich, in contact with water, em able aerosols, flammable self- e self-reactive waste. d eye damage:" waste which o waste which has adverse effer es, as well as developmental to presents or may present imme	75 °C; aste which, even in small o contact with air; ble or may cause or le in air at 20 °C and a its flammable gases in heating waste, flammable on application can cause skin cts on sexual function and pxicity in the offspring.
In accordance with ADR / IMI				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID r	number			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	ig name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)
Transport document descu	ription			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
14.4. Packing group				
	III	111		111
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information		1	1	1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland	transport
Overlanu	uansport

Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	
	· 90
	3082
Tunnel restriction code (ADR)	· _
EAC code	: •3Z
Towns and have a set	
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Packing instructions (RID) Special packing provisions (RID) Mixed packing provisions (RID) Portable tank and bulk container instructions (RID)	 274, 335, 375, 601 5L E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1
Portable tank and bulk container special provisions (RID) Tank codes for RID tanks (RID)	: TP1, TP29 : LGBV
Transport category (RID) Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading and handling (RID)	: 3 : W12 : CW13, CW31
Colis express (express parcels) (RID) Hazard identification number (RID)	: CE8 : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Lemon oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	MANGO #EU27089F ; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Geraniol ; Nerol ; Hexyl salicylate ; Lemon oil ; Linalyl acetate ; Linalool ; Allyl heptanoate ; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	MANGO #EU27089F ; Aldehyde C-14 ; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Benzyl acetate ; Hexyl salicylate ; Lemon oil ; Allyl heptanoate ; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Lemon oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Lemon oil ,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Lemon oil ,Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and ac	ronyms:
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.