

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2/27/2024 Revision date: 11/6/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: LADY MILLION #EU29205F
UFI	: 6DVK-V2T3-S00J-KXM3
Product code	: EU29205F
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use,Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008	[CLP]
Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Warning
Contains	: benzyl benzoate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone;
	Ethyl linalool; Helional; Hydroxy; Benzyl salicylate; Cashmeran; Hexyl cinnamic aldehyde;
	Cedramber; Citrus medica limonum (Lemon) peel oil ; Patchouli oil;
	(ETHOXYMETHOXY)CYCLODODECANE; Bergamot oil; Linalool; (R)-p-mentha-1,8-diene;
	d-limonene; Linalyl acetate; Bourgeonal; Trimofix O
Hazard statements (CLP)	: H302 - Harmful if swallowed.
	H317 - May cause an allergic skin reaction.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	35.9 – 71.8	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	4.5 – 9	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.6 – 1.45	Eye Irrit. 2, H319
Ethyl linalool	CAS-No.: 10339-55-6 EC-No.: 233-732-6 REACH-no: 01-2119969272- 32	0.5 – 0.9	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.4 – 0.85	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	0.4 – 0.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.3 – 0.65	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.3 – 0.625	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.3 – 0.6	Eye Irrit. 2, H319 Skin Sens. 1B, H317
(ETHOXYMETHOXY)CYCLODODECANE	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0.3 – 0.6	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.3 – 0.55	Aquatic Chronic 3, H412
Sandal Mysore Core	CAS-No.: 28219-60-5	0.2 – 0.45	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.2 - 0.4	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.2375 – 0.36875	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.2 – 0.35	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.1774564 – 0.2920034	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.1 – 0.2	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.1286887 – 0.15259595	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Bourgeonal	CAS-No.: 18127-01-0 EC-No.: 242-016-2	0.1 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412
Trimofix O	CAS-No.: 144020-22-4 EC-No.: 482-330-9	0.1 – 0.15	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.076842 – 0.140877	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	0.06 – 0.11	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0 – 0.05	Not classified
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.0114765 – 0.02104025	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact

: May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	 Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	ent and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures :	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures :	Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing fume, mist, spray. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage,	including any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m ³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m ³	
	13 ppm	

Safety Data Sheet

JSA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA	62 mg/m³ 10 ppm 10 ppm	
JSA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA	10 ppm	
JSA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
	10 ppm	
CGIH chemical category		
C ,	Not Classifiable as a Human Carcinogen	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
2	25 ppm	
HTP (OEL STEL)	280 mg/m³	
Ę	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900))	
	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category S	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
DEL TWA	28 mg/m³	
:	5 ppm	
DEL STEL	112 mg/m³	
1	20 ppm	
DEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
/LA-ED (OEL TWA)	168 mg/m³	
:	30 ppm	
DEL chemical category S	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
1	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
:	37.5 ppm (value calculated)	
DEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
OEL chemical category	Sensitizer
.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	· · ·
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limit	,
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m ³
	50 ppm
Portugal - Occupational Exposure Limits	· · ·
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
USA - ACGIH - Occupational Exposure Li	mits
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m ³
	19 ppm
OEL STEL	200 mg/m ³
	38 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
5.1. mormation on basic physical and ch	enical properties	
Physical state	: Liquid	
Colour	: light yellow. amber. Conforms to standard.	
Odour	: characteristic. characteristic.	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: Not available	
Boiling point	: Not available	
Flammability	: Not applicable	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	
Flash point	: > 93 °C	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
рН	: Not available	
Viscosity, kinematic	: Not available	
Solubility	: Not available	
Partition coefficient n-octanol/water (Log Kow)	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50°C	: Not available	
Density	: Not available	
Relative density	: ≈ 1.08	
Relative vapour density at 20°C	: Not available	
Particle characteristics	: Not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 2.29516945 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined	d in Regulation (EC) No 1272/2008	
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified	
LADY MILLION #EU29205F		
ATE CLP (oral)	696.379 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Ethyl linalool (10339-55-6)		
LD50 oral	5000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Hydroxy (107-75-5)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Cashmeran (33704-61-9)		
LD50 oral	2900 mg/kg bodyweight	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	

Safety Data Sheet

Benzyl acetate (140-11-4)		
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Citrus medica limonum (Lemon) peel oil (800		
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
(ETHOXYMETHOXY)CYCLODODECANE (5850		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Bergamot oil (8007-75-8)		
LD50 oral rat	11520 mg/kg (Source: NLM_CIP)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Bourgeonal (18127-01-0)		
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: ECHA_API)	
Ethyl acetoacetate (141-97-9)		
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)	
Trimofix O (144020-22-4)		
LD50 oral rat	> 5000 mg/kg (Source: KR_NIER)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
5 ,	Not classified	
Carcinogenicity :	Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity	Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Cashmeran (33704-61-9)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Bourgeonal (18127-01-0)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
No additional information available		
11.2.2. Other information		
Potential adverse human health effects and	· Based on available data, the classification criteria are not met	

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Ethyl linalool (10339-55-6)		
LC50 - Fish [1]	24 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Benzyl salicylate (118-58-1)		
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Cashmeran (33704-61-9)		
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	

Safety Data Sheet

ECG0 - Other aquatic organisms [1] 0.131 mg1 REACH Dessier Lination (78-70-6) ECG0 Beh - Algue [1] 8.8 mg0 (Species: Desmodersms subspicatus) ECG0 - Fish [1] 0.619 – 0.796 mg1 (Exposure time: 96 h - Species: Pimephales promelas [60w-through] Source: EFA) LCS0 - Fish [2] 0.619 – 0.796 mg1 (Exposure time: 96 h - Species: Pimephales promelas [60w-through] Source: ECHA) LCS0 - Fish [2] 0.619 – 0.796 mg1 (Exposure time: 96 h - Species: Coprinus carpio [flow-through] Source: ECHA) ELG0 - Fish [2] 10 mg1 (Exposure time: 96 h - Species: Coprinus carpio [flow-through] Source: ECHA) ELG0 - Fish [2] 290 mg1 (Exposure time: 96 h - Species: Coprinus carpio [flow-through] Source: UCUD) EC50 - Fish [2] 290 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 290 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 290 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 0.63 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 0.50 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 0.50 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 0.50 mg1 (Exposure time: 96 h - Species: Coprinus mgnas) EC50 - Fish [2] 0.50 mg1 (Exposure time: 96 h - Species: C	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
ECG0 98h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5/ LCG0 - Fish [1] 0.919 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: EPA) LInalyl acetate (115-95-7) 11 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA) Ethyl acetoacetate (141-97-9) 290 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: LICLID) LC50 - Fish [1] 298 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: LICLID) LC50 - Fish [1] 290 mg/l (Exposure time: 96 h - Species: Demohales promelas Source: LICLID) LC50 - Fish [1] 290 mg/l (Exposure time: 96 h - Species: Denothynchus mykiss Source: LICLID) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oxordrynchus mykiss [static] Source: ECHA) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Concortynchus mykiss [static] Source: ECHA) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Concortynchus mykiss [static] Source: ECHA) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Concortynchus mykiss [static] Source: ECHA) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Concortynchus mykiss [static] Source: ECHA)	EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
(R)-p-mentha-1,8-dienc; d-limonene (5989-27-5) LC60 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC60 - Fish [2] 0.819 - 0.796 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) LInalyl acetate (115-95-7) LC50 - Fish [1] LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Oxprinus carpio [flow-through] Source: ECHA) Ethyl acetacetate (141-97-9) LC50 - Fish [2] LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LC50 - Fish [2] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2 Persistence and degradability Not establiahed. LADY MILLION #EU29205F Persistence and degradability Persistence and degradability Not establiahed. LADY MILLION #EU29205F Persistence and degradability Persistence and degradability Rapidly degradabie Ethyl Inalool (10339-55-6) Persistence and degradabil	Linalool (78-70-6)		
LG50 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LG50 - Fish [2] 0.50 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykias Source: EPA) Linalyt acetate (115-95-7) 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) Ethyl acetace(141-97-9) 298 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) LG50 - Fish [1] 298 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LG50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LG50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LG50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LG50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) LG50 - Fish [2] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) LG50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. Denzyl benzoate [120-51-0) Persistence and degradability Persistence and degradability Not established. Ethyl Inalool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradabie Ethyl Inalool (EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Source: EPA) LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) Linalyl acetate (115-95-7) 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) Ethyl acetace (141-97-8) 280 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) Ethyl acetace (141-97-8) 280 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Fish [1] 280 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA) EC50 - Fish [2] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 12.2.3.4.5.6.7.8-Octahydro-2.3.6.8-terametb-2anphthalenyl)ethanore (54464-57-2) Persistence and degradability Persistence and degradability Rapidy degradabil	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Linalyl acetae (115-95-7) LC50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) Ethyl acetoacetate (141-97-9) LC50 - Fish [1] 298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID) LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss Source: IUCLID) EC50 - Fish [2] 290 mg/l (Exposure time: 48 h - Species: Dephnia magna) EC50 72h - Algae [1] 646 mg/l (Exposure time: 48 h - Species: Dephnia magna) EC50 72h - Algae [1] > 500 mg/l (Exposure time: 48 h - Species: Dephnia magna) EC50 72h - Algae [1] > 600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Porsistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 11.2.3,4,5,6,7,8-Octahydro-2,3,8-tetrametry-2-maphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl Iniaolo (10339-56-6) Persistence and degradability Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Persistence and degradability Rapidly degradable	LC50 - Fish [1]		
LC69 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) Ethyl acetoacetate (141-97-9) 298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID) LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Crustacea [1] 646 mg/l (Exposure time: 96 h - Species: Daphnia magna) EC50 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) Timofix O (144020-22-4) U LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 14.2. Apt MILLION #EU29205F Persistence and degradability Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 11.2.3.4.5.6.7.8-Octahydro-2.3.8.8-tetrametty-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Hotroxy (107	LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Ethyl acetoacetate (141-97-9) LC50 - Fish [1] 298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID) LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Crustacea [1] 646 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) Trimofix O (144020-22-4) U LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 1(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl Ilatiool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Helional (120-7-7.0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl sal	Linalyl acetate (115-95-7)		
L50 - Fish [1] 298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID) L50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss Source: IUCLID) EC50 - Crustacea [1] 646 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) Trimofix O (144020-22-4) 0.63 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability 0.63 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. benzyl benzoate (120-51-4) Not established. Persistence and degradability May cause long-term adverse effects in the environment. 11.1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetrametty-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl Inalool (10393-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Helfonal (1205-17-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability R	LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
LC50 - Fish [2] 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID) EC50 - Crustacea [1] 646 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) Trimofix O (144020-22-4) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability LADY MILLION #EU29205F Persistence and degradability Mot established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 1 (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) </td <td>Ethyl acetoacetate (141-97-9)</td> <td></td>	Ethyl acetoacetate (141-97-9)		
EC50 - Crustacea [1] 646 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) Trimofix 0 (144020-22-4) LC50 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability LADY MILLION #EU29205F Persistence and degradability Not established. benzyl benzoate (120-51-4) May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable Benzyl salicylate. Rapidly degradable Etrahydro-2-isobutyl-4-methylpyran-4-ol, myclicis and trans) (63500-71-0) Persistence and degradability Rapidly degradable	LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)	
EC50 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) Trimofix O (144020-22-4) 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. Denzyl benzoate (120-51-4) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy-1-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable <t< td=""><td>LC50 - Fish [2]</td><td>290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)</td></t<>	LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)	
Trimofix O (144020-22-4) 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. Denzyl benzoate (120-51-4) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 1.(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable Ettrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Persistence and degradability Rapidly degra	EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC60 - Fish [1] 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) 12.2. Persistence and degradability Not established. Persistence and degradability Not established. Denzyl benzoate (120-51-4) May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Helional (1205-17-0) Rapidly degradable Persistence and degradability Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable Etrahydro-2-Isobutyl-4-methylpyran4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Etrahydro-2-lisobutyl-4-finedyl (digradable Rapidly degr	EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
12.2. Persistence and degradability LADY MILLION #EU29205F Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable Etrahydro-2-isobutyl-4-methylpyran-4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Etrahydro-2-isobutyl-4-methylpyran-4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable	Trimofix O (144020-22-4)		
LADY MILLION #EU29205F Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Rapidly degradable Persistence and degradability Rapidly degradable Helional (1205-17-0) Rapidly degradable Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Cashmeran (33704-61-9) Rapidly degradable	LC50 - Fish [1]	0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)	
Persistence and degradability Not established. bezyl benzoate (120-51-4) May cause long-term adverse effects in the environment. Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetrameth2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Rapidly degradable Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable	12.2. Persistence and degradability		
berzyl berzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Cashmeran (33704-61-9) Image (Cis and trans) (63500-71-0)	LADY MILLION #EU29205F		
Persistence and degradability May cause long-term adverse effects in the environment. 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Rapidly degradable Persistence and degradability Rapidly degradable Helional (1205-17-0) Rapidly degradable Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Cashmeran (33704-61-9) Persistence (cis and trans) (63500-71-0)	Persistence and degradability	Not established.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2) Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Persistence and degradability Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixer (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Cashmeran (33704-61-9) Persistence and degradability	benzyl benzoate (120-51-4)		
Persistence and degradability Rapidly degradable Ethyl linalool (10339-55-6) Rapidly degradable Persistence and degradability Rapidly degradable Helional (1205-17-0) Rapidly degradable Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable	Persistence and degradability	May cause long-term adverse effects in the environment.	
Ethyl linalool (10339-55-6) Persistence and degradability Rapidly degradable Helional (1205-17-0) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	/I-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability Rapidly degradable Helional (1205-17-0) Rapidly degradable Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable	Persistence and degradability	Rapidly degradable	
Helional (1205-17-0) Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable	Ethyl linalool (10339-55-6)		
Persistence and degradability Rapidly degradable Hydroxy (107-75-5) Rapidly degradable Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Persistence and degradability Persistence and degradability Rapidly degradable Cashmeran (33704-61-9) Rapidly degradable	Persistence and degradability	Rapidly degradable	
Hydroxy (107-75-5) Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Cashmeran (33704-61-9)	Helional (1205-17-0)		
Persistence and degradability Rapidly degradable Benzyl salicylate (118-58-1) Rapidly degradable Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixet isomers (cis and trans) (63500-71-0) Rapidly degradable Persistence and degradability Rapidly degradable Cashmeran (33704-61-9) Rapidly degradable	Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1) Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Cashmeran (33704-61-9)	Hydroxy (107-75-5)		
Persistence and degradability Rapidly degradable tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Cashmeran (33704-61-9)	Persistence and degradability	Rapidly degradable	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0) Persistence and degradability Rapidly degradable Cashmeran (33704-61-9)	Benzyl salicylate (118-58-1)		
Persistence and degradability Rapidly degradable Cashmeran (33704-61-9)	Persistence and degradability	Rapidly degradable	
Cashmeran (33704-61-9)	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
	Persistence and degradability	Rapidly degradable	
Persistence and degradability Rapidly degradable	Cashmeran (33704-61-9)		
	Persistence and degradability	Rapidly degradable	

Safety Data Sheet

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Cedramber (19870-74-7)		
Persistence and degradability	Rapidly degradable	
Citrus medica limonum (Lemon) peel oil (800	8-56-8)	
Persistence and degradability	Rapidly degradable	
Patchouli oil (8014-09-3)		
Persistence and degradability	Rapidly degradable	
Sandal Mysore Core (28219-60-5)		
Persistence and degradability	Rapidly degradable	
(ETHOXYMETHOXY)CYCLODODECANE (5856	37-11-6)	
Persistence and degradability	May cause long-term adverse effects in the environment,Not established.	
Bergamot oil (8007-75-8)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
.betaPinene (127-91-3)		
Persistence and degradability	Rapidly degradable	
Bourgeonal (18127-01-0)		
Persistence and degradability	Rapidly degradable	
Ethyl acetoacetate (141-97-9)		
Persistence and degradability	Rapidly degradable	
Trimofix O (144020-22-4)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
LADY MILLION #EU29205F		
Bioaccumulative potential	Not established.	
<u> </u>	·	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Ethyl linalool (10339-55-6)	<u>.</u>
Partition coefficient n-octanol/water (Log Pow)	3.3 (at 20 °C)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)
Cashmeran (33704-61-9)	
BCF - Fish [1]	(81 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
(ETHOXYMETHOXY)CYCLODODECANE (5856	7-11-6)
BCF - Fish [1]	(530 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.4 (at 25 °C)
Bioaccumulative potential	Not established.
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Bourgeonal (18127-01-0)	
Partition coefficient n-octanol/water (Log Pow)	3.2 (at 20 °C (at pH 7)
Ethyl acetoacetate (141-97-9)	
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
Trimofix O (144020-22-4)	
Partition coefficient n-octanol/water (Log Pow)	5.3 – 5.8 (at 25 °C (at pH >=7-<=7.3)
12.4. Mobility in soil	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations Ecological information HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	1	1	
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			<u>.</u>
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)
Transport document descr	iption	I		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III
14.3. Transport hazard o	class(es)		<u>.</u>	
9	9	9	9	9
14.4. Packing group				
III	111	III	III	111

Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: Yes	environment: Yes	environment: Yes	environment: Yes	environment: Yes
	Marine pollutant: Yes			
No supplementary information	available		1	1
14.6. Special precautions	for user			
Overland transport				
Classification code (ADR)	: M6			
Special provisions (ADR)		4, 335, 375, 601		
Limited quantities (ADR)	: 51			
Excepted quantities (ADR)	: E1			
Packing instructions (ADR)		01, IBC03, LP01, R001		
Special packing provisions (ADI	-			
Mixed packing provisions (ADR)		219		
Portable tank and bulk containe				
Portable tank and bulk containe (ADR)		1, TP29		
Tank code (ADR)	: LG			
Vehicle for tank carriage	: AT			
Transport category (ADR)	: 3			
Special provisions for carriage -				
Special provisions for carriage -	Loading, unloading : CV	13		
and handling (ADR)				
Hazard identification number (K	emler No.) : 90			
Orange plates	:	90		
	-	<u> </u>		
Tunnel restriction code (ADR)		3002		
EAC code	•32	,		
		-		
Transport by sea				
Special provisions (IMDG)	: 274	4, 335, 969		
Limited quantities (IMDG)	: 5 L			
Excepted quantities (IMDG)	: E1			
Packing instructions (IMDG)		01, P001		
Special packing provisions (IMD		•		
IBC packing instructions (IMDG				
Tank instructions (IMDG)	; T4			
Tank special provisions (IMDG)		1, TP29		
EmS-No. (Fire)	: F-4			
EmS-No. (Spillage)	: S-F			
Stowage category (IMDG)	: A			
Air transport				
PCA Excepted quantities (IATA)) : E1			
PCA Limited quantities (IATA)	: Y9	64		
PCA limited quantity max net qu		kgG		
PCA packing instructions (IATA		-		
PCA max net quantity (IATA)	: 450			
CAO packing instructions (IATA)				
CAO max net quantity (IATA)	: 450			
Special provisions (IATA)		7, A158, A197, A215		
ERG code (IATA)	: 9L	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Inland waterway transport	• • •			
Classification code (ADN)	: M6			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):PP1Mixed packing provisions (RID):PP1Mixed packing provisions (RID):T4Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID)::268Hazard identification number (RID)::90			
Excepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID)::GBVTransport category (RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CE8	Special provisions (ADN)	:	274, 335, 375, 601
Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV:Transport category (RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CE8	Limited quantities (ADN)	:	5 L
Equipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LPacking instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV:Transport category (RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8	Excepted quantities (ADN)	:	E1
Number of blue cones/lights (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Carriage permitted (ADN)	:	Т
Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Equipment required (ADN)	:	PP
Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8	Number of blue cones/lights (ADN)	:	0
Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CE8	Rail transport		
Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8	Classification code (RID)	:	M6
Excepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Special provisions (RID)	:	274, 335, 375, 601
Packing instructions (RID):P001, IBC03, LP01, R00Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Limited quantities (RID)	:	5L
Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID)::Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Excepted quantities (RID)	:	E1
Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID)::Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Packing instructions (RID)	:	P001, IBC03, LP01, R001
Portable tank and bulk container instructions (RID): T4Portable tank and bulk container special provisions: TP1, TP29(RID): LGBVTank codes for RID tanks (RID): LGBVTransport category (RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage - Loading, unloading: CW13, CW31and handling (RID): CE8	Special packing provisions (RID)	:	PP1
Portable tank and bulk container special provisions:TP1, TP29(RID):IGBVTank codes for RID tanks (RID):IGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Mixed packing provisions (RID)	:	MP19
(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Portable tank and bulk container instructions (RID)	:	T4
Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8		:	TP1, TP29
Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Tank codes for RID tanks (RID)	:	LGBV
Special provisions for carriage - Loading, unloadingCW13, CW31and handling (RID)Colis express (express parcels) (RID)CE8	Transport category (RID)	:	3
and handling (RID) Colis express (express parcels) (RID) : CE8	Special provisions for carriage – Packages (RID)	:	W12
		:	CW13, CW31
Hazard identification number (RID) : 90	Colis express (express parcels) (RID)	:	CE8
	Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Citrus medica limonum (Lemon) peel oil ; Bergamot oil ; (R)-p- mentha-1,8-diene; d- limonene ; .betaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	LADY MILLION #EU29205F ; benzyl benzoate ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Ethyl linalool ; Helional ; Hydroxy ; Benzyl salicylate ; tetrahydro-2- isobutyl-4-methylpyran-4- ol, mixed isomers (cis and trans) ; Cashmeran ; Hexyl cinnamic aldehyde ; Cedramber ; Citrus medica limonum (Lemon) peel oil ; Patchouli oil ; Sandal Mysore Core ; (ETHOXYMETHOXY)CY CLODODECANE ; Bergamot oil ; Linalool ; (R)-p-mentha-1,8-diene; d-limonene ; Linalyl acetate ; Bourgeonal ; Trimofix O	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	LADY MILLION #EU29205F ; benzyl benzoate ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Helional ; Benzyl salicylate ; Cashmeran ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; Hexyl cinnamic aldehyde ; Benzyl acetate ; Cedramber ; Citrus medica limonum (Lemon) peel oil ; Patchouli oil ; Sandal Mysore Core ; (ETHOXYMETHOXY)CY CLODODECANE ; Bergamot oil ; (R)-p- mentha-1,8-diene; d- limonene ; Bourgeonal ; Trimofix O	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Citrus medica limonum (Lemon) peel oil ; Bergamot oil ; (R)-p- mentha-1,8-diene; d- limonene ; .betaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content

: 2.29516945 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Lemon oil ,Bergamot oil are listed
SZW-lijst van mutagene stoffen	: Lemon oil ,Bergamot oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.