

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/05/2023 Revision date: 16/01/2025 Supersedes version of: 17/05/2023 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : TWILIGHT OAK & AMBER #EU33880F

UFI : 3X9P-FCFW-M00K-1T87

Product code : EU33880F

Type of product : Perfumes, fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use,Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP) : Warning

Contains : Benzyl benzoate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-

naphthalenyl)ethanone; COUMARIN; Linalool; Patchouli oil; Allyl ionone; Eucalyptol; Cinnamic alcohol; Cashmeran; Eugenol; Geraniol; Nerol; L-Carvone; Cinnamic aldehyde

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

Extra phrases For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	15.6 – 31.15	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	3.5 – 7	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.5 – 3.05	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	1.1400095 – 2.2770198	Eye Irrit. 2, H319
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	1.1 – 2.25	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.7 – 1.35	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Allyl ionone	CAS-No.: 79-78-7 EC-No.: 201-225-9	0.6 – 1.25	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5 REACH-no: 01-2119967772- 24	0.5 – 1	Flam. Liq. 3, H226 Skin Sens. 1, H317
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.5 – 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	0.5 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.2 – 0.35	Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.05 – 0.175	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.03 – 0.125	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
L-Carvone	CAS-No.: 6485-40-1 EC-No.: 229-352-5 EC Index-No.: 606-148-00-8	0.1 – 0.1	Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	0.1 – 0.1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.001 – 0.0075	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0.000254 – 0.000508	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.000006	Not classified

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde		(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Call a poison center

or a doctor if you feel unwell.

First-aid measures after inhalation Remove person to fresh air a

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take

off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

16/01/2025 (Revision date) IE - en 4/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

16/01/2025 (Revision date) IE - en 5/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

National occupational exposure and biological limit values

Tourishing Societies and Storogram mine values		
Benzyl acetate (140-11-4)		
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
citral (5392-40-5)		
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	192 mg/m³	
	50 ppm	
IOEL STEL	384 mg/m³	
	100 ppm	
Remark	Possibility of significant uptake through the skin	
Ireland - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Dipropylene glycol monomethyl ether (34590-	94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	

## 8.2. Exposure controls

## Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### **Respiratory protection**

#### Respiratory protection:

Wear appropriate mask

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour Conforms to standard.

Odour characteristic. Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : > 93.3 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available

Partition coefficient n-octanol/water (Log Kow) : Not available : 0.000445003 mm Hg (calculated value)

Vapour pressure at 50°C : Not available : Not available Density : ≈ 1.02 Relative density : Not available Relative vapour density at 20°C Particle characteristics : Not applicable

### 9.2. Other information

Vapour pressure

#### Other safety characteristics

VOC content : 1.614074 % (calculated value)(CARB VOC) (%w/w)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Carbon dioxide.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

,		
TWILIGHT OAK & AMBER #EU33880F		
ATE CLP (oral)	1453.488 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral	1160 mg/kg	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyllin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)	
LD50 oral	2790 mg/kg	

16/01/2025 (Revision date) IE - en 8/19

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Linalool (78-70-6)		
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Eucalyptol (470-82-6)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)	
LD50 oral	2480 mg/kg	
Cinnamic alcohol (104-54-1)		
LD50 oral	2000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Cashmeran (33704-61-9)		
LD50 oral rat	2685 mg/kg (Source: ECHA_API)	
LD50 oral	2900 mg/kg	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Toluene (108-88-3)		
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	12.5 mg/l/4h	
Dipropylene glycol monomethyl ether (34590-	94-8)	
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<del></del>	
Dipropylene glycol monomethyl ether (34590-	94-8)
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)
L-Carvone (6485-40-1)	
LD50 oral rat	5400 mg/kg (Source: KR_NIER)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LD50 dermal	3800 mg/kg
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral	2220 mg/kg
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 dermal	1260 mg/kg
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
	May cause an allergic skin reaction.
	Not classified
	Not classified
	Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Toluene (108-88-3)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Cashmeran (33704-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Toluene (108-88-3)	
Hydrocarbon	Yes

## 11.2. Information on other hazards

### Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

16/01/2025 (Revision date) IE - en 10/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(chronic)	
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexam	ethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Eucalyptol (470-82-6)	
LC50 - Fish [1]	95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
Cashmeran (33704-61-9)	
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Toluene (108-88-3)		
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)	
Dipropylene glycol monomethyl ether (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
L-Carvone (6485-40-1)		
LC50 - Fish [1]	6.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	

## 12.2. Persistence and degradability

TWILIGHT OAK & AMBER #EU33880F			
Persistence and degradability	Not established.		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	vl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable		
Vanillin (121-33-5)			
Persistence and degradability	Not established.		
COUMARIN (91-64-5)			
Persistence and degradability	Rapidly degradable		
Linalool (78-70-6)	Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable		
Patchouli oil (8014-09-3)			
Persistence and degradability	Rapidly degradable		
Allyl ionone (79-78-7)			
Persistence and degradability	Rapidly degradable		
Eucalyptol (470-82-6)			
Persistence and degradability	Rapidly degradable		
Cinnamic alcohol (104-54-1)			
Persistence and degradability	Rapidly degradable		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cashmeran (33704-61-9)			
Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
Eugenol (97-53-0)			
Persistence and degradability	Rapidly degradable		
Geraniol (106-24-1)			
Persistence and degradability	Rapidly degradable		
Nerol (106-25-2)			
Persistence and degradability	Rapidly degradable		
citral (5392-40-5)			
Persistence and degradability	Rapidly degradable		
Toluene (108-88-3)			
Persistence and degradability	Rapidly degradable		
Dipropylene glycol monomethyl ether (34590-	94-8)		
Persistence and degradability	Rapidly degradable		
L-Carvone (6485-40-1)			
Persistence and degradability	Rapidly degradable		
Cinnamic aldehyde (104-55-2)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential		
TWILIGHT OAK & AMBER #EU33880F			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)		
Partition coefficient n-octanol/water (Log Pow)	5.65 (at 30°C)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Vanillin (121-33-5)			
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)		
Bioaccumulative potential	Not established.		
COUMARIN (91-64-5)			
Partition coefficient n-octanol/water (Log Pow)	≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7)		

16/01/2025 (Revision date) IE - en 13/19

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Pow)         2,9 (at 20 °C (at pH 7)           Partition coefficient n-octanol/water (Log Pow)         Not established           Eucalyptol (470-82-6)           Partition coefficient n-octanol/water (Log Pow)         3.4           Cinnamic alcohol (104-54-1)           Partition coefficient n-octanol/water (Log Pow)         1.636 (at 27 °C (at pH 3.52)           Cashmeran (33704-61-9)           BCF - Fish [1]         (81 dimensionless (whole body w.w.)           Partition coefficient n-octanol/water (Log Pow)         42 (at 20 °C)           Bezugal catate (140-11-4)           Partition coefficient n-octanol/water (Log Pow)         1.96 (at 25 °C (at pH 7)           Eugenol (97-53-0)           Partition coefficient n-octanol/water (Log Pow)         2.6 (at 25 °C)           Net I (106-24-1)           Partition coefficient n-octanol/water (Log Pow)         2.76 (at 30 °C (at pH 5.5)           Net I (106-25-2)           Partition coefficient n-octanol/water (Log Pow)         2.76 (at 25 °C)           Net I (106-28-83-3)           Partition coefficient n-octanol/water (Log Pow)         2.73 (at 20 °C (at pH 7)           Diproplene glycor monometh	Linalool (78-70-6)				
Partition coefficient n-octanol/water (Log Pow)	Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)			
Eucalyptol (470-82-6) Partition coefficient n-octanol/water (Log Pow) 3.4  Cinnamic alcohol (104-54-1) Partition coefficient n-octanol/water (Log Pow) 1636 (at 27 °C (at pH 3.52)  Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C)  Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 7)  Eugenol (97-53-0) Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)  Geraniol (106-24-1) Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2) Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5) Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3) Partition coefficient n-octanol/water (Log Pow) 3.73 (at 20 °C (at pH 7)  Diproplene glycol monomethyl ether (34590-34-8) Partition coefficient n-octanol/water (Log Pow) 3.03 (at 25 °C (at pH 7)  L-Carvone (6485-40-1) Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Patchouli oil (8014-09-3)				
Partition coefficient n-octanol/water (Log Pow)  Partition coefficient n-octanol/water	Partition coefficient n-octanol/water (Log Pow)  Not established				
Cinnamic alcohol (104-54-1)  Partition coefficient n-octanol/water (Log Pow) 1.636 (at 27 °C (at pH 3.52)  Cashmeran (33704-61-9)  BCF - Fish [1] (81 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Eucalyptol (470-82-6)				
Partition coefficient n-octanol/water (Log Pow)  Cashmeran (33704-61-9)  BCF - Fish [1]  Retrition coefficient n-octanol/water (Log Pow)  Partition coefficient n-octanol/water (Log Pow)	Partition coefficient n-octanol/water (Log Pow)	3.4			
Cashmeran (33704-61-9)  BCF - Fish [1] (81 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)  Geraniol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Cinnamic alcohol (104-54-1)				
BCF - Fish [1] (81 dimensionless (whole body w.w.)  Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)  Geraniol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52)			
Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C)  Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)  Geraniol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Cashmeran (33704-61-9)				
Benzyl acetate (140-11-4)  Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)  Geraniol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	BCF - Fish [1]	(81 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)  Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5)  Geraniol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-34-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)			
Eugenol (97-53-0)  Partition coefficient n-octanol/water (Log Pow)	Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)    Partition coefficient n-octanol/water (Log Pow)   2.6 (at 25 °C)	Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Geraniol (106-24-1)  Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-4-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Eugenol (97-53-0)				
Partition coefficient n-octanol/water (Log Pow) 2.6 (at 25 °C)  Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)			
Nerol (106-25-2)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Geraniol (106-24-1)				
Partition coefficient n-octanol/water (Log Pow) 2.76 (at 30 °C (at pH 6.5)  Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)			
Citral (5392-40-5)  Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Nerol (106-25-2)				
Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)  Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow) 2.73 (at 20 °C (at pH 7)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)			
Toluene (108-88-3)  Partition coefficient n-octanol/water (Log Pow)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow)  0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow)  2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	citral (5392-40-5)				
Partition coefficient n-octanol/water (Log Pow)  Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow)  0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow)  2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)			
Dipropylene glycol monomethyl ether (34590-94-8)  Partition coefficient n-octanol/water (Log Pow) 0.35 (at 25 °C (at pH 7)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow) 2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Toluene (108-88-3)				
Partition coefficient n-octanol/water (Log Pow)  L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow)  2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)			
L-Carvone (6485-40-1)  Partition coefficient n-octanol/water (Log Pow)  2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Dipropylene glycol monomethyl ether (34590-94-8)				
Partition coefficient n-octanol/water (Log Pow)  2.74 (at 37 °C (at pH 7.2)  Cinnamic aldehyde (104-55-2)	Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)			
Cinnamic aldehyde (104-55-2)	L-Carvone (6485-40-1)				
	Partition coefficient n-octanol/water (Log Pow)	2.74 (at 37 °C (at pH 7.2)			
Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C)	Cinnamic aldehyde (104-55-2)				
	Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)			

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.7. Other adverse effects

TWILIGHT OAK & AMBER #EU33880F			
Other information Avoid release to the environment.			
benzyl benzoate (120-51-4)			
Other information Avoid release to the environment.			
Vanillin (121-33-5)			
Other information	Avoid release to the environment.		

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

**HP Code** 

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shippin	14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super )	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)		
Transport document descr	iption					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super ), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super ), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super ), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super ), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super ), 9, III		
14.3. Transport hazard	class(es)					
9	9	9	9	9		
			**************************************			
14.4. Packing group						
III	III	Ш	Ш	III		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information	on available				

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : -

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 : TP1, TP29 Tank special provisions (IMDG) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

**Inland waterway transport** 

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

16/01/2025 (Revision date) IE - en 16/19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Eucalyptol ; Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	TWILIGHT OAK & AMBER #EU33880F; Benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Linalool; Patchouli oil; Allyl ionone; Eucalyptol; Cashmeran; Eugenol; Geraniol; Nerol; Citral; Toluene; L-Carvone; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REA	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(c)	TWILIGHT OAK & AMBER #EU33880F; Benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Hexamethylindanopyran; Patchouli oil; Allyl ionone; Cashmeran; Benzyl acetate; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	Eucalyptol ; Toluene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		
48.	Toluene	Toluene		

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

## VOC Directive (2004/42)

VOC content : 1.614074 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (EC 273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Other information : None.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EU	IH-statements:
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.