

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 9/12/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : SAFFRON #EU35406F UFI : 7S15-E3VS-200A-GU35

Product code : EU35406F

Type of product : Perfumes, fragrances Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Professional use.Industrial use

Industrial/Professional use spec · Industrial

> For professional use only : Perfumes, fragrances : Odour agents

## 1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

**Emergency number** : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H317 Skin sensitisation, Category 1 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Warning

Contains Cinnamic aldehyde; Eugenol; beta-Caryophyllene; Linalool; Linalyl acetate; Juniper berry oil

; Heliotropine; Pimento oil (Allspice); Ginger oil; White Camphor oil; Galbanum oil; Phenylacetaldehyde; Cinnamalva; 1,2-Cyclopentanedione, 3-methyl-; Patchouli oil

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

: For professional users only.

#### 2.3. Other hazards

Extra phrases

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	2.9 – 5.75	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.8 – 4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	1.64 – 3.4	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Methyl pamplemousse	CAS-No.: 67674-46-8	1 – 1.95	Aquatic Chronic 3, H412 Skin Irrit. 2, H315
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040-	0.7 – 1.4	Eye Irrit. 2, H319
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.7 – 1.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.44 – 1.2	Skin Sens. 1B, H317 Asp. Tox. 1, H304

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Juniper berry oil	CAS-No.: 8002-68-4 EC-No.: 283-268-3;616-801-9	0.5 – 0.95	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.5 – 0.95	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.2 – 0.416	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.2 – 0.4	Skin Sens. 1B, H317
Pimento oil (Allspice)	CAS-No.: 8006-77-7	0.2 – 0.3	Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Phenylacetaldehyde	CAS-No.: 122-78-1 EC-No.: 204-574-5 REACH-no: 01-2120766865- 37	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.2	Aquatic Chronic 3, H412
Galbanum oil	CAS-No.: 8023-91-4 EC-No.: 232-532-6, 296-925-4	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-	0.1 – 0.166	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
White Camphor oil	CAS-No.: 8008-51-3 EC-No.: 295-980-1;616-922-7	0.1 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zingiber officinale (ginger) root oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2	0.1 – 0.1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cinnamalva	CAS-No.: 1885-38-7 EC-No.: 217-552-5	0.1 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317
1,2-Cyclopentanedione, 3-methyl-	CAS-No.: 765-70-8 EC-No.: 212-154-8	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.1 – 0.1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	< 0.016	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.016	Flam. Liq. 3, H226
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	< 0.016	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest. First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

d-Limonene (5989-27-5)		
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	
.alphaPinene (80-56-8)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.alphaPinene (80-56-8)		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
IPRV (OEL TWA) [ppm]	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
TPRV (OEL STEL) [ppm]	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	113 mg/m³	
VLA-ED (OEL TWA) [2]	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
NGV (OEL TWA) [ppm]	25 ppm	
KTV (OEL STEL)	300 mg/m³	
KTV (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Kortidsverdi (OEL STEL) [ppm]         37.5 ppm (value calculated)           USA - ACGIH - Occupational Exposure Limits           ACGIH Obermical category         Not Classiflable as a Human Carcinogen, dermal sensitizer           Belgium - Occupational Exposure Limits         Emeryl acetate (140-11-4)           Belgium - Occupational Exposure Limits         62 mg/m²           OEL TWA [ppm]         10 ppm           Denmark - Occupational Exposure Limits         10 ppm           OEL TWA [2]         10 ppm           OEL TWA [2]         10 ppm           OEL STEL [ppm]         20 ppm           OEL STEL [ppm]         20 ppm           Iroland - Occupational Exposure Limits         02 ppm           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits         02 ppm           Latvia - Occupational Exposure Limits         04 ppm (calculated)           Lituania - Occupational Exposure Limits         05 ppm/m²           Portugal - Occupational Exposure Limits         05 ppm/m²           Portugal - Occupational Exposure Limits         06 ppm/m²           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         9 ppm/m²           OEL STEL [p	.betaPinene (127-91-3)		
ACGIH OEL TWA [ppm]         20 ppm (Turpentine and selected Monoterpenes)           ACGIH chemical category         Not Classifiable as a Human Carcinogen, dermal sensitizer           Benzyl acetate (140-11-4)           Belgium - Occupational Exposure Limits           OEL TWA         62 mg/m²           OEL TWA [ppm]         10 ppm           OEL TWA [2]         61 mg/m²           OEL TWA [2]         10 ppm           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m²           Latvia - Occupational Exposure Limits           DEL TWA         5 mg/m²           Lituania - Occupational Exposure Limits           DEL TWA [ppm]         10 ppm           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         8 ppm     <	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
ACGIH chemical category  ACGIH chemical category  Benzyl acetate (140-11-4)  Belgium - Occupational Exposure Limits  OEL TWA (ppm) 10 ppm  Donnark - Occupational Exposure Limits  OEL TWA [1] 61 mg/m³  OEL TWA [2] 10 ppm  OEL STEL (ppm) 20 ppm  Ireland - Occupational Exposure Limits  OEL TWA [2] 10 ppm  OEL STEL (ppm) 30 ppm (aciculated)  Latvia - Occupational Exposure Limits  OEL TWA [2] 5 mg/m³  OEL STEL [ppm] 5 ppm (aciculated)  Latvia - Occupational Exposure Limits  OEL TWA [2] 10 ppm  OEL STEL [ppm] 5 pmg/m³  Lithuania - Occupational Exposure Limits  OEL TWA 5 pmg/m³  OEL TWA 5 pmg/m³  OEL TWA 5 pmg/m³  OEL TWA 5 pmg/m³  OEL TWA [2] 10 ppm  OEL STEL [20 pmg/m³  OEL TWA 5 pmg/m³  OEL TWA 5 pmg/m³  OEL TWA [20 pmg/m³  OEL STEL [20 p	USA - ACGIH - Occupational Exposure Limits		
Benzyl acetate (140-11-4)           Beiglum - Occupational Exposure Limits           OEL TWA         62 mg/m³           OEL TWA [ppm]         10 ppm           Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m³           OEL TWA [2]         10 ppm           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL TWA [2]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           UIthuania - Occupational Exposure Limits           Protugal - Occupational Exposure Limits           VIA [ppm]         10 ppm           OEL TWA [ppm]         10 ppm           OCL TWA [ppm]         10 ppm           OCL TWA [ppm]         10 ppm           OCL TWA [ppm]         44 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OCL TWA [ppm]         3 ppm           OCL TWA [ppm]         3 ppm           OCL STEL [ppm]         3 ppm           Spain - Occupational Exposure Limits           VIA-ED (OCL	ACGIH OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)	
Beiglum - Occupational Exposure Limits           OEL TWA [ppm]         62 mg/m³           OEL TWA [ppm]         10 ppm           Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m³           OEL TWA [2]         10 ppm           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits         Very ppm           OEL TWA [2]         10 ppm           OEL TWA [2]         30 ppm (calculated)           Latvia - Occupational Exposure Limits         Very ppm           OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits         Very ppm           IPRV (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits         Very ppm           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         13 ppm           Spain - Occupational Exposure Limits         Very ppm           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits	ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
OEL TWA [ppm]         62 mg/m²           OEL TWA [ppm]         10 ppm           Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m³           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m³           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL TWA [2]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits           Protugal - Occupational Exposure Limits           OEL TWA [2]         4 - Not Classiflable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA [ppm]         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m²           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VLA-ED (OEL TWA) [ppm] <td< td=""><td>Benzyl acetate (140-11-4)</td><td></td></td<>	Benzyl acetate (140-11-4)		
OEL TWA [pm]         10 ppm           Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m²           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m²           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           UIT WA           5 mg/m²           Lithuania - Occupational Exposure Limits           IPPN (OEL TWA)         5 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         4 - Not Classiflable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         8 ppm           OEL STEL [ppm]         8 ppm           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VIA-ED (OEL TWA) [1]         62 mg/m³           VIA-ED (OEL TWA) [2]	Belgium - Occupational Exposure Limits		
Denmark - Occupational Exposure Limits           OEL TWA [1]         61 mg/m²           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m²           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           UPRY (OEL TWA)           S mg/m²           Portugal - Occupational Exposure Limits           OEL TWA [ppm]           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         9 ppm           OEL STEL [ppm]         13 ppm           Span - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m²           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits	OEL TWA	62 mg/m³	
OEL TWA [1]         61 mg/m²           OEL TWA [2]         10 ppm           OEL STEL         122 mg/m³           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m²           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         50 mg/m²           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m²           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m²           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           NA - Occupational Exposure Limits	OEL TWA [ppm]	10 ppm	
OEL TWA [2]         10 ppm           OEL STEL         122 mg/m²           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m²           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         50 mg/m²           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m²           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED [OEL TWA) [1]         62 mg/m²           VLA-ED [OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VCSIH OEL TWA [ppm]         10 ppm	Denmark - Occupational Exposure Limits		
OEL STEL         122 mg/m³           OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits           OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           DEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits           IPPN (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL chemical category         A4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL STEL [ppm]         3 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits	OEL TWA [1]	61 mg/m³	
OEL STEL [ppm]         20 ppm           Ireland - Occupational Exposure Limits         10 ppm           OEL TWA [2]         30 ppm (calculated)           Latvia - Occupational Exposure Limits         5 mg/m³           Lithuania - Occupational Exposure Limits         5 mg/m³           Lithuania - Occupational Exposure Limits         5 mg/m³           Portugal - Occupational Exposure Limits         10 ppm           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         4 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL TWA [ppm]         30 ppm/m³           OEL STEL [ppm]         30 ppm/m³           Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           VSA - ACGIH - Occupational Exposure Limits           VSA - ACGIH - Occupational Exposure Limits	OEL TWA [2]	10 ppm	
Ireland - Occupational Exposure Limits  OEL TWA [2] 10 ppm  OEL STEL [ppm] 30 ppm (calculated)  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL 90 mg/m³  OEL STEL 90 mg/m³  OEL STEL 90 mg/m³  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	122 mg/m³	
OEL TWA [2]         10 ppm           OEL STEL [ppm]         30 ppm (calculated)           Latvia - Occupational Exposure Limits           DEL TWA           Empty (OEL TWA)         5 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA [ppm]         10 ppm           OEL TWA [ppm]         44 - Not Classifiable as a Human Carcinogen           Romania - Occupational Exposure Limits           OEL TWA         50 mg/m³           OEL TWA [ppm]         8 ppm           OEL STEL         80 mg/m³           OEL STEL [ppm]         13 ppm           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         10 ppm	OEL STEL [ppm]	20 ppm	
CEL STEL [ppm] 30 ppm (calculated)  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA [ppm] 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL 90 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Ireland - Occupational Exposure Limits		
Cel TWA 5 mg/m³  Portugal - Occupational Exposure Limits  DEL TWA [ppm] 10 ppm  OEL TWA [ppm] 10 ppm  OEL themical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA [ppm] 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL 80 mg/m³  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [2]	10 ppm	
DEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA [ppm] 8 ppm  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL STEL [ppm]	30 ppm (calculated)	
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA 50 mg/m³  OEL TWA 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL TWA	5 mg/m³	
Portugal - Occupational Exposure Limits  OEL TWA [ppm] 10 ppm  OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits  OEL TWA 50 mg/m³  OEL TWA [ppm] 8 ppm  OEL STEL 80 mg/m³  OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Lithuania - Occupational Exposure Limits		
OEL TWA [ppm] 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen  Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH OEL TWA [ppm] 10 ppm	IPRV (OEL TWA)	5 mg/m³	
OEL chemical category  Romania - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm]  Sepm  OEL STEL  OEL STEL  Sol mg/m³  OEL STEL [ppm]  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1]  VLA-ED (OEL TWA) [2]  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm]  A4 - Not Classifiable as a Human Carcinogen  50 mg/m³  8 ppm  8 ppm  9 pm  10 ppm  10 ppm  10 ppm	Portugal - Occupational Exposure Limits		
Romania - Occupational Exposure Limits  OEL TWA [ppm]	OEL TWA [ppm]	10 ppm	
OEL TWA       50 mg/m³         OEL TWA [ppm]       8 ppm         OEL STEL       80 mg/m³         OEL STEL [ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]       10 ppm	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
OEL TWA [ppm]       8 ppm         OEL STEL       80 mg/m³         OEL STEL [ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]       10 ppm	Romania - Occupational Exposure Limits		
OEL STEL       80 mg/m³         OEL STEL [ppm]       13 ppm         Spain - Occupational Exposure Limits         VLA-ED (OEL TWA) [1]       62 mg/m³         VLA-ED (OEL TWA) [2]       10 ppm         USA - ACGIH - Occupational Exposure Limits         ACGIH OEL TWA [ppm]       10 ppm	OEL TWA	50 mg/m³	
OEL STEL [ppm] 13 ppm  Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL TWA [ppm]	8 ppm	
Spain - Occupational Exposure Limits  VLA-ED (OEL TWA) [1] 62 mg/m³  VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) [1]         62 mg/m³           VLA-ED (OEL TWA) [2]         10 ppm           USA - ACGIH - Occupational Exposure Limits           ACGIH OEL TWA [ppm]         10 ppm	OEL STEL [ppm]	13 ppm	
VLA-ED (OEL TWA) [2] 10 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	Spain - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA [ppm] 10 ppm	VLA-ED (OEL TWA) [1]	62 mg/m³	
ACGIH OEL TWA [ppm] 10 ppm	VLA-ED (OEL TWA) [2]	10 ppm	
	USA - ACGIH - Occupational Exposure Limits		
ACGIH chemical category Not Classifiable as a Human Carcinogen	ACGIH OEL TWA [ppm]	10 ppm	
	ACGIH chemical category	Not Classifiable as a Human Carcinogen	

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





## 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 86 °C

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature : Not available Decomposition temperature : Not available Not available рΗ Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Amyl salicylate (2050-08-0)		
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)	
LD50 oral	2000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cinnamic aldehyde (104-55-2)		
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
LD50 dermal	1100 mg/kg bodyweight	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg bodyweight	
Juniper berry oil (8002-68-4)		
LD50 oral rat	6280 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
Sandela (66068-84-6)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 5.27 mg/l/4h	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Pimento oil (Allspice) (8006-77-7)	
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
zingiber officinale (ginger) root oil (8007-08-7)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
White Camphor oil (8008-51-3)	
LD50 oral rat	3730 mg/kg (Source: NLM_CIP)
Phenylacetaldehyde (122-78-1)	
LD50 oral	1550 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Cinnamalva (1885-38-7)	
LD50 oral	100 mg/kg bodyweight
LD50 dermal	1100 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
1,2-Cyclopentanedione, 3-methyl- (765-70-8)	
LD50 oral	1067 mg/kg bodyweight
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
	Not classified
, 3	Not classified
	May cause an allergic skin reaction.
9 ,	Not classified
Carcinogenicity : Eugenol (97-53-0)	Not classified
IARC group	3 - Not classifiable
d-Limonene (5989-27-5)	0 - NOT Glassifiable
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
,	Not classified
3 1	Not classified
•	Not classified
·	Not classified
Heliotropine (120-57-0)	Not applicable
Viscosity, kinematic	Not applicable

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)	
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Linalyl acetate (115-95-7)	

LC50 - Fish [1]	50 - Fish [1] 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECH/	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	

EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
EC50 - Crustacea [2]	260 μg/l REACH Dossier
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas

Heliotropine (120-57-0)		
	LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)

## 12.2. Persistence and degradability

SAFFRON #EU35406F	
Persistence and degradability	Not established.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

12.01 Biodocumanativo potential				
SAFFRON #EU35406F				
Bioaccumulative potential	Not established.			
Amyl salicylate (2050-08-0)				
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)			
Cinnamic aldehyde (104-55-2)				
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)			
Eugenol (97-53-0)				
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)			
Methyl pamplemousse (67674-46-8)				
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C (at pH 7)			
beta-Caryophyllene (87-44-5)				
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)			
d-Limonene (5989-27-5)				
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)			
.alphaPinene (80-56-8)				
Partition coefficient n-octanol/water (Log Pow)	4.1			
Linalyl acetate (115-95-7)				
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)			
Vanillin (121-33-5)				
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)			
Hexamethylindanopyran (1222-05-5)				
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)			
Heliotropine (120-57-0)				
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)			
Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Phenylacetaldehyde (122-78-1)				
Partition coefficient n-octanol/water (Log Pow)	1.44 (at 25 °C (at pH 6.4)			
Cinnamalva (1885-38-7)				
Partition coefficient n-octanol/water (Log Pow)	1.96			

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information

: Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations
Ecology - waste materials
HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RII

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shipping name						
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Amyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)		
Transport document descr	iption					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Amyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9,		
14.3. Transport hazard	class(es)					
9	9	9	9	9		
	**************************************		9	9		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.4. Packing group					
III III		III	III	III	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	SAFFRON #EU35406F; d-Limonene; .alpha Pinene; .betaPinene; Juniper berry oil; White Camphor oil; Galbanum oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (	EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description			
3(b)  SAFFRON #EU35406F; Amyl salicylate; Cinnamic aldehyde; Eugenol; Methyl pamplemousse; d-Limonene; Linalool; Linalyl acetate; Juniper berry oil; Sandela; Pimento oil (Allspice); zingiber officinale (ginger) root oil; White Camphor oil; Galbanum oil; Phenylacetaldehyde; Cinnamalva; Patchouli oil		Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10			
3(c)	SAFFRON #EU35406F; Amyl salicylate; Cinnamic aldehyde; Methyl pamplemousse; d-Limonene; Juniper berry oil; Sandela; Hexamethylindanopyran; Benzyl acetate; Pimento oil (Allspice); zingiber officinale (ginger) root oil; White Camphor oil; Galbanum oil; Phenylacetaldehyde; Patchouli oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1			
40.	d-Limonene; .alpha Pinene; .betaPinene; Juniper berry oil; White Camphor oil; Galbanum oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.			

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids.

Joint storage table

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7. Joint storage not permitted for

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2. Joint storage with restrictions permitted for

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, Joint storage permitted for

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Juniper berry oil ,Sandela,Ginger oil,White Camphor oil,Galbanum oil are listed

SZW-lijst van mutagene stoffen Juniper berry oil ,Sandela,Ginger oil,White Camphor oil,Galbanum oil are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen -Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

## **Denmark**

Class for fire hazard : Class III-1 Store unit 50 liter

Classification remarks Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

**Danish National Regulations** Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

## **Switzerland**

Storage class (LK) : LK 10/12 - Liquids

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	nal) Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	4 (Inhalation) Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	quatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.