

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/2/2018 Revision date: 9/14/2023 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Candy Cane Marshmallow #EU36486F

UFI : YG18-23AG-U00T-WHEU

Product code : EU36486F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Very toxic to aquatic life.

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Warning

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

H410 - Very toxic to aquatic life with long lasting effects.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	22.875 – 45.75	Not classified
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	12.8 – 25.6	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	2.95 – 5.9	Eye Irrit. 2, H319
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	2.325 – 4.65	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	2.15 – 4.3	Eye Irrit. 2, H319
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.6 – 3.2	Acute Tox. 4 (Oral), H302

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Mentha arvensis oil	CAS-No.: 68917-18-0 EC-No.: 294-486-3	1.2 – 2.4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.15 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.15 – 0.3	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.125 – 0.25	Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
acetyl propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.05 – 0.1	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

9/14/2023 (Revision date) EN (English) 4/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Polario Cocupational Exposure Limits  Polary I accoupational Exposure Limits  Proper I accoupational Exposure Limits  Proper I accoupational Exposure Limits  Proper I accoupational Exposure Limits (TROS)  Add (OEL TWA) [1] a formation accoupational Exposure Limits (TROS)  Add (OEL TWA) [2] a gampin' (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Add (OEL TWA) [2] a gampin' (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Add (OEL TWA) [2] a formational Exposure Limits  Polary (OEL TWA) [3] a formational Exposure Limits  Polary (OEL TWA) [4] a formational Exposure Limits  Polary (OEL TWA) [5] a formational Exposure Limits  Polary (OEL TWA) [6] a formational Exposure Limits  Polary (OEL TWA) [7] a formational Exposure Limits  Polary (OEL TWA) [8] a formational Exposure Limits (TROS)   formational Exposure Limits (TROS)	8.1.1 National occupational exposure and biological limit values		
NDS (OEL TWA)   400 mg/m²	3is(2-ethylhexyl) adipate (103-23-1)		
Benzyl alcohol (100-51-6)  Bulgaria - Occupational Exposure Limits  OEL TWA 5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 45 mg/m²  HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 25 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 mg/m²  Latvia - Occupational Exposure Limits  FPX (OEL TWA) 5 mg/m²  CEL TWA 5 mg/m²  OEL TWA 6 mg/m²  Sloventa- Coccupational Exposure Limits  PSX (OEL TWA) 2 mg/m²  Sloventa- Occupational Exposure Limits  DEL TWA 2 22 mg/m²  OEL TWA 2 22 mg/m²  OEL TWA 9 22 mg/m²  OEL TWA 9 22 mg/m²  OEL TWA 100 pm  OEL STEL (ppm) 0 10 ppm  OEL STEL (ppm) 0 10 ppm  OEL STEL (ppm) 0 10 ppm  OEL Occupational Exposure Limits  Walk (OEL TWA) 12 0 5 ppm (aerosol, vapour)  MAK (OEL TWA) 12 0 5 ppm (aerosol, vapour)  MAK (OEL TWA) 12 0 5 ppm (aerosol, vapour)  OEL Chemical category 5 ppm (aerosol, vapour)  OEL Chemical category 5 ppm (aerosol, vapour)  MAK (OEL TWA) 12 0 5 ppm (aerosol, vapour)  OEL Chemical category 5 ppm (aerosol, vapour)	oland - Occupational Exposure Limits		
Bulgaria - Occupational Exposure Limits  PEL (OEL TWA)   40 mg/m²  PEL (OEL TWA)   45 mg/m²  Piniand - Occupational Exposure Limits  HTP (OEL TWA)   45 mg/m²  HTP (OEL TWA)   10 ppm  Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	NDS (OEL TWA)	400 mg/m³	
OEL TWA         5 mg/m²           Czech Republic - Occupational Exposure Limits           Finland - Occupational Exposure Limits           Finland - Occupational Exposure Limits           HTP (OEL TWA) [1]         45 mg/m²           HTP (OEL TWA) [2]         10 ppm           Germany - Occupational Exposure Limits (TRGS 9000)           AGWI (OEL TWA) [1]         22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGWI (OEL TWA) [2]         5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGWI (OEL TWA) [2]         5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGWI (OEL TWA) [2]         5 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGWI (OEL TWA) [2]         5 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGWI (OEL TWA) [2]         5 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGWI (OEL TWA) [2]         5 mg/m²           OEL TWA         6 mg/m²         6 mg/m²           Silva (Para Marian)         9 pmm/m²	Benzyl alcohol (100-51-6)		
Ceech Republic - Occupational Exposure Limits  PEL (OEL TWA)	Bulgaria - Occupational Exposure Limits		
PEL (OEL TWA)   40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1]	OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 45 mg/m²  HTP (OEL TWA) [2] 10 ppm  Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	Czech Republic - Occupational Exposure Limits		
HTP (OEL TWA) [1] 45 mg/m³ HTP (OEL TWA) [2] 10 pm  Germany - Occupational Exposure Limits (TRGS 9000	PEL (OEL TWA)	40 mg/m³	
HTP (OEL TWA) [2]         10 ppm           Germany - Occupational Exposure Limits (TRGS 9000)         22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGW (OEL TWA) [2]         5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         5 kin notation           Lithuania - Occupational Exposure Limits         5 mg/m³           Lithuania - Occupational Exposure Limits         5 mg/m³           POLA - Occupational Exposure Limits         5 kin notation           Poland - Occupational Exposure Limits         5 kin notation           NDS (OEL TWA)         240 mg/m³           Slovenia - Occupational Exposure Limits         5 ppm           OEL TWA         22 mg/m³           OEL TWA (ppm]         5 ppm           OEL STEL         44 mg/m³           OEL STEL (ppm]         10 ppm           OEL chemical category         Potential for cutaneous absorption           Switzerland - Occupational Exposure Limits         22 mg/m³ (aerosol, vapour)           OEL chemical category         5 ppm (aerosol, vapour)           OEL chemical category         5 ppm (aerosol, vapour)	Finland - Occupational Exposure Limits		
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  CLI thuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m²  OEL TWA (ppm) 5 ppm  OEL TWA (ppm) 5 ppm  OEL STEL 44 mg/m²  OEL STEL (ppm) 10 ppm  OEL chemical category Polential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m² (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation	HTP (OEL TWA) [1]	45 mg/m³	
AGW (OEL TWA) [1] 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  Clet TWA) 5 mg/m²  OEL chemical category Skin notation  PPoland - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m²  OEL TWA [22 mg/m²  OEL TWA [32 mg/m²  OEL STEL 44 mg/m²  OEL STEL 44 mg/m²  OEL STEL [34 mg/m²  OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m² (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation	HTP (OEL TWA) [2]	10 ppm	
BGW values are observed)  AGW (OEL TWA) [2] 5 ppm (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  UEL TWA 5 mg/m²  CEL TWA) 5 mg/m²  CEL chemical category Skin notation  Poland - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  CEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Slovenia - Occupational Exposure Limits  CEL TWA  CEL TWA  CEL TWA  CEL TWA [ppm] 5 ppm  CEL STEL [ppm] 5 ppm  CEL STEL [ppm] 10 ppm  CEL STEL [ppm] 10 ppm  CEL chemical category Polential for cutaneous absorption  Switzerland - Occupational Exposure Limits  WAK (OEL TWA) [1] 22 mg/m² (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  CEL chemical category Skin notation  CEL themical category Skin notation	Germany - Occupational Exposure Limits (TRGS 90	0)	
Chemical category     Skin notation       Latvia - Occupational Exposure Limits       CEL TWA     5 mg/m³       Lithuania - Occupational Exposure Limits       IPRV (OEL TWA)     5 mg/m³       OEL chemical category     5 kin notation       Poland - Occupational Exposure Limits       NDS (OEL TWA)     240 mg/m³       Slovenia - Occupational Exposure Limits       OEL TWA     22 mg/m³       0EL TWA [ppm]     5 ppm       0EL STEL     44 mg/m³       0EL STEL [ppm]     10 ppm       0EL chemical category     Potential for cutaneous absorption       Switzerland - Occupational Exposure Limits       MAK (OEL TWA) [1]     22 mg/m² (aerosol, vapour)       MAK (OEL TWA) [2]     5 ppm (aerosol, vapour)       OEL chemical category     5 kin notation       acetyl propionyl (600-14-6)       Germany - Occupational Exposure Limits (TRCS 50)	AGW (OEL TWA) [1]		
CeL TWA 5 mg/m³  CeL TWA) 5 mg/m³  Cet TWA) 5 mg/m³  Cet TWA) 5 mg/m³  Cet TWA) 5 mg/m³  Cet Chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  Cet TWA 22 mg/m³  Cet TWA 22 mg/m³  Cet TWA [ppm] 5 ppm  Cet TWA [ppm] 5 ppm  Cet STEL 44 mg/m³  Cet STEL 44 mg/m³  Cet STEL [ppm] 10 ppm  Cet chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  Cet chemical category Skin notation  Cetr Marcol (144 mg/m²)  Cet Chemical category Skin notation  Cetr Marcol (144 mg/m²)  Cet Chemical category Skin notation  Cetr Marcol (144 mg/m²)  Cetr Marcol (144 mg/m²)	AGW (OEL TWA) [2]		
CEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category 5 kin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA 5 ppm  OEL STEL (ppm] 5 ppm  OEL STEL (ppm] 10 ppm  OEL occupational Exposure Limits  NDK (OEL TWA) 22 mg/m³  OEL STEL (ppm] 10 ppm  OEL occupational exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category 5 kin notation  Scetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 500)	Chemical category	Skin notation	
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³ OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³ Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³ OEL TWA 5 ppm 5 ppm OEL STEL 44 mg/m³ OEL STEL 44 mg/m³ OEL STEL 5 ppm 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  MAK (OEL TWA) [3] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  Sectyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 90)	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³ OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³ Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³ OEL TWA [ppm] 5 ppm OEL STEL 44 mg/m³ OEL STEL 44 mg/m³ OEL STEL [ppm] 10 ppm OEL STEL [ppm] 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  Scetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 90)	OEL TWA	5 mg/m³	
OEL chemical category  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  OEL TWA [ppm]  5 ppm  OEL STEL  44 mg/m³  OEL STEL [ppm]  10 ppm  OEL chemical category  Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  AKK (OEL TWA) [2]  5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	Lithuania - Occupational Exposure Limits		
Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA [ppm] 5 ppm  OEL STEL 44 mg/m³  OEL STEL [ppm] 10 ppm  OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 90)	IPRV (OEL TWA)	5 mg/m³	
NDS (OEL TWA)  Slovenia - Occupational Exposure Limits  OEL TWA  OEL TWA [ppm]  OEL STEL  OEL STEL  OEL STEL  OEL STEL [ppm]  OEL chemical category  NDS (OEL TWA) [1]  MAK (OEL TWA) [2]  OEL Chemical category  Skitzerland - Occupational Exposure Limits  MAK (OEL TWA) [2]  OEL chemical category  Skitzerland - Occupational Exposure Limits  MAK (OEL TWA) [2]  OEL chemical category  Skitzerland - Occupational Exposure Limits  MAK (OEL TWA) [2]  OEL chemical category  Skitzerland - Occupational Exposure Limits  Cermany - Occupational Exposure Limits (TRGS 900)	OEL chemical category	Skin notation	
Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  OEL TWA [ppm] 5 ppm  OEL STEL 44 mg/m³  OEL STEL [ppm] 10 ppm  OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	Poland - Occupational Exposure Limits		
OEL TWA [ppm] 5 ppm  OEL STEL OEL STEL [ppm] 10 ppm  OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	NDS (OEL TWA)	240 mg/m³	
OEL TWA [ppm] 5 ppm OEL STEL OEL STEL [ppm] 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour) OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	Slovenia - Occupational Exposure Limits		
OEL STEL [ppm] 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	OEL TWA	22 mg/m³	
OEL STEL [ppm] 10 ppm OEL chemical category Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	OEL TWA [ppm]	5 ppm	
OEL chemical category  Potential for cutaneous absorption  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  OEL chemical category  Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	OEL STEL	44 mg/m³	
Switzerland - Occupational Exposure Limits  MAK (OEL TWA) [1] 22 mg/m³ (aerosol, vapour)  MAK (OEL TWA) [2] 5 ppm (aerosol, vapour)  OEL chemical category Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	OEL STEL [ppm]	10 ppm	
MAK (OEL TWA) [1]  MAK (OEL TWA) [2]  5 ppm (aerosol, vapour)  OEL chemical category  Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	OEL chemical category	Potential for cutaneous absorption	
MAK (OEL TWA) [2] 5 ppm (aerosol, vapour) OEL chemical category Skin notation  acetyl propionyl (600-14-6) Germany - Occupational Exposure Limits (TRGS 900)	Switzerland - Occupational Exposure Limits		
OEL chemical category  Skin notation  acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
acetyl propionyl (600-14-6)  Germany - Occupational Exposure Limits (TRGS 900)	MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
Germany - Occupational Exposure Limits (TRGS 900)	OEL chemical category	Skin notation	
	acetyl propionyl (600-14-6)		
AGW (OEL TWA) [1] 0.083 mg/m <sup>3</sup>	Germany - Occupational Exposure Limits (TRGS 900)		
	AGW (OEL TWA) [1]	0.083 mg/m³	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetyl propionyl (600-14-6)	
AGW (OEL TWA) [2]	0.02 ppm
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	0.083 mg/m³
OEL TWA [ppm]	0.02 ppm
OEL STEL	0.083 mg/m³
OEL STEL [ppm]	0.02 ppm
OEL chemical category	Potential for cutaneous absorption
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	0.08 mg/m³
MAK (OEL TWA) [2]	0.02 ppm
KZGW (OEL STEL)	0.16 mg/m³
KZGW (OEL STEL) [ppm]	0.04 ppm
OEL chemical category	Sensitizer, Skin notation

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Not applicable : Not available **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit

Flash point : > 93.33 °C (closed cup) ASTM D7094

: Not available Auto-ignition temperature Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0.97 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified
Candy Cane Marshmallow #EU36486F	
ATE CLP (oral)	1788.33 mg/kg bodyweight
Bis(2-ethylhexyl) adipate (103-23-1)	
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5.7 mg/l/4h
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)
LD50 dermal	2600 mg/kg bodyweight
Hexamethylindanopyran (1222-05-5)	
Hexamethylindanopyran (1222-05-5) LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
	> 3250 mg/kg (Source: CHEMVIEW) > 3250 mg/kg (Source: CHEMVIEW)
LD50 oral rat	5 5 7
LD50 oral rat LD50 dermal rabbit	7 7 7
LD50 oral rat LD50 dermal rabbit Ethyl vanillin (121-32-4)	> 3250 mg/kg (Source: CHEMVIEW)
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP)
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat  LD50 oral	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP)  3000 mg/kg bodyweight
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat  LD50 oral  LD50 dermal rat	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP)  3000 mg/kg bodyweight
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat  LD50 oral  LD50 dermal rat  Ethyl maltol (4940-11-8)	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP)  3000 mg/kg bodyweight  > 2000 mg/kg (Source: ECHA_API)
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat  LD50 dermal rat  Ethyl maltol (4940-11-8)  LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP)  3000 mg/kg bodyweight > 2000 mg/kg (Source: ECHA_API)  1150 mg/kg (Source: NLM_CIP)
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat  LD50 dermal rat  Ethyl maltol (4940-11-8)  LD50 oral rat  LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP) 3000 mg/kg bodyweight > 2000 mg/kg (Source: ECHA_API)  1150 mg/kg (Source: NLM_CIP) 1200 mg/kg bodyweight
LD50 oral rat  LD50 dermal rabbit  Ethyl vanillin (121-32-4)  LD50 oral rat  LD50 dermal rat  Ethyl maltol (4940-11-8)  LD50 oral rat  LD50 oral rat  LD50 oral rat  LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)  1590 mg/kg (Source: NLM_CIP) 3000 mg/kg bodyweight > 2000 mg/kg (Source: ECHA_API)  1150 mg/kg (Source: NLM_CIP) 1200 mg/kg bodyweight

9/14/2023 (Revision date) EN (English) 8/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.	Linalool (78-70-6)		
D550 oral rat   S100 mg/kg (Source: NLM_CIP)	LD50 oral	2790 mg/kg bodyweight	
LD50 oral 3100 mg/kg bodyweight LD50 dermal rabbit > 3000 mg/kg (Source: EPA_HPV) LD50 oral rat 2700 mg/kg (Source: NLM_CIP) LD50 oral rat 2700 mg/kg (Source: ECHA_API)  Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: ECHA_API)  Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1250 mg/kg bodyweight LD50 oral rat 1250 mg/kg bodyweight LD50 oral 1250 mg/kg bodyweight LD50 oral rat 139 mg/kg bodyweight  acetyl propionyl (600-14-6) LD50 oral rat 39 mg/kg (Source: NLM_CIP) LD50 oral rat 3900 mg/kg bodyweight LD50 oral rat 3900 mg/kg (Source: NLM_CIP) LD50 dermal rabbit 2000 mg/kg (Source: NLM_CIP) LD50 oral rat 39 mg/kg (Source: NLM_CIP) LD50 oral rat 4000 mg/kg (Source: NLM_CIP) LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat 5000 mg/kg bodyweight LD50 oral rat 5000 mg/kg (Source: NLM_CIP) LD50 oral rat 5000 mg	Hexyl cinnamic aldehyde (101-86-0)		
Description	LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	LD50 oral	3100 mg/kg bodyweight	
Heliotropine (120-57-0)	LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LD50 oral rat	LC50 Inhalation - Rat	> 5 mg/l/4h	
LD50 oral  LD50 oral  LD50 dermal rat  > 5000 mg/kg (Source: ECHA_API)  Benzyl alcohol (100-51-6)  LD50 oral rat  1230 mg/kg (Source: NLM_CIP)  LD50 oral  1620 mg/kg bodyweight  LD50 dermal  2500 mg/kg bodyweight  LD50 oral rat  3 g/kg (Source: NLM_CIP)  LD50 oral  2500 mg/kg bodyweight  LD50 dermal rabbit  2500 mg/kg (Source: NICM_CIP)  LD50 dermal rabbit  2500 mg/kg bodyweight  Skin corrosion/irritation  Serious eye damage/irritation  Respiratory or skin sensitisation  3 May cause an allergic skin reaction.  Germ cell mutagenicity  3 Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  LARC group  3 - Not classified  STOT-single exposure  3 Not classified  STOT-single exposure  3 Not classified  STOT-single exposure  3 Not classified  STOT-repeated exposure  3 Not classified  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  7 456 mm²/s  Heliotropine (120-57-0)	Heliotropine (120-57-0)		
LD50 dermal rat > 5000 mg/kg (Source: ECHA_API)  Benzyl alcohol (100-51-6)  LD50 oral rat   1230 mg/kg (Source: NLM_CIP)  LD50 oral   1620 mg/kg bodyweight    LD50 dermal   2500 mg/kg bodyweight    LD50 oral rat   3g/kg (Source: NLM_CIP)  LD50 oral rat   3g/kg (Source: NLM_CIP)  LD50 oral rat   3000 mg/kg bodyweight    LD50 oral   3000 mg/kg bodyweight    LD50 dermal rabbit   > 2000 mg/kg (Source: NIOSH)  LD50 dermal   2500 mg/kg bodyweight   2500 mg/kg (Source: NIOSH)  LD50 dermal   2500 mg/kg bodyweight   250	LD50 oral rat	2700 mg/kg (Source: NLM_CIP)	
Benzyl alcohol (100-51-6)  LD50 oral rat	LD50 oral	2700 mg/kg bodyweight	
LD50 oral rat	LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
LD50 oral 1620 mg/kg bodyweight  LD50 dermal 2500 mg/kg bodyweight  acetyl propionyl (600-14-6)  LD50 oral rat 3g/kg (Source: NLM_CIP)  LD50 oral 3000 mg/kg bodyweight  LD50 dermal 5000 mg/kg (Source: NIOSH)  LD50 dermal 5000 mg/kg bodyweight  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classified  STOT-single exposure : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Bory propionyl (600-14-6)  STOT-repeated exposure : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)	Benzyl alcohol (100-51-6)		
LD50 dermal 2500 mg/kg bodyweight  acetyl propionyl (600-14-6)  LD50 oral rat 3g/kg (Source: NLM_CIP)  LD50 oral  3000 mg/kg bodyweight  LD50 dermal rabbit > 2000 mg/kg (Source: NiOSH)  LD50 dermal  2500 mg/kg (Source: NiOSH)  LD50 dermal  2500 mg/kg bodyweight  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)	LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
acetyl propionyl (600-14-6)  LD50 oral rat  3 g/kg (Source: NLM_CIP)  LD50 oral  3000 mg/kg bodyweight  LD50 dermal rabbit  > 2000 mg/kg (Source: NIOSH)  LD50 dermal  2500 mg/kg (Source: NIOSH)  LD50 dermal  2500 mg/kg bodyweight  Skin corrosion/irritation  : Not classified  Serious eye damage/irritation  Respiratory or skin sensitisation  Germ cell mutagenicity  : Not classified  Carcinogenicity  : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  STOT-repeated exposure  : Not classified  Benzyl propionyl (600-14-6)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic  7.456 mm³/s  Heliotropine (120-57-0)	LD50 oral	1620 mg/kg bodyweight	
LD50 oral rat  LD50 oral  LD50 oral  3000 mg/kg bodyweight  LD50 dermal rabbit  > 2000 mg/kg (Source: NLM_CIP)  LD50 dermal  2500 mg/kg (Source: NIOSH)  LD50 dermal  2500 mg/kg bodyweight  Skin corrosion/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Germ cell mutagenicity  3 Not classified  Garcinogenicity  Shin capacity  Shot classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Serious eye irritation.  Serious eye irritation.  Serious eye irritation.  Serious eye irritation.  Shot classified  Shot classified  Sis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Serious eye irritation.  Shot classified  Sis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Serious eye irritation.  Shot classified  Sis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Serious eye irritation.  Shot classified  Sis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Sis(3-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Sis(3-ethylhexyl) ethylhexyl) ethylhexyll	LD50 dermal	2500 mg/kg bodyweight	
LD50 oral  LD50 dermal rabbit  LD50 dermal  2500 mg/kg (Source: NIOSH)  LD50 dermal  2500 mg/kg (Source: NIOSH)  2500 mg/kg (Source: NIOSH)  Skin corrosion/irritation  Skin corrosion/irritation  Serious eye damage/irritation  Respiratory or skin sensitisation  Germ cell mutagenicity  INot classified  Carcinogenicity  INot classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Reproductive toxicity  INOT-single exposure  Not classified  STOT-repeated exposure  INOT-repeated exposure  INOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic  7.456 mm²/s  Heliotropine (120-57-0)	acetyl propionyl (600-14-6)		
LD50 dermal rabbit  LD50 dermal  2500 mg/kg (Source: NIOSH)  2500 mg/kg (Source: NIOSH)  2500 mg/kg (Source: NIOSH)  2500 mg/kg (Source: NIOSH)  Skin corrosion/irritation  Skin corrosion/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Serious eye irritation.  Respiratory or skin sensitisation  Smay cause an allergic skin reaction.  Germ cell mutagenicity  Not classified  Carcinogenicity  SNot classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  STOT-single exposure  Not classified  STOT-repeated exposure  Not classified  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic  7.456 mm²/s  Heliotropine (120-57-0)	LD50 oral rat	3 g/kg (Source: NLM_CIP)	
LD50 dermal  2500 mg/kg bodyweight  Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group  3 - Not classified  Berproductive toxicity STOT-single exposure STOT-repeated exposure  acetyl propionyl (600-14-6)  STOT-repeated exposure  May cause an allergic skin reaction.  Not classified  3 - Not classified  Not classified  Not classified  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified  PAG Group  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  T.456 mm²/s  Heliotropine (120-57-0)	LD50 oral	3000 mg/kg bodyweight	
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified Carcinogenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group : 3 - Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic : 7.456 mm²/s  Heliotropine (120-57-0)	LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)	
Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Berzyl propionyl (600-14-6)  STOT-repeated exposure	LD50 dermal	2500 mg/kg bodyweight	
Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group : 3 - Not classifiable  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic : 7.456 mm²/s  Heliotropine (120-57-0)			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6) STOT-repeated exposure			
Carcinogenicity : Not classified  Bis(2-ethylhexyl) adipate (103-23-1)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)		•	
Bis(2-ethylhexyl) adipate (103-23-1)  IARC group  Reproductive toxicity  STOT-single exposure  STOT-repeated exposure  acetyl propionyl (600-14-6)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard  Benzyl benzoate (120-51-4)  Viscosity, kinematic  7.456 mm²/s  Heliotropine (120-57-0)			
IARC group  3 - Not classifiable  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic  7.456 mm²/s  Heliotropine (120-57-0)	, , , , , , , , , , , , , , , , , , ,	Teat Glassified	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)		3 - Not classifiable	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)			
STOT-repeated exposure : Not classified  acetyl propionyl (600-14-6)  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic   7.456 mm²/s  Heliotropine (120-57-0)			
acetyl propionyl (600-14-6)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)			
Aspiration hazard : Not classified  Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)	•		
Benzyl benzoate (120-51-4)  Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Viscosity, kinematic 7.456 mm²/s  Heliotropine (120-57-0)	Aspiration hazard :	Not classified	
Heliotropine (120-57-0)	Benzyl benzoate (120-51-4)		
	Viscosity, kinematic	7.456 mm²/s	
Viscosity, kinematic Not applicable	Heliotropine (120-57-0)		
	Viscosity, kinematic	Not applicable	

## 11.2. Information on other hazards

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(chronic)	
Bis(2-ethylhexyl) adipate (103-23-1)	
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

Bis(2-ethylhexyl) adipate (103-23-1)		
(27 dimensionless)		
8.94 (at 25 °C)		
3.97 (at 25 °C)		
Not established.		
1.23 (at 22 °C)		
(1618 dimensionless (whole body w.w.)		
5.3 (at 25 °C (at pH 7)		
1.61 (at 25 °C)		
2.9 (at 25 °C)		
Heliotropine (120-57-0)		
1.2 (at 35 °C)		
Benzyl alcohol (100-51-6)		
1.05		

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

9/14/2023 (Revision date) EN (English) 11/17

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
  - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
**************************************	**************************************		**************************************	
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
No supplementary informatio	n available			

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

## Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

#### Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (F	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	acetyl propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Candy Cane Marshmallow #EU36486F ; Benzyl benzoate; Mentha arvensis oil; Linalool; Hexyl cinnamic aldehyde; Iso E Super; Benzyl alcohol; acetyl propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	Candy Cane Marshmallow #EU36486F ; Benzyl benzoate; Hexamethylindanopyran; Mentha arvensis oil; Hexyl cinnamic aldehyde; Iso E Super	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	acetyl propionyl	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Cornmint oil (redist) is listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling  $\phantom{a}$ : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acr	Abbreviations and acronyms:		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
EC-No.	European Community number		
EN	European Standard		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.