

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 05/01/2018 Revision date: 26/03/2025 Supersedes version of: 21/02/2025 Version: 4.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : AMBER NOIR #EU37338F

Product code : EU37338F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS07 GHS09

Signal word (CLP) : Warning

Contains : 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; COUMARIN;

 $\label{linabol:eq:li$

Geraniol; Nerol; L-Carvone; Cinnamic aldehyde

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	3.5 – 7	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	1.5 – 3.05	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	1.1400095 – 2.2770198	Eye Irrit. 2, H319
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	1.1 – 2.25	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1-2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.7 – 1.35	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Allyl ionone	CAS-No.: 79-78-7 EC-No.: 201-225-9	0.6 – 1.25	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.5 – 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eucalyptol	CAS-No.: 470-82-6 EC-No.: 207-431-5 REACH-no: 01-2119967772- 24	0.5 – 1	Flam. Liq. 3, H226 Skin Sens. 1, H317
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	0.5 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.2 – 0.35	Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.05 – 0.175	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.03 – 0.125	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
L-Carvone	CAS-No.: 6485-40-1 EC-No.: 229-352-5 EC Index-No.: 606-148-00-8	0.1 – 0.1	Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-	0.1 – 0.1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.001 – 0.0075	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0.000254 – 0.000508	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.000006	Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

26/03/2025 (Revision date) IE - en 5/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzyl acetate (140-11-4)		
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
citral (5392-40-5)		
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	192 mg/m³	
	50 ppm	
IOEL STEL	384 mg/m³	
	100 ppm	
Remark	Possibility of significant uptake through the skin	
Ireland - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Dipropylene glycol monomethyl ether (34590-	94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold : Not available Melting point : Not applicable : Not available Freezing point : Not available Boiling point : Not applicable Flammability Lower explosion limit : Not available Upper explosion limit : Not available : > 93.3 °C Flash point Not available Auto-ignition temperature Decomposition temperature Not available Not available рΗ Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.000454877 mm Hg (calculated value)

Vapour pressure at 50° C : Not available Density : Not available Relative density : ≈ 0.96 Relative vapour density at 20° C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : 1.614074 % (calculated value)(CARB VOC) (%w/w)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg bodyweight	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)	
LD50 oral	2790 mg/kg	
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Cinnamic alcohol (104-54-1)		
LD50 oral	2000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	

Safety Data Sheet

Eucalyptol (470-82-6)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)	
LD50 oral	2480 mg/kg bodyweight	
Cashmeran (33704-61-9)		
LD50 oral rat	2685 mg/kg (Source: ECHA_API)	
LD50 oral	2900 mg/kg bodyweight	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Toluene (108-88-3)		
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	12.5 mg/l/4h	
Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)	
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)	
L-Carvone (6485-40-1)		
LD50 oral rat	5400 mg/kg (Source: KR_NIER)	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 dermal	3800 mg/kg bodyweight	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

_D50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral	2220 mg/kg
_D50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 dermal	1260 mg/kg
ckin corrosion/irritation dditional information derious eye damage/irritation dditional information despiratory or skin sensitisation derm cell mutagenicity dditional information dercinogenicity dditional information dercinogenicity dditional information dercinogenicity dditional information COUMARIN (91-64-5) ARC group	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 3 - Not classifiable
Benzyl acetate (140-11-4)	O 1404 Gladesinapie
ARC group	3 - Not classifiable
Eugenol (97-53-0)	
ARC group	3 - Not classifiable
Toluene (108-88-3)	
ARC group	3 - Not classifiable
deproductive toxicity dditional information TOT-single exposure dditional information TOT-repeated exposure dditional information	 : Not classified : Based on available data, the classification criteria are not met : Not classified : Based on available data, the classification criteria are not met : Not classified : Based on available data, the classification criteria are not met
Cashmeran (33704-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
spiration hazard dditional information	Not classified Based on available data, the classification criteria are not met
Toluene (108-88-3)	

11.2. Information on other hazards

Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

26/03/2025 (Revision date) IE - en 10/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects. (chronic)

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) 1,050 - Chish [1] 0.452 mg/l Wolf, 19964-27882 1,050 - Chish raquatic organisms [1] > 0.14 mg/l REACH DOSSIER Pimephales promelas 1,050 - Chish raquatic organisms [1] 0.131 mg/l REACH DOSSIER Pimephales promelas 1,050 - Chish (1) 1,050 - Chish [1] 1,050 - Chi	(chronic)		
C50 - Other aquatic organisms [1]	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
EC50 - Crustacea [2] 260 µg/l REACH Dossier	LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
CS0 - Other aquatic organisms [1] 0.131 mg/l (Exposure time: 96 h - Species: Pimephales promelas [tlow-through]	LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
Vanillin (121-33-5) LC50 - Fish [1]	EC50 - Crustacea [2]	260 μg/l REACH Dossier	
LC50 - Fish [1] S3 - 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Source: EPÁ	Vanillin (121-33-5)		
NOEC (acute) 10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight]) Linalool (78-70-6) LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 98h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus) Eucalyptol (470-82-6) LC50 - Fish [1] 95.4 (95.4 - 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Geraniol (106-24-1) LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA) Citral (5392-40-5) EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Danio rerio [semi-static] Source: ECHA) Citral (5398-83) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) EC50 - Crustacea [1] 546 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	LC50 - Fish [1]		
Linalool (78-70-6)	LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)	NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna)	Linalool (78-70-6)		
Eucalyptol (470-82-6) LC50 - Fish [1] 95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through]) Cashmeran (33704-61-9) LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (106-24-1) LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA) Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Citral (6392-40-5) EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)	
LC50 - Fish [1] 95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through])	EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 - Fish [1] 95.4 (95.4 – 109) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Eugenol (97-53-0) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Geraniol (106-24-1) LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) citral (5392-40-5) EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Danio rerio [semi-static] Source: ECHA) citral (5392-40-5) EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Daphnia magna) EC50 - Crustacea [1] 15.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
through)	Eucalyptol (470-82-6)		
LC50 - Fish [1] 10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	LC50 - Fish [1]		
LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	Cashmeran (33704-61-9)		
C50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Companied Comp	Eugenol (97-53-0)		
LC50 - Fish [1] 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA) Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) citral (5392-40-5) EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Nerol (106-25-2) LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) citral (5392-40-5) EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	Geraniol (106-24-1)		
LC50 - Fish [1] 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) citral (5392-40-5) EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
citral (5392-40-5) EC50 - Crustacea [1]	Nerol (106-25-2)		
EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	citral (5392-40-5)		
EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus) Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Toluene (108-88-3) LC50 - Fish [1] 15.22 - 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
LC50 - Fish [1] 15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
Source: EPA) LC50 - Fish [2] 12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	Toluene (108-88-3)		
EC50 - Crustacea [1] 5.46 - 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	LC50 - Fish [1]		
EC50 - Crustacea [2] 11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 72h - Algae [1] 12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
	EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 96h - Algae [1] > 433 mg/l (Species: Pseudokirchneriella subcapitata)	EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	
	EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-	94-8)
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)
L-Carvone (6485-40-1)	
LC50 - Fish [1]	6.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
12.2. Persistence and degradability	
AMBER NOIR #EU37338F	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
Vanillin (121-33-5)	
Persistence and degradability	Not established.
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
Patchouli oil (8014-09-3)	
Persistence and degradability	Rapidly degradable
Allyl ionone (79-78-7)	
Persistence and degradability	Rapidly degradable
Cinnamic alcohol (104-54-1)	
Persistence and degradability	Rapidly degradable
Eucalyptol (470-82-6)	
Persistence and degradability	Rapidly degradable
Cashmeran (33704-61-9)	
Persistence and degradability	Rapidly degradable
Benzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Geraniol (106-24-1)	
Persistence and degradability	Rapidly degradable
Nerol (106-25-2)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
Toluene (108-88-3)	
Persistence and degradability	Rapidly degradable
Dipropylene glycol monomethyl ether (34590-	94-8)
Persistence and degradability	Rapidly degradable
L-Carvone (6485-40-1)	
Persistence and degradability	Rapidly degradable
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
AMBER NOIR #EU37338F	
Bioaccumulative potential	Not established.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)
Partition coefficient n-octanol/water (Log Pow)	5.65 (at 30°C)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
Bioaccumulative potential	Not established.
COUMARIN (91-64-5)	
Partition coefficient n-octanol/water (Log Pow)	≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7)
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)
Patchouli oil (8014-09-3)	
Partition coefficient n-octanol/water (Log Pow)	Not established
Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52)
Eucalyptol (470-82-6)	
Partition coefficient n-octanol/water (Log Pow)	3.4
Cashmeran (33704-61-9)	
BCF - Fish [1]	(81 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Geraniol (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)	
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Toluene (108-88-3)		
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)	
Dipropylene glycol monomethyl ether (34590-94-8)		
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)	
L-Carvone (6485-40-1)		
Partition coefficient n-octanol/water (Log Pow)	2.74 (at 37 °C (at pH 7.2)	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

AMBER NOIR #EU37338F		
Other information	Avoid release to the environment.	
Vanillin (121-33-5)		
Other information	Avoid release to the environment.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Ecological waste information

Product/Packaging disposal recommendations

ions

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- HP Code : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

26/03/2025 (Revision date) IE - en 14/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shippin	g name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8 Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9	
14.3. Transport hazard o	class(es)				
9	9	9	9	9	
**************************************	**************************************	**************************************	**************************************	**************************************	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental haz	zards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information	n available	I .	<u> </u>	<u> </u>	

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601, 650

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

Tunnel restriction code (ADR)

Transport by sea

Special provisions (IMDG) : 274, 335, 375, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP1, TP29 Stowage category (IMDG) : A

eterrage eatingery (....2 e)

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601, 650

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601, 650

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Eucalyptol ; Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	AMBER NOIR #EU37338F; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Linalool; Patchouli oil; Allyl ionone; Eucalyptol; Cashmeran; Eugenol; Geraniol; Nerol; Citral; Toluene; L-Carvone; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	AMBER NOIR #EU37338F; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Hexamethylindanopyran; Patchouli oil; Allyl ionone; Cashmeran; Benzyl acetate; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Eucalyptol ; Toluene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	
48.	Toluene	Toluene	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content : 1.614074 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.		Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	

26/03/2025 (Revision date) IE - en 18/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.