

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22/02/2019 Revision date: 16/01/2025 Supersedes version of: 19/02/2024 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: BAKED APPLE #EU40762F Trade name UFI : XFAP-GCM9-F00J-0URM

Product code : EU40762F

Type of product : Perfumes, fragrances Product group Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; **Emergency number**

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) Warning

Contains : Eugenol; Cinnamic aldehyde; Orange Oil; Cinnamalva; Allyl cyclohexylpropionate; Citral;

COUMARIN; Davana oil

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	2.2 – 4.4001	Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.9 – 3.8001	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-	1.4 – 2.8501	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	1.2 – 2.4001	Aquatic Chronic 3, H412
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.8550095 – 1.732621275	Eye Irrit. 2, H319
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.7 – 1.3	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Citronellyl acetate (mixed Isomers)	CAS-No.: 150-84-5 EC-No.: 205-775-0	0.5 – 1.0981	Aquatic Chronic 2, H411 Skin Irrit. 2, H315

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange Oil	CAS-No.: 8028-48-6 EC-No.: 232-433-8	0.5 – 0.9	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cinnamalva	CAS-No.: 1885-38-7 EC-No.: 217-552-5	0.3 – 0.65	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.3 – 0.65	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 1, H410
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.3 – 0.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.2 – 0.45	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Davana oil	CAS-No.: 8016-03-3 EC-No.: 295-155-6	0.1 – 0.2	Skin Sens. 1, H317
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.1 – 0.15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0.000254 – 0.0005715	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.00000675	Not classified

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317		

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water.

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

16/01/2025 (Revision date) IE - en 4/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep $\,$

container closed when not in use. Store in a well-ventilated place. Keep cool. Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

citral (5392-40-5)		
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Dipropylene glycol monomethyl ether (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	192 mg/m³	
	50 ppm	
IOEL STEL	384 mg/m³	
	100 ppm	
Remark	Possibility of significant uptake through the skin	
Ireland - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour characteristic. Odour threshold Not available Not applicable Melting point Freezing point Not available Boiling point Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature Not available Decomposition temperature Not available : Not available pН : Not available Viscosity, kinematic

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.001538777 mm Hg (calculated value)

Vapour pressure at 50° C: Not availableDensity: Not availableRelative density: ≈ 0.94 Relative vapour density at 20° C: Not availableParticle characteristics: Not applicable

9.2. Other information

Other safety characteristics

VOC content : 5.35047075 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

16/01/2025 (Revision date) IE - en 7/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Verdox (88-41-5)	Acute toxicity (inhalation)	Not classified
Eugenot (97-53-0)	Verdox (88-41-5)	
LD50 oral rat	LD50 oral rat	4600 mg/kg (Source: NLM_CIP)
LD50 oral rat	LD50 oral	4600 mg/kg
LD50 oral 2500 mg/kg bodyweight	Eugenol (97-53-0)	
C50 Inhalation - Rat	LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
Cinnamic aldehyde (104-55-2) LD50 oral rat 2220 mg/kg (Source: NLM_CIP) LD50 oral 2220 mg/kg (Source: NLM_CIP) LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV) LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV) LD50 dermal rat 18500 mg/kg (Source: NLM_CIP) LD50 dermal rat 2000 mg/kg (Source: ECHA) Vanillin (121-33-5) LD50 dermal rabbit > 5010 mg/kg (Source: OECD_SIDS) LD50 dermal rabbit > 5010 mg/kg (Source: NLM_CIP) LD50 dermal rabbit 500 mg/kg (Source: NLM_CIP) LD50 oral rat 500 mg/kg (Source: NLM_CIP) LD50 oral rat 500 mg/kg (Source: ECHA_API) LD50 dermal rabbit 810 mg/kg (Source: ECHA_API) LD50 dermal rabbit 800 mg/kg (Source: NLM_CIP) LD50 dermal rabbit 2000 mg/kg (Source: ECHA_API) Conge Oil (8028-48-6) LD50 dermal rabbit 5000 mg/kg (Source: ECHA_API) Clnmalva (1855-38-7) LD50 dermal rabbit 100 mg/kg bodyweight LD50 dermal rabbit 1580 mg/kg hodyweight LD50 dermal rabbit 1580 mg/kg hodyweight LD50 dermal rabbit 585 mg/kg (Source: NLM_CIP) LD50 dermal rabbit 1580 mg/kg hodyweight LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API) Clnmalva (1805-38-7) LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API) Clnmalva (1805-38-7) LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API) Clnmalva (1805-38-7) LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API) Clnmalva (1805-38-7) LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API) Clnmalva (1805-38-7) LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API) LD50 dermal rabbit 1580 mg/kg (Source: ECHA_API)	LD50 oral	2500 mg/kg bodyweight
LD50 oral rat 2220 mg/kg (Source: NLM_CIP)	LC50 Inhalation - Rat	> 2.58 mg/l/4h
LD50 oral 2220 mg/kg	Cinnamic aldehyde (104-55-2)	
LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV)	LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
DESC dermal 1260 mg/kg 2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	LD50 oral	2220 mg/kg
LD50 oral rat	LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 oral rat	LD50 dermal	1260 mg/kg
LD50 dermal rat	2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
Vanillin (121-33-5)	LD50 oral rat	18500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit > 5010 mg/kg (Source: OECD_SIDS) LD50 dermal 2600 mg/kg bodyweight Allyl heptanoate (142-19-8) LD50 oral rat 500 mg/kg (Source: NLM_CIP) LD50 oral 218 mg/kg LD50 dermal rabbit 810 mg/kg (Source: ECHA_API) LD50 dermal 810 mg/kg (Source: NLM_CIP) LD50 dermal 810 mg/kg (Source: ECHA_API) LD50 dermal rabbit 810 mg/kg (Source: NLM_CIP) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Citronellyl acetate (mixed Isomers) (150-84-5) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Crange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 dermal 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral rat 585 mg/kg (Source: ECHA_API) LD50 dermal rabbit 1600 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 dermal rat	> 2000 mg/kg (Source: ECHA)
LD50 dermal 2600 mg/kg bodyweight	Vanillin (121-33-5)	
Allyl heptanoate (142-19-8) LD50 oral rat	LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)
LD50 oral rat S00 mg/kg (Source: NLM_CIP)	LD50 dermal	2600 mg/kg bodyweight
LD50 oral 218 mg/kg LD50 dermal rabbit 810 mg/kg (Source: ECHA_API) LD50 dermal 810 mg/kg CitronellyI acetate (mixed Isomers) (150-84-5) LD50 oral rat 6800 mg/kg (Source: NLM_CIP) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Crange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	Allyl heptanoate (142-19-8)	
LD50 dermal rabbit 810 mg/kg (Source: ECHA_API) LD50 dermal 810 mg/kg Citronellyl acetate (mixed Isomers) (150-84-5) LD50 oral rat 6800 mg/kg (Source: NLM_CIP) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 dermal Citronellyl acetate (mixed Isomers) (150-84-5) LD50 oral rat 6800 mg/kg (Source: NLM_CIP) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral 380 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg bodyweight	LD50 oral	218 mg/kg
Citronellyl acetate (mixed Isomers) (150-84-5) LD50 oral rat 6800 mg/kg (Source: NLM_CIP) LD50 dermal rabbit > 2000 mg/kg (Source: ECHA_API) Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)
LD50 oral rat 6800 mg/kg (Source: NLM_CIP)	LD50 dermal	810 mg/kg
Down	Citronellyl acetate (mixed Isomers) (150-84-5)	
Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 oral rat	6800 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Cinnamalva (1885-38-7) LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Cinnamalva (1885-38-7) LD50 oral	Orange Oil (8028-48-6)	
LD50 oral 100 mg/kg bodyweight LD50 dermal 1100 mg/kg bodyweight LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l/4h Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
LD50 dermal LC50 Inhalation - Rat (Dust/Mist) Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat LD50 oral S85 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	Cinnamalva (1885-38-7)	
LC50 Inhalation - Rat (Dust/Mist) Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 oral	100 mg/kg bodyweight
Allyl cyclohexylpropionate (2705-87-5) LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 dermal	1100 mg/kg bodyweight
LD50 oral rat 585 mg/kg (Source: NLM_CIP) LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
LD50 oral 380 mg/kg bodyweight LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	Allyl cyclohexylpropionate (2705-87-5)	
LD50 dermal rabbit 1600 mg/kg (Source: ECHA_API)	LD50 oral rat	585 mg/kg (Source: NLM_CIP)
	LD50 oral	380 mg/kg bodyweight
LD50 dermal 1600 mg/kg bodyweight	LD50 dermal rabbit	1600 mg/kg (Source: ECHA_API)
	LD50 dermal	1600 mg/kg bodyweight

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

citral (6392-40-5) LD50 oral rat		
LD50 dermal rabbit 2250 mg/kg (Source: NLM_CIP) COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg (Source: JAPAN_GHS) LD50 dermal rat 293 mg/kg (Source: ECHA_API) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Toluone (108-38-3) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 1250 mg/kg (Source: JAPAN_GHS) LC5	citral (5392-40-5)	
COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg (Source: JAPAN_GHS) LD50 dermal rat 293 mg/kg (Source: ECHA_API) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 oral rat 2600 mg/kg (Source: NLM_GHS) LD50 oral rat 2600 mg/kg (Source: JAPAN_GHS) LD50 oral rat 2000 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit 12000 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat < 5 mg/l4h Skin corrosion/irritation : Not classified Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Eugenol (97-53-0) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classified Respiratory irritation : Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. ToToluene (108-88-3)	LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
Discourse LD50 oral rat	LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
Dipropylene glycol monomethyl ether (34590-34-8)	COUMARIN (91-64-5)	
Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat LD50 oral rat LD50 dermal rabbit P500 mg/kg (Source: NLM_HSDB) LD50 oral rat LD50 dermal rabbit LD50 dermal rabbit LD50 dermal rabbit LD50 oral rat LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1050 dermal rabbit 1050 dermal rabbit 105	LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral rat LD50 oral rat LD50 dermal rabbit LD50 dermal rabbit LD50 dermal rabbit LD50 oral rat L	LD50 dermal rat	293 mg/kg (Source: ECHA_API)
LD50 dermal rabbit Poluene (108-88-3) LD50 oral rat LD50 oral rat LD50 dermal rabbit LC50 Inhalation - Rat Benzaldehyde (100-52-7) LD50 oral rat LD50 dermal rabbit LC50 Inhalation - Rat 3 to smg/l/4h Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Not classified Garcinogenicity Sout classified Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classified Seproductive toxicity Not classified Toluene (108-88-3) IARC group Not classified Seproductive toxicity Not classified Seproductive toxicity Not classified Tol-repeated exposure Not classified Toluene (108-88-3)	Dipropylene glycol monomethyl ether (34590-	94-8)
Toluene (108-88-3) LD50 oral rat LD50 oral rat LD50 dermal rabbit LC50 Inhalation - Rat 12.5 mg/l/4h Benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 3 to mg/l/4h Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Not classified Carcinogenicity Not classified Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classified Serious eye damage/irritation Not classified Source: JAPAN_GHS) Not classifiable Eugenol (97-53-0) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classified Source: JAPAN_GHS) Not classified Toluene (108-88-3) May cause an allergic skin reaction. Source: JAPAN_GHS) Not classified Toluene (108-88-3) May cause respiratory irritation. STOT-single exposure May cause respiratory irritation. Toluene (108-88-3)	LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)
LD50 oral rat LD50 dermal rabbit LD50 dermal rabbit LC50 Inhalation - Rat 12.5 mg/l/4h Benzaldehyde (100-52-7) LD50 oral rat LD50 oral rat LD50 dermal rabbit 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit LD50 dermal rabbit LD50 dermal rabbit LC50 Inhalation - Rat Skin corrosion/irritation Skin corrosion/irritation Skin corrosion/irritation Serious eye damage/irritation Serious e	LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit LC50 Inhalation - Rat 12.5 mg/l/4h Benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat > 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat > 1292 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat > 1292 mg/kg (Source: JAPAN_GHS) Source: JAPAN_GHS) Sour	Toluene (108-88-3)	
LC50 Inhalation - Rat 12.5 mg/l/4h Benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS) LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS) LC50 Inhalation - Rat 5 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Toluene (108-88-3) Toluene (108-88-3)	LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)
Benzaldehyde (100-52-7) LD50 oral rat	LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)
LD50 oral rat LD50 dermal rabbit LD50 dermal rabbit LC50 Inhalation - Rat Skin corrosion/irritation Skin corrosion/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classified Toluene (108-88-3) IARC group 3 - Not classified Seporaductive toxicity Not classified Not classified Toluene (108-88-3)	LC50 Inhalation - Rat	12.5 mg/l/4h
LD50 dermal rabbit	Benzaldehyde (100-52-7)	
LC50 Inhalation - Rat <pre></pre>	LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classifiable Reproductive toxicity : Not classified STOT-single exposure : Not classified Benzaldehyde (100-52-7) STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Toluene (108-88-3)	LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classifiable Reproductive toxicity : Not classified STOT-single exposure : Not classified Benzaldehyde (100-52-7) STOT-single exposure : May cause respiratory irritation. STOT-repeated exposure : Not classified Toluene (108-88-3)	LC50 Inhalation - Rat	< 5 mg/l/4h
Eugenol (97-53-0) IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classifiable Reproductive toxicity x Not classified STOT-single exposure x Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure x Not classified Aspiration hazard x Not classified Toluene (108-88-3)	Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :	Not classified May cause an allergic skin reaction. Not classified
IARC group 3 - Not classifiable COUMARIN (91-64-5) IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classifiable Reproductive toxicity 3 - Not classified STOT-single exposure Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Aspiration hazard Toluene (108-88-3)		
IARC group 3 - Not classifiable Toluene (108-88-3) IARC group 3 - Not classifiable Reproductive toxicity : Not classified STOT-single exposure : Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Aspiration hazard : Not classified Toluene (108-88-3)		3 - Not classifiable
Toluene (108-88-3) IARC group Reproductive toxicity : Not classified STOT-single exposure : Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Aspiration hazard : Not classified Toluene (108-88-3)	COUMARIN (91-64-5)	
IARC group Reproductive toxicity : Not classified STOT-single exposure : Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Aspiration hazard : Not classified Toluene (108-88-3)	IARC group	3 - Not classifiable
Reproductive toxicity : Not classified : STOT-single exposure : May cause respiratory irritation. : STOT-repeated exposure : Not classified :	Toluene (108-88-3)	
STOT-single exposure : Not classified Benzaldehyde (100-52-7) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Aspiration hazard : Not classified Toluene (108-88-3)	IARC group	3 - Not classifiable
STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified Aspiration hazard : Not classified Toluene (108-88-3)		
STOT-repeated exposure : Not classified Aspiration hazard : Not classified Toluene (108-88-3)	Benzaldehyde (100-52-7)	
Aspiration hazard : Not classified Toluene (108-88-3)	STOT-single exposure	May cause respiratory irritation.
Toluene (108-88-3)		
		NOT CIASSITIEU
Try at Sociation 100		Yes
	. ryd. ocal bori	1.55

11.2. Information on other hazards

Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

-			_							
и	₽.		П	$\boldsymbol{\cap}$	v	7	~	ъ		v
	74	п.	_	v	А	ш	•	ı	м	v

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) 569 mg/l 96 h 5.85 mg/l 48 h 5.94 mg/l 72 h 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
569 mg/l 96 h 5.85 mg/l 48 h 5.94 mg/l 72 h 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]
5.85 mg/l 48 h 5.94 mg/l 72 h 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]
5.85 mg/l 48 h 5.94 mg/l 72 h 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]
5.94 mg/l 72 h 5.94 mg/l 72 h 5.94 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]
53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]
88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
)
6.1 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: ECHA)
7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
16 mg/l (Species: Desmodesmus subspicatus)
19 mg/l (Species: Desmodesmus subspicatus)
-94-8)
> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)
15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])
> 433 mg/l (Species: Pseudokirchneriella subcapitata)
10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)

16/01/2025 (Revision date) IE - en 10/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzaldehyde (100-52-7)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
12.2. Persistence and degradability	
BAKED APPLE #EU40762F	
Persistence and degradability	Not established.
Verdox (88-41-5)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
Persistence and degradability	Rapidly degradable
Vanillin (121-33-5)	
Persistence and degradability	Not established.
Allyl heptanoate (142-19-8)	
Persistence and degradability	Rapidly degradable
Citronellyl acetate (mixed Isomers) (150-84-5)	
Persistence and degradability	Rapidly degradable
Orange Oil (8028-48-6)	
Persistence and degradability	Rapidly degradable
Cinnamalva (1885-38-7)	
Persistence and degradability	Rapidly degradable
Allyl cyclohexylpropionate (2705-87-5)	
Persistence and degradability	Rapidly degradable
citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Dipropylene glycol monomethyl ether (34590-	94-8)
Persistence and degradability	Rapidly degradable
Toluene (108-88-3)	
Persistence and degradability	Rapidly degradable
Davana oil (8016-03-3)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzaldehyde (100-52-7)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
BAKED APPLE #EU40762F			
Bioaccumulative potential	Not established.		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)			
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)		
Vanillin (121-33-5)			
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)		
Bioaccumulative potential	Not established.		
Allyl heptanoate (142-19-8)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)		
Citronellyl acetate (mixed Isomers) (150-84-5)			
Partition coefficient n-octanol/water (Log Pow)	4.9 (at 25 °C (at pH 4.23)		
Cinnamalva (1885-38-7)			
Partition coefficient n-octanol/water (Log Pow)	1.96		
Allyl cyclohexylpropionate (2705-87-5)			
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)		
citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)		
COUMARIN (91-64-5)			
Partition coefficient n-octanol/water (Log Pow)	≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7)		
Dipropylene glycol monomethyl ether (34590-	94-8)		
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)		
Toluene (108-88-3)			
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)		
Benzaldehyde (100-52-7)			
BCF - Fish [1]	(no significant bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)		
12.4. Mobility in soil			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

16/01/2025 (Revision date) IE - en 12/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

BAKED APPLE #EU40762F	
Other information	Avoid release to the environment.
Vanillin (121-33-5)	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Orange Oil ; Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	BAKED APPLE #EU40762F; Eugenol; Cinnamic aldehyde; Allyl heptanoate; Citronellyl acetate (mixed Isomers); Orange Oil; Cinnamalva; Allyl cyclohexylpropionate; Citral; Toluene; Davana oil; Benzaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	BAKED APPLE #EU40762F; Verdox; Cinnamic aldehyde; Aldehyde C-14; Allyl heptanoate; Citronellyl acetate (mixed Isomers); Orange Oil; Allyl cyclohexylpropionate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Orange Oil ; Toluene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	
48.	Toluene	Toluene	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 5.35047075 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.