

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/30/2019 Revision date: 6/13/2023 Supersedes version of: 4/14/2023 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Product name	: LAVENDER BREEZE #EU42129F
UFI	: JYNR-638N-700E-PWRW
Product code	: EU42129F
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	:	Industrial use, Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

# SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1H317Hazardous to the aquatic environment – Chronic Hazard, Category 2H411Full text of H- and EUH-statements: see section 16H411

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1	1272/2008 [CLP]
Hazard pictograms (CLP)	GHS07 GHS09
Signal word (CLP)	: Warning
Contains	: Linalool; Linalyl acetate; Lavandin abrialis oil; Eucalyptus oil; Majantol
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H411 - Toxic to aquatic life with long lasting effects.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> </ul>
Extra phrases	P321 - Specific treatment (see supplemental first aid instruction on this label). : For professional users only.
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699- 19	39.7 – 79.45	Not classified
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Lavandin oil	CAS-No.: 8022-15-9 EC-No.: 617-009-6	1.5 – 3	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.3 – 2.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	1 – 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	0.5 – 1	Aquatic Chronic 2, H411
Majantol	CAS-No.: 103694-68-4 EC-No.: 403-140-4 EC Index-No.: 603-138-00-5	0.005 – 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.4 – 0.75	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.4 – 0.75	Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.36165 – 0.7233	Not classified
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.2 – 0.3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Acute Tox. 2 (Inhalation), H330

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/stention.	
First-aid measures after eye contact	<ul> <li>Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.</li> </ul>	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects	s, both acute and delayed	
Symptoms/effects Symptoms/effects after skin contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Irritation. May cause an allergic skin reaction.</li> </ul>	
4.3. Indication of any immediate medical attention and special treatment needed		
Treat symptomatically.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide. Sand.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	<ul> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	<ul> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.</li> </ul>

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal	protection	
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
Bis(2-ethylhexyl) adipate (103-23-1)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA) 400 mg/m <sup>3</sup>		
Carbitol (111-90-0)		
Austria - Occupational Exposure Limits	35 mg/m <sup>3</sup>	
MAK (OEL TWA) 35 mg/m <sup>3</sup>		
MAK (OEL TWA) [ppm] 6 ppm		
MAK (OEL STEL) 140 mg/m <sup>3</sup>		
MAK (OEL STEL) [ppm] 24 ppm		
Estonia - Occupational Exposure Limits       OEL TWA     50.1 ma/m³		
	50.1 mg/m <sup>3</sup>	
OEL TWA [ppm]	10 ppm	
OEL chemical category Skin notation		
Germany - Occupational Exposure Limits (TRGS 9		
AGW (OEL TWA) [1]	35 mg/m $^{3}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Slovenia - Occupational Exposure Limits		
OEL TWA	35 mg/m³	
OEL TWA [ppm]	6 ppm	
OEL STEL	70 mg/m <sup>3</sup>	
OEL STEL [ppm]	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m <sup>3</sup>	
NGV (OEL TWA) [ppm]	15 ppm	
KTV (OEL STEL)	170 mg/m <sup>3</sup>	

# Safety Data Sheet

Carbitol (111-90-0)			
KTV (OEL STEL) [ppm]	30 ppm		
OEL chemical category	Skin notation		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]			
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)		
Camphor (76-22-2)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	13 mg/m <sup>3</sup>		
MAK (OEL TWA) [ppm]	2 ppm		
Belgium - Occupational Exposure Limits			
OEL TWA	12 mg/m³		
OEL TWA [ppm]	2 ppm		
OEL STEL	19 mg/m³		
OEL STEL [ppm]	3 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	12 mg/m <sup>3</sup>		
OEL STEL	18 mg/m³		
Croatia - Occupational Exposure Limits	·		
GVI (OEL TWA) [1]	13 mg/m³		
GVI (OEL TWA) [2]	2 ppm		
KGVI (OEL STEL)	19 mg/m³		
KGVI (OEL STEL) [ppm]	3 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA [1]	12 mg/m³		
OEL TWA [2]	2 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	1.9 mg/m³		
HTP (OEL TWA) [2]	0.3 ppm		
HTP (OEL STEL)	5.7 mg/m³		
HTP (OEL STEL) [ppm]	0.9 ppm		
France - Occupational Exposure Limits	France - Occupational Exposure Limits		
VME (OEL TWA)	12 mg/m <sup>3</sup>		
VME (OEL TWA) [ppm]	2 ppm		
Greece - Occupational Exposure Limits			
OEL TWA	12 mg/m³ (inhalable fraction)		
OEL STEL	18 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	12 mg/m <sup>3</sup>		
OEL TWA [2]	2 ppm		
6/13/2023 (Revision date)	EN (Englich) 6/18		

# Safety Data Sheet

Camphor (76-22-2)		
OEL STEL	18 mg/m³	
OEL STEL [ppm]	3 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 3 mg/m <sup>3</sup>		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	12 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	18 mg/m <sup>3</sup>	
Portugal - Occupational Exposure Limits	·	
OEL TWA [ppm]	2 ppm	
OEL STEL [ppm]	3 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits	·	
OEL TWA	1 mg/m³	
OEL TWA [ppm]	6 ppm	
OEL STEL	3 mg/m <sup>3</sup>	
OEL STEL [ppm]	18 ppm	
Slovakia - Occupational Exposure Limits	·	
NPHV (OEL TWA) [1]	13 mg/m³	
NPHV (OEL TWA) [2]	2 ppm	
NPHV (OEL C)	26 mg/m <sup>3</sup>	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	13 mg/m³	
VLA-ED (OEL TWA) [2]	2 ppm	
VLA-EC (OEL STEL)	19 mg/m³	
VLA-EC (OEL STEL) [ppm]	3 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	13 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	19 mg/m³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	12 mg/m³	
Grenseverdi (OEL TWA) [2]	2 ppm	
Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	4 ppm (value calculated)	
Switzerland - Occupational Exposure Limits	·	
MAK (OEL TWA) [1]	13 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	2 ppm (aerosol, vapour)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Camphor (76-22-2)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm] 2 ppm (synthetic)			
ACGIH OEL STEL [ppm]	3 ppm (synthetic)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic		
Benzyl acetate (140-11-4)			
Belgium - Occupational Exposure Limits			
OEL TWA	62 mg/m <sup>3</sup>		
OEL TWA [ppm]	10 ppm		
Denmark - Occupational Exposure Limits	·		
OEL TWA [1]	61 mg/m <sup>3</sup>		
OEL TWA [2]	10 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm] 30 ppm (calculated)			
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA) 5 mg/m <sup>3</sup>			
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m <sup>3</sup>		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
9.4.2. Recommended menitoring procedures			

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses. Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

**Environmental exposure controls:** Avoid release to the environment.

**Other information:** Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 93 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 0.93
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials** 

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal)	Not classified Not classified Not classified	
Bis(2-ethylhexyl) adipate (103-23-1)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	8410 mg/kg	
LC50 Inhalation - Rat	> 5.7 mg/l/4h	
Linalool (78-70-6)		
LD50 oral 2790 mg/kg bodyweight		
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	

# Safety Data Sheet

Lavandin oil (8022-15-9)		
LD50 oral rat	> 5 g/kg	
Hexamethylindanopyran (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
Eucalyptus oil (8000-48-4)	·	
LD50 oral rat	2480 mg/kg	
Ethylene brassylate (105-95-3)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Majantol (103694-68-4)		
LD50 oral	3440 mg/kg bodyweight	
LD50 dermal rabbit	> 5 ml/kg	
Carbitol (111-90-0)		
LD50 oral rat	10502 mg/kg	
LD50 dermal rabbit	9143 mg/kg	
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)	
Camphor (76-22-2)		
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Allyl amyl glycolate (67634-00-8)		
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	0.43 mg/l/4h	
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h	
	Not classified Not classified	
	May cause an allergic skin reaction.	
5 5	Not classified	
<b>G</b> ,	Not classified	
Bis(2-ethylhexyl) adipate (103-23-1)		
IARC group	3 - Not classifiable	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : Not classified	
Camphor (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
11.2. Information on other hazards	

#### **11.2.1. Endocrine disrupting properties**

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and	:	Based on available data, the classification criteria are not met
symptoms		

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.	
Bis(2-ethylhexyl) adipate (103-23-1)		
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
Linalool (78-70-6)		
EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)		
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	
Hexamethylindanopyran (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
LAVENDER BREEZE #EU42129F		
Persistence and degradability	Not established.	

# Safety Data Sheet

Eucalyptus oil (8000-48-4)	Eucalyptus oil (8000-48-4)		
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
LAVENDER BREEZE #EU42129F			
Bioaccumulative potential	Not established.		
Bis(2-ethylhexyl) adipate (103-23-1)			
BCF - Fish [1]	(27 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
Hexamethylindanopyran (1222-05-5)			
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
Eucalyptus oil (8000-48-4)			
Bioaccumulative potential	Not established.		
Ethylene brassylate (105-95-3)			
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)		
Majantol (103694-68-4)			
Partition coefficient n-octanol/water (Log Pow)	3.07 (at 20 °C)		
Carbitol (111-90-0)			
Partition coefficient n-octanol/water (Log Pow)	-0.8		
Camphor (76-22-2)			
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)		
Benzyl acetate (140-11-4)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)		
Allyl amyl glycolate (67634-00-8)			
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 2.3)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Additional information :	Avoid release to the environment.		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and  $\leq$  75 °C;

 flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

 – flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20  $^\circ\text{C}$  and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### **SECTION 14: Transport information**

#### In accordance with ADR / IMDG / IATA / ADN / RID ADR IMDG ΙΑΤΑ ADN RID 14.1. UN number or ID number UN 3082 UN 3082 UN 3082 UN 3082 UN 3082 14.2. UN proper shipping name ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY Environmentally hazardous HAZARDOUS HAZARDOUS substance, liquid, n.o.s. HAZARDOUS HAZARDOUS SUBSTANCE, LIQUID, SUBSTANCE, LIQUID. (Hexamethylindanopyran) SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, N.O.S. NOS NOS NOS (Hexamethylindanopyran) (Hexamethylindanopyran) (Hexamethylindanopyran) (Hexamethylindanopyran) Transport document description UN 3082 UN 3082 UN 3082 Environmentally UN 3082 UN 3082 ENVIRONMENTALLY ENVIRONMENTALLY hazardous substance, ENVIRONMENTALLY ENVIRONMENTALLY HAZARDOUS HAZARDOUS HAZARDOUS HAZARDOUS liquid, n.o.s. SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, SUBSTANCE, LIQUID, (Hexamethylindanopyran), N.O.S. N.O.S. N.O.S. N.O.S. 9, III (Hexamethylindanopyran), (Hexamethylindanopyran), (Hexamethylindanopyran), (Hexamethylindanopyran), 9, III, (-) 9, III, MARINE 9, III 9, III POLLUTANT 14.3. Transport hazard class(es) 9 9 9 9 9 14.4. Packing group Ш ш ш Ш Ш

# Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazard	s			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: Yes	environment: Yes	environment: Yes	environment: Yes	environment: Yes
	Marine pollutant: Yes			
No supplementary information av	vailable			
14.6. Special precautions for	or user			
Overland transport				
Classification code (ADR)	: M6			
Special provisions (ADR)		l, 335, 375, 601		
Limited quantities (ADR)	: 51			
Excepted quantities (ADR)	: E1			
Packing instructions (ADR)		01, IBC03, LP01, R001		
Special packing provisions (ADR)	: PP	1		
Mixed packing provisions (ADR)	: MP	19		
Portable tank and bulk container i	· · ·			
Portable tank and bulk container : (ADR)	special provisions : TP	1, TP29		
Tank code (ADR)	: LG	BV		
Vehicle for tank carriage	: AT			
Transport category (ADR)	: 3			
Special provisions for carriage - F		2		
Special provisions for carriage - L				
and handling (ADR)	oaanig, anioaanig - or			
Hazard identification number (Ker	mler No.) : 90			
Orange plates		0.0		
	· ·	90		
	_			
		3082		
Tunnel restriction code (ADR)	: -			
EAC code	: •3Z			
Transport by sea				
Special provisions (IMDG)	: 274	l, 335, 969		
Limited quantities (IMDG)	: 5 L			
Excepted quantities (IMDG)	: E1			
Packing instructions (IMDG)		01, P001		
Special packing provisions (IMDG				
IBC packing instructions (IMDG)	: IBC			
Tank instructions (IMDG)	: T4			
Tank special provisions (IMDG)		1, TP29		
EmS-No. (Fire)	 . F-A			
EmS-No. (Spillage)	: S-F			
Stowage category (IMDG)	: A			
A in the new set				
Air transport				
PCA Excepted quantities (IATA)	: E1			
PCA Limited quantities (IATA)	: Y90			
PCA limited quantity max net qua		-		
PCA packing instructions (IATA)	: 964			
PCA max net quantity (IATA)	: 450			
CAO packing instructions (IATA)	: 964			
CAO max net quantity (IATA)	: 450			
Special provisions (IATA)		7, A158, A197, A215		
ERG code (IATA)	: 9L			
Inland waterway transport				
	: M6			
Classification code (ADN)	. 1010			

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN)	:	274, 335, 375, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)		T4
Portable tank and bulk container special provisions		TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)		W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)		
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Eucalyptus oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	LAVENDER BREEZE #EU42129F ; Linalool ; Linalyl acetate ; Lavandin oil ; Eucalyptus oil ; Majantol ; Allyl amyl glycolate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	LAVENDER BREEZE #EU42129F ; Lavandin oil ; Hexamethylindanopyran ; Eucalyptus oil ; Ethylene brassylate ; Majantol ; Benzyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	Eucalyptus oil ; Camphor	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

<ul> <li>WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)</li> </ul>
: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
: Eucalyptus oil,Allyl amyl glycolate are listed
: Eucalyptus oil,Allyl amyl glycolate are listed
: None of the components are listed
: None of the components are listed
: None of the components are listed
: Class III-1
: 50 liter
: Flammable according to the Danish Ministry of Justice; Emergency management guidelines
for the storage of flammable liquids must be followed
: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Other information	: None.	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H332	Harmful if inhaled.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.