

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 03/09/2019 Revision date: 23/07/2025 Supersedes version of: 17/05/2023 Version: 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : White Sandalwood #EU42135F UFI : FGPR-73E1-200D-NY89

Product code : EU42135F

Type of product : Perfumes, fragrances Product group Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Use of the substance/mixture

Function or use category

Main use category : Professional use.Industrial use

Industrial/Professional use spec · Industrial

> For professional use only : Perfumes, fragrances Odour agents

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

#### 1.4. Emergency telephone number

1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; **Emergency number** 

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) Warning

Contains Vertenex; Hexyl salicylate; Linalyl acetate; d-Limonene; Citral; Linalool; Cinnamic alcohol;

COUMARIN; Eugenol; Ginger oil; Cinnamic aldehyde

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	38.675 – 77.35	Not classified
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	1.5 – 3	Skin Sens. 1B, H317
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6 EC Index-No.: 607-772-00-3	1 – 2	Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	1 – 2	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Bacdanol	CAS-No.: 28219-61-6 EC-No.: 248-908-8 REACH-no: 01-2119529224- 45	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.875 – 1.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	0.825 – 1.65	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Ebanol	CAS-No.: 67801-20-1 EC-No.: 267-140-4	0.7 – 1.4	Aquatic Chronic 2, H411

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.5 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.4 – 0.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.4 – 0.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.25 – 0.5	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.225 – 0.45	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.15 – 0.3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ginger oil	CAS-No.: 8007-08-7 EC-No.: 283-634-2	0.05 – 0.1	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	0 – 0.02	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain

medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper

protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection.

Emergency procedures : Ventilate area

# 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

23/07/2025 (Revision date) IE - en 4/17

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Wash

hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well

ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

National occupational exposure and biological limit values

citral (5392-40-5)	
Ireland - Occupational Exposure Limits	
OEL TWA	5 ppm
OEL STEL	15 ppm (calculated)

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):







#### Eye and face protection

#### Eye protection:

Safety glasses. Chemical goggles or safety glasses

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves. Wear protective gloves.

#### **Respiratory protection**

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability : Not applicable, Non flammable.

Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 93 °C (closed cup) ASTM D7094

Not available Auto-ignition temperature Decomposition temperature Not available Not available рΗ Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density Not available : ≈ 0.95 Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Bis(2-ethylhexyl) adipate (103-23-1)		
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 5.7 mg/l/4h	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: ECHA)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Cedarwood oil, Virginia (8000-27-9)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phenylethyl alcohol (60-12-8)	
LD50 oral	1610 mg/kg
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 4.63 mg/l/4h
Ebanol (67801-20-1)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)
LD50 oral	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)
Cinnamic alcohol (104-54-1)	
LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
LD50 oral	2500 mg/kg bodyweight
LC50 Inhalation - Rat	> 2.58 mg/l/4h
Ginger oil (8007-08-7)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral	2220 mg/kg
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 dermal	1260 mg/kg
	Not classified
	Based on available data, the classification criteria are not met  Not classified
	Based on available data, the classification criteria are not met
	May cause an allergic skin reaction.
ě ,	Not classified
	Based on available data, the classification criteria are not met  Not classified
Carcinogenicity :	NOT CIASSIIIEU

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information :	Based on available data, the classification criteria are not met	
Bis(2-ethylhexyl) adipate (103-23-1)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
STOT-single exposure :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
STOT-repeated exposure :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Aspiration hazard :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	

# 11.2. Information on other hazards

#### Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term :

acute

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
> 500 mg/l (Species: Desmodesmus subspicatus)
8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)

23/07/2025 (Revision date) IE - en 9/17

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ECSO - Crustacea [1]         287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)           ECSO 27a - Algae [1]         490 mg/l (Species: Desmodesmus subspicatus)           Ebanol (67801-20-1)         2.3 mg/l (Exposure time: 96 h - Species: Primephales promelas [semi-static] Source: ECHA)           (R)-p-mentha-1,8-diene; d-limonene (5898-27-5)         ECHA)           LCSO - Fish [1]         0.519 – 0.798 mg/l (Exposure time: 96 h - Species: Primephales promelas [flow-through] Source: EFA)           LCSO - Fish [2]         35 mg/l (Exposure time: 96 h - Species: Demodesmus mysiss Source: EPA)           LCSO - Fish [2]         7 mg/l (Exposure time: 96 h - Species: Dephnia magna)           ECSO - Cristacea [1]         7 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Tabaga [1]         19 mg/l (Species: Desmodesmus subspicatus)           ECSO - Pish [1]         27.8 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Fish [1]         27.8 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Fish [1]         27.8 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Fish [1]         27.8 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Fish [1]         13 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Fish [1]         13 mg/l (Exposure time: 96 h - Species: Daphnia magna)           ECSO - Fish [1]         13 mg/l (Exposure time: 96 h - Species: Daph	Phenylethyl alcohol (60-12-8)			
	EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 - Fish [1] 2.3 mg/l (Exposure time: 96 h - Species: Pimephales prometas (semi-static) Source: ECHA)  (RP,p-mentha-1,8-diene; d-limonene (5989-27-5)  LC50 - Fish [1] 0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales prometas (flow-through) Source: EPA)  LC50 - Fish [2] 35 mg/l (Exposure time: 96 h - Species: Pimephales prometas (flow-through) Source: EPA)  Citral (592-40-5)  EC50 - Crustacea [1] 7 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus)  EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus)  LC50 - Fish [1] 2.7.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (static) Source: ECHA)  EC50 96h - Algae [1] 20 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (static) Source: ECHA)  EC50 - Crustacea [1] 20 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (static) Source: ECHA)  EC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss (static) Source: ECHA)  EC50 - Fish [1] 38.3 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EC50 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 31 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 41 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 41 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU3 - Fish [1] 41 mg/l (Exposure	EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)		
ECHA    RP-p-mentha-1,8-diene; d-limonene (5989-27-5)   LCSO - Fish [1]   0.819 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales prometas [flow-through] Source: EPA    LCSO - Fish [2]   35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA    Citral (5392-40-5)   ECSO - Crustacea [1]   7 mg/l (Exposure time: 48 h - Species: Daphnia magna)   ECSO 72h - Algae [1]   16 mg/l (Species: Desmodesmus subspicatus)   ECSO 98h - Algae [1]   27.8 mg/l (Exposure time: 48 h - Species: Oncorhynchus mykiss [static] Source: ECHA    ECSO - Fish [1]   27.8 mg/l (Exposure time: 48 h - Species: Oncorhynchus mykiss [static] Source: ECHA    ECSO - Fish [1]   20 mg/l (Exposure time: 48 h - Species: Oncorhynchus mykiss [static] Source: ECHA    ECSO - Fish [1]   20 mg/l (Exposure time: 48 h - Species: Oncorhynchus mykiss [static] Source: ECHA    ECSO - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daphnia magna)   Ecso - Fish [1]   31 mg/l (Exposure time: 96 h - Species: Daph	Ebanol (67801-20-1)			
LC50 - Fish [1]	LC50 - Fish [1]			
Source: EPA    LC50 - Fish [2]   35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)   Sirral (6392-40-5)     EC50 - Crustacea [1]   7 mg/l (Exposure time: 48 h - Species: Daphnia magna)     EC50 72h - Algae [1]   19 mg/l (Species: Desmodesmus subspicatus)     EC50 72h - Algae [1]   19 mg/l (Species: Desmodesmus subspicatus)     Linalool (78-70-6)     LC50 - Fish [1]   27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)     EC50 95h - Algae [1]   20 mg/l (Exposure time: 48 h - Species: Daphnia magna)     EC50 95h - Algae [1]   88.3 mg/l (Species: Desmodesmus subspicatus)     Eugenol (97-53-0)     LC50 - Fish [1]   13 mg/l (Exposure time: 96 h - Species: Daphnia magna)     E22 - Persistence and degradability     White Sandalwood #EU42135F     Persistence and degradability     May cause long-term adverse effects in the environment.     Bis(2-ethylhexyl) adiplate (103-23-1)     Persistence and degradability     Rapidly degradable     Vertenex (32210-23-4)     Persistence and degradability     Rapidly degradable     Lexyl salicylate (6259-76-3)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degradable     Cedarwood oil, Viriginia (8000-27-9)     Persistence and degradability     Rapidly degra	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
citral (5392-40-5)  EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus)  EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus)  Linatool (78-70-6)  LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)  EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 96h - Algae [1] 83.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 96h - Algae [1] 83.3 mg/l (Exposure time: 96 h - Species: Daphnia magna)  Eugenol (97-65-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Daphnia magna)  12.2. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linatyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Linatyl acetate (115-95-7)  Persistence and degradability Rapidly degradable	LC50 - Fish [1]			
EC50 - Crustacea [1] 7 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 72h - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus)  EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus)  Linatool (78-70-6)  LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)  EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Daphnia magna)  E22. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
EC50 7zh - Algae [1] 16 mg/l (Species: Desmodesmus subspicatus)  EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus)  Linalool (78-70-6)  LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)  EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EU2.2. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability  May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertence (32210-23-4)  Persistence and degradability Rapidly degradable  Explication and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Explication and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acctate (115-95-7)  Persistence and degradability Rapidly degradable  Linalyl acctate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	citral (5392-40-5)			
EC50 96h - Algae [1] 19 mg/l (Species: Desmodesmus subspicatus)  Linalool (78-70-6)  LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)  EC50 - Crustacea [1] 20 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-othylhoxyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Exsyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virignia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acctate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Linalool (78-70-6)  LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)  EC50 - Crustacea [1] 20 mg/l (Exposure time: 96 h - Species: Daphnia magna)  EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
LC50 - Fish [1] 27.8 mg/l (Exposure time: 96 h - Species: Oncorthynchus mykiss [static] Source: ECHA) EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0) LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1) Persistence and degradability Rapidly degradable  Vertenex (32210-23-4) Persistence and degradability Rapidly degradable  Hexyl sallcylate (6259-76-3) Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9) Persistence and degradability Rapidly degradable  Baccdanol (28219-61-6) Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		
EC50 - Crustacea [1] 20 mg/l (Exposure time: 48 h - Species: Daphnia magna)  EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Linalool (78-70-6)			
EC50 96h - Algae [1] 88.3 mg/l (Species: Desmodesmus subspicatus)  Eugenol (97-53-0)  LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1) Persistence and degradability Rapidly degradable  Vertenex (32210-23-4) Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9) Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6) Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)		
Eugenol (97-53-0)  LC30 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment:  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 - Fish [1] 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)  12.2. Persistence and degradability  White Sandalwood #EU42135F Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1) Persistence and degradability Rapidly degradable  Vertenex (32210-23-4) Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9) Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6) Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
White Sandalwood #EU42135F Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1) Persistence and degradability Rapidly degradable  Vertenex (32210-23-4) Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3) Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9) Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6) Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7) Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Eugenol (97-53-0)			
White Sandalwood #EU42135F  Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
Persistence and degradability May cause long-term adverse effects in the environment.  Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	12.2. Persistence and degradability	12.2. Persistence and degradability		
Bis(2-ethylhexyl) adipate (103-23-1)  Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	White Sandalwood #EU42135F			
Persistence and degradability Rapidly degradable  Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Persistence and degradability	May cause long-term adverse effects in the environment.		
Vertenex (32210-23-4)  Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Bis(2-ethylhexyl) adipate (103-23-1)			
Persistence and degradability Rapidly degradable  Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Persistence and degradability	Rapidly degradable		
Hexyl salicylate (6259-76-3)  Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Vertenex (32210-23-4)			
Persistence and degradability Rapidly degradable  Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Persistence and degradability	Rapidly degradable		
Cedarwood oil, Virginia (8000-27-9)  Persistence and degradability  Rapidly degradable  Bacdanol (28219-61-6)  Persistence and degradability  Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability  Rapidly degradable  Phenylethyl alcohol (60-12-8)	Hexyl salicylate (6259-76-3)			
Persistence and degradability  Rapidly degradable  Persistence and degradability  Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability  Rapidly degradable  Phenylethyl alcohol (60-12-8)	Persistence and degradability	Rapidly degradable		
Bacdanol (28219-61-6)  Persistence and degradability  Rapidly degradable  Linalyl acetate (115-95-7)  Persistence and degradability  Rapidly degradable  Phenylethyl alcohol (60-12-8)	Cedarwood oil, Virginia (8000-27-9)			
Persistence and degradability  Linalyl acetate (115-95-7)  Persistence and degradability  Rapidly degradable  Phenylethyl alcohol (60-12-8)	Persistence and degradability	Rapidly degradable		
Linalyl acetate (115-95-7)  Persistence and degradability  Rapidly degradable  Phenylethyl alcohol (60-12-8)	Bacdanol (28219-61-6)			
Persistence and degradability Rapidly degradable  Phenylethyl alcohol (60-12-8)	Persistence and degradability	Rapidly degradable		
Phenylethyl alcohol (60-12-8)	Linalyl acetate (115-95-7)			
	Persistence and degradability	Rapidly degradable		
Persistence and degradability Rapidly degradable	Phenylethyl alcohol (60-12-8)			
, and the state of	Persistence and degradability	Rapidly degradable		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ebanol (67801-20-1)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
Cinnamic alcohol (104-54-1)		
Persistence and degradability	Rapidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Eugenol (97-53-0)		
Persistence and degradability	Rapidly degradable	
Ginger oil (8007-08-7)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
White Sandalwood #EU42135F		
Bioaccumulative potential	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
BCF - Fish [1]	(27 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)	
Vertenex (32210-23-4)		
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Phenylethyl alcohol (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)	
Ebanol (67801-20-1)		
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 35 °C (at pH 7)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)
Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52)
COUMARIN (91-64-5)	
Partition coefficient n-octanol/water (Log Pow)	≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

White Sandalwood #EU42135F	
Other information	Avoid release to the environment.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

Ecological waste information

HP Code

Product/Packaging disposal recommendations

5 5 1

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
  - Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate)	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl Salicylate), 9,	
14.3. Transport hazard class(es)					
9	9	9	9	9	
**************************************	**************************************	**************************************	**************************************	**************************************	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental haz	zards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information available					

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

Stowage category (IMDG) : A

#### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

#### **Inland waterway transport**

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

 Limited quantities (ADN)
 : 5 L

 Excepted quantities (ADN)
 : E1

 Carriage permitted (ADN)
 : T

 Equipment required (ADN)
 : PP

 Number of blue cones/lights (ADN)
 : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	d-Limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	White Sandalwood #EU42135F; Vertenex; Hexyl salicylate; Cedarwood oil, Virginia; Bacdanol; Linalyl acetate; Phenylethyl alcohol; d- Limonene; Citral; Linalool; Eugenol; Ginger oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	White Sandalwood #EU42135F; Hexyl salicylate; Cedarwood oil, Virginia; Bacdanol; Ebanol; d-Limonene; Ginger oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	d-Limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### **Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:				
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
Repr. 2	Reproductive toxicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1A	Skin sensitisation, category 1A			
Skin Sens. 1B	Skin sensitisation, category 1B			
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H312	Harmful in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H361d	Suspected of damaging the unborn child.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

23/07/2025 (Revision date) IE - en 16/17

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.