

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/19/2020 Revision date: 10/25/2023 Supersedes version of: 3/29/2022 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

| Product form    | : Mixture                   |
|-----------------|-----------------------------|
| Product name    | : Fresh-Cut Lilac #EU42138F |
| UFI             | : 1RPR-R3G6-Y00W-M00G       |
| Product code    | : EU42138F                  |
| Type of product | : Perfumes, fragrances      |
| Product group   | : Trade product             |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

| Main use category                | : | Industrial use,Professional use |
|----------------------------------|---|---------------------------------|
| Industrial/Professional use spec | : | For professional use only       |
|                                  |   | Industrial                      |
| Use of the substance/mixture     | : | Perfumes, fragrances            |
| Function or use category         | : | Odour agents                    |

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH Mittlerer Weg 35 DE– 79424 Auggen Germany T 49-7631-931-8900 SDS@frenchcolor.com - www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

| Skin corrosion/irritation, Category 2                             | H315 |
|---|------|
| Serious eye damage/eye irritation, Category 2                     | H319 |
| Skin sensitisation, Category 1                                    | H317 |
| Carcinogenicity, Category 2                                       | H351 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 3 | H412 |
| Full text of H- and EUH-statements: see section 16                |      |

#### Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>o</b>                       | : Warning<br>: Cinnamic alcohol; Linalool; Benzyl salicylate; Heliotropine; Anisic alcohol; Hydroxy; |
|--------------------------------|--|
| Userand statements (CLD)       | Majantol; Musk ketone; Citronellol Pure; Isoeugenol  |
| Hazard statements (CLP)        | : H315 - Causes skin irritation.<br>H317 - May cause an allergic skin reaction.                      |
|                                | H319 - Causes serious eye irritation.  |
|                                | H351 - Suspected of causing cancer.  |
|                                | H412 - Harmful to aquatic life with long lasting effects.  |
| Precautionary statements (CLP) | : P201 - Obtain special instructions before use.   |
|                                | P202 - Do not handle until all safety precautions have been read and understood.                     |
|                                | P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.   |
|                                | P264 - Wash hands, forearms and face thoroughly after handling.                                      |
|                                | P272 - Contaminated work clothing should not be allowed out of the workplace.                        |
|                                | P273 - Avoid release to the environment.   |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

### Not applicable

### 3.2. Mixtures

| Name  | Product identifier  | %                 | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP] |
|---|---|-------------------|---|
| Bis(2-ethylhexyl) adipate<br>substance with national workplace exposure limit(s)<br>(PL)                  | CAS-No.: 103-23-1<br>EC-No.: 203-090-1<br>REACH-no: 01-2119439699-<br>19                              | 23.875 –<br>47.75 | Not classified  |
| Terpineol   | CAS-No.: 8000-41-7<br>EC-No.: 232-268-1   | 7.5 – 15          | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319                             |
| Phenylethyl alcohol   | CAS-No.: 60-12-8<br>EC-No.: 200-456-2<br>REACH-no: 01-2119963921-<br>31                               | 5 – 10            | Acute Tox. 4 (Oral), H302<br>Eye Irrit. 2, H319                       |
| Benzyl acetate<br>substance with national workplace exposure limit(s)<br>(BE, DK, ES, IE, LT, LV, PT, RO) | CAS-No.: 140-11-4<br>EC-No.: 205-399-7<br>REACH-no: 01-2119638272-<br>42                              | 1.75 – 3.5        | Aquatic Chronic 3, H412   |
| Cinnamic alcohol  | CAS-No.: 104-54-1<br>EC-No.: 203-212-3<br>REACH-no: 01-2119934496-<br>29                              | 1.5 – 3           | Acute Tox. 4 (Oral), H302<br>Skin Sens. 1B, H317                      |
| Linalool  | CAS-No.: 78-70-6<br>EC-No.: 201-134-4<br>EC Index-No.: 603-235-00-2<br>REACH-no: 01-2119474016-<br>42 | 1.5 – 3           | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317      |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name  | Product identifier  | %                  | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]   |
|---|---|--------------------|---|
| Benzyl salicylate   | CAS-No.: 118-58-1<br>EC-No.: 204-262-9<br>EC Index-No.: 607-754-00-5<br>REACH-no: 01-2119969442-<br>31              | 1.5 – 3            | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412  |
| Heliotropine  | CAS-No.: 120-57-0<br>EC-No.: 204-409-7<br>REACH-no: 01-2119983608-<br>21  | 1.25 – 2.5         | Skin Sens. 1B, H317   |
| Anisic alcohol  | CAS-No.: 105-13-5<br>EC-No.: 203-273-6<br>REACH-no: 01-2119934494-<br>33  | 1.25 – 2.5         | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317  |
| Hydroxy   | CAS-No.: 107-75-5<br>EC-No.: 203-518-7<br>REACH-no: 01-2119973482-<br>31  | 1.0774 –<br>2.1548 | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317   |
| 3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-<br>dimethyl-3-(3-methylphenyl)propanol                                    | CAS-No.: 103694-68-4<br>EC-No.: 403-140-4<br>EC Index-No.: 603-138-00-5   | 0.01 – 2           | Skin Sens. 1, H317<br>Aquatic Chronic 3, H412   |
| Carbitol<br>substance with national workplace exposure limit(s)<br>(AT, DE, EE, SE, SI, CH)                                     | CAS-No.: 111-90-0<br>EC-No.: 203-919-7<br>REACH-no: 01-2119475105-<br>42  | 0.7233 –<br>1.4466 | Not classified  |
| Anisic aldehyde   | CAS-No.: 123-11-5<br>EC-No.: 204-602-6<br>REACH-no: 01-2119977101-<br>43  | 0.5 – 1            | Aquatic Chronic 3, H412   |
| Ethylene brassylate   | CAS-No.: 105-95-3<br>EC-No.: 203-347-8<br>REACH-no: 01-2119976314-<br>33  | 0.5 – 1            | Aquatic Chronic 2, H411   |
| musk ketone; 3,5-dinitro-2,6-dimethyl-4-tert-<br>butylacetophenone; 4'-tert-butyl-2', 6'-dimethyl-3',5'-<br>dinitroacetophenone | CAS-No.: 81-14-1<br>EC-No.: 201-328-9<br>EC Index-No.: 609-069-00-7   | 0.5 – 1            | Carc. 2, H351<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410   |
| Phenylpropyl alcohol  | CAS-No.: 122-97-4<br>EC-No.: 204-587-6  | 0.5 – 1            | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319   |
| Citronellol Pure  | CAS-No.: 106-22-9<br>EC-No.: 203-375-0<br>REACH-no: 01-2119453995-<br>23  | 0.5 – 1            | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317  |
| isoeugenol  | CAS-No.: 97-54-1<br>EC-No.: 202-590-7<br>EC Index-No.: 604-094-00-X;<br>202-590-1<br>REACH-no: 17-2119417630-<br>49 | 0.375 – 0.75       | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1A, H317<br>Carc. 2, H351<br>STOT SE 3, H335 |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: |   |                                      |  |
|--------------------------------|---|--------------------------------------|--|
| Name                           | Product identifier  | Specific concentration limits        |  |
| isoeugenol                     | CAS-No.: 97-54-1<br>EC-No.: 202-590-7<br>EC Index-No.: 604-094-00-X;<br>202-590-1<br>REACH-no: 17-2119417630-<br>49 | ( 0.01 ≤C ≤ 100) Skin Sens. 1A, H317 |  |

Full text of H- and EUH-statements: see section 16

# SECTION 4: First aid measures

| 4.1. Description of first aid measures                                    |   |  |
|---|---|--|
| First-aid measures general  | : IF exposed or concerned: Get medical advice/attention.  |  |
| First-aid measures after inhalation                                       | : Remove person to fresh air and keep comfortable for breathing.  |  |
| First-aid measures after skin contact                                     | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.  |  |
| First-aid measures after eye contact                                      | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |  |
| First-aid measures after ingestion  | : Call a poison center or a doctor if you feel unwell.  |  |
| 4.2. Most important symptoms and effects, both acute and delayed          |   |  |
| Symptoms/effects after skin contact<br>Symptoms/effects after eye contact | : Irritation. May cause an allergic skin reaction.<br>: Eye irritation.   |  |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

| SECTION 5: Firefighting measures                 |  |
|--|--|
| 5.1. Extinguishing media                         |  |
| Suitable extinguishing media                     | : Water spray. Dry powder. Foam. Carbon dioxide.   |
| 5.2. Special hazards arising from the subs       | tance or mixture   |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.   |
| 5.3. Advice for firefighters                     |  |
| Protection during firefighting                   | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

| SECTION 6: Accidental release measures                                   |   |  |  |
|--|---|--|--|
| 6.1. Personal precautions, protective equipment and emergency procedures |   |  |  |
| 6.1.1. For non-emergency personnel                                       |   |  |  |
| Emergency procedures   | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.  |  |  |
| 6.1.2. For emergency responders  |   |  |  |
| Protective equipment   | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |  |  |
| 6.2. Environmental precautions   |   |  |  |
| Avoid release to the environment.  |   |  |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 6.3. Methods and material for containment and cleaning up |  |  |  |
|---|--|--|--|
| Methods for cleaning up                                   | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or<br>public waters. |  |  |
| Other information   | : Dispose of materials or solid residues at an authorized site.  |  |  |
| 6.4. Reference to other sections                          |  |  |  |

For further information refer to section 13.

| SECTION 7: Handling and storage  |   |  |
|--|---|--|
| 7.1. Precautions for safe handling   |   |  |
| Precautions for safe handling<br>Hygiene measures  | <ul> <li>Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.</li> </ul> |  |
| 7.2. Conditions for safe storage, including any incompatibilities  |   |  |
| Storage conditions<br>Storage temperature<br>Storage area<br>Special rules on packaging<br>Packaging materials | <ul> <li>Store locked up. Store in a well-ventilated place. Keep cool.</li> <li>25 °C</li> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Store in a closed container.</li> <li>Do not store in corrodable metal.</li> </ul>  |  |

7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| 3.1.1 National occupational exposure and biological limit values |                       |  |
|--|-----------------------|--|
| Bis(2-ethylhexyl) adipate (103-23-1)                             |                       |  |
| Poland - Occupational Exposure Limits                            |                       |  |
| NDS (OEL TWA)  | 400 mg/m <sup>3</sup> |  |
| Benzyl acetate (140-11-4)  |                       |  |
| Belgium - Occupational Exposure Limits                           |                       |  |
| OEL TWA  | 62 mg/m³              |  |
| OEL TWA  | 10 ppm                |  |
| Denmark - Occupational Exposure Limits                           |                       |  |
| OEL TWA [1]  | 61 mg/m³              |  |
| OEL TWA [2]  | 10 ppm                |  |
| OEL STEL   | 122 mg/m <sup>3</sup> |  |
| OEL STEL   | 20 ppm                |  |
| Ireland - Occupational Exposure Limits                           |                       |  |
| OEL TWA [2]  | 10 ppm                |  |
| OEL STEL   | 30 ppm (calculated)   |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Benzyl acetate (140-11-4)                      |   |  |
|--|---|--|
| Latvia - Occupational Exposure Limits          |   |  |
| OEL TWA  | 5 mg/m <sup>3</sup>   |  |
| Lithuania - Occupational Exposure Limits       |   |  |
| IPRV (OEL TWA)                                 | 5 mg/m <sup>3</sup>   |  |
| Portugal - Occupational Exposure Limits        |   |  |
| OEL TWA  | 10 ppm  |  |
| OEL chemical category                          | A4 - Not Classifiable as a Human Carcinogen   |  |
| Romania - Occupational Exposure Limits         |   |  |
| OEL TWA  | 50 mg/m <sup>3</sup>  |  |
| OEL TWA  | 8 ppm   |  |
| OEL STEL                                       | 80 mg/m <sup>3</sup>  |  |
| OEL STEL                                       | 13 ppm  |  |
| Spain - Occupational Exposure Limits           |   |  |
| VLA-ED (OEL TWA) [1]                           | 62 mg/m <sup>3</sup>  |  |
| VLA-ED (OEL TWA) [2]                           | 10 ppm  |  |
| USA - ACGIH - Occupational Exposure Limits     |   |  |
| ACGIH OEL TWA [ppm]                            | 10 ppm  |  |
| ACGIH chemical category                        | Not Classifiable as a Human Carcinogen  |  |
| Carbitol (111-90-0)                            |   |  |
| Austria - Occupational Exposure Limits         |   |  |
| MAK (OEL TWA)                                  | 35 mg/m <sup>3</sup>  |  |
| MAK (OEL TWA) [ppm]                            | 6 ppm   |  |
| MAK (OEL STEL)                                 | 140 mg/m <sup>3</sup>   |  |
| MAK (OEL STEL) [ppm]                           | 24 ppm  |  |
| Estonia - Occupational Exposure Limits         |   |  |
| OEL TWA  | 50.1 mg/m <sup>3</sup>  |  |
| OEL TWA  | 10 ppm  |  |
| OEL chemical category                          | Skin notation   |  |
| Germany - Occupational Exposure Limits (TRGS 9 | 00)   |  |
| AGW (OEL TWA) [1]                              | $35~\text{mg/m}^3$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |  |
| AGW (OEL TWA) [2]                              | 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)              |  |
| Slovenia - Occupational Exposure Limits        |   |  |
| OEL TWA  | 35 mg/m <sup>3</sup>  |  |
| OEL TWA  | 6 ppm   |  |
| OEL STEL                                       | 70 mg/m <sup>3</sup>  |  |
| OEL STEL                                       | 12 ppm  |  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbitol (111-90-0)   |   |  |
|---|---|--|
| Sweden - Occupational Exposure Limits   |   |  |
| NGV (OEL TWA)   | 80 mg/m <sup>3</sup>                        |  |
| NGV (OEL TWA) [ppm]   | 15 ppm                                      |  |
| KTV (OEL STEL)  | 170 mg/m <sup>3</sup>                       |  |
| KTV (OEL STEL) [ppm]  | 30 ppm                                      |  |
| OEL chemical category   | Skin notation                               |  |
| Switzerland - Occupational Exposure Limits  |   |  |
| MAK (OEL TWA) [1]   | 50 mg/m³ (aerosol, inhalable dust, vapour)  |  |
| KZGW (OEL STEL)   | 100 mg/m³ (aerosol, inhalable dust, vapour) |  |
| musk ketone; 3,5-dinitro-2,6-dimethyl-4-tert-butylacetophenone; 4'-tert-butyl-2', 6'-dimethyl-3',5'-dinitroacetophenone (81-<br>14-1) |   |  |
| Austria - Occupational Exposure Limits  |   |  |
| OEL chemical category   | Group B Carcinogen                          |  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Physical state                                  | : Liquid                                     |
|---|--|
| Colour  | : light yellow. amber. Conforms to standard. |
| Odour   | : characteristic.                            |
| Odour threshold                                 | : Not available                              |
| Melting point                                   | : Not applicable                             |
| Freezing point                                  | Not available                                |
| Boiling point                                   | : Not available                              |
| Flammability                                    | : Not applicable                             |
| Explosive limits                                | Not available                                |
| Lower explosion limit                           | : Not available                              |
| Upper explosion limit                           | : Not available                              |
| Flash point                                     | : > 93 °C (closed cup) ASTM D7094            |
| Auto-ignition temperature                       | : Not available                              |
| Decomposition temperature                       | : Not available                              |
| рН  | : Not available                              |
| Viscosity, kinematic                            | : Not available                              |
| Solubility                                      | : Not available                              |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                              |
| Vapour pressure                                 | : Not available                              |
| Vapour pressure at 50°C                         | : Not available                              |
| Density   | : Not available                              |
| Relative density                                | : ≈ 1.01                                     |
| Relative vapour density at 20°C                 | : Not available                              |
| Particle characteristics                        | : Not applicable                             |
|   |  |

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.5. Incompatible materials

### No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information  |  |  |
|--|--|--|
| 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 |  |  |
| Acute toxicity (dermal) :  | Not classified<br>Not classified<br>Not classified |  |
| Bis(2-ethylhexyl) adipate (103-23-1)   |  |  |
| LD50 oral rat  | 5600 mg/kg (Source: NLM_CIP)                       |  |
| LD50 dermal rabbit   | 8410 mg/kg (Source: NLM_CIP)                       |  |
| LC50 Inhalation - Rat  | > 5.7 mg/l/4h                                      |  |
| Terpineol (8000-41-7)  |  |  |
| LD50 oral rat  | 2900 mg/kg (Source: IUCLID)                        |  |
| LD50 oral  | 4300 mg/kg bodyweight                              |  |
| LD50 dermal rabbit   | > 3000 mg/kg (Source: IUCLID)                      |  |
| Phenylethyl alcohol (60-12-8)  |  |  |
| LD50 oral rat  | 1609 mg/kg (Source: EPA_HPV)                       |  |
| LD50 oral  | 1610 mg/kg bodyweight                              |  |
| LD50 dermal rabbit   | 2535 mg/kg (Source: EPA_HPV)                       |  |
| LD50 dermal  | 2500 mg/kg bodyweight                              |  |
| LC50 Inhalation - Rat  | > 4.63 mg/l/4h                                     |  |
| Benzyl acetate (140-11-4)  |  |  |
| LD50 oral rat  | 2490 mg/kg (Source: JAPAN_GHS)                     |  |
| LD50 oral  | 2490 mg/kg bodyweight                              |  |
| LD50 dermal rabbit   | > 5000 mg/kg (Source: JAPAN_GHS)                   |  |
| Cinnamic alcohol (104-54-1)  |  |  |
| LD50 oral  | 2000 mg/kg bodyweight                              |  |
| LD50 dermal rabbit   | > 5000 mg/kg (Source: ECHA_API)                    |  |
| Linalool (78-70-6)   |  |  |
| LD50 oral  | 2790 mg/kg bodyweight                              |  |
| Benzyl salicylate (118-58-1)   |  |  |
| LD50 oral rat  | 2227 mg/kg (Source: NLM_CIP)                       |  |
| LD50 oral  | 2200 mg/kg bodyweight                              |  |
| LD50 dermal rabbit   | > 5000 mg/kg (Source: CHEMVIEW)                    |  |
| Heliotropine (120-57-0)  |  |  |
| LD50 oral rat  | 2700 mg/kg (Source: NLM_CIP)                       |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Heliotropine (120-57-0)   |  |  |
|---|--|--|
| LD50 oral   | 2700 mg/kg bodyweight                                    |  |
| LD50 dermal rat   | > 5000 mg/kg (Source: ECHA_API)                          |  |
| Anisic alcohol (105-13-5)   |  |  |
| LD50 oral rat   | 1200 µl/kg (Source: NLM_CIP)                             |  |
| LD50 dermal rabbit  | 3000 mg/kg (Source: ECHA_API)                            |  |
| LD50 dermal   | 3000 mg/kg bodyweight                                    |  |
| Hydroxy (107-75-5)  |  |  |
| LD50 oral rat   | > 5 g/kg (Source: NLM_CIP)                               |  |
| LD50 dermal rabbit  | > 2000 mg/kg (Source: ECHA_API)                          |  |
| 3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.  | ): 2,2-dimethyl-3-(3-methylphenyl)propanol (103694-68-4) |  |
| LD50 oral   | 3440 mg/kg bodyweight                                    |  |
| LD50 dermal rabbit  | > 5 ml/kg (Source: ECHA_API)                             |  |
| Carbitol (111-90-0)   |  |  |
| LD50 oral rat   | 10502 mg/kg (Source: OECD_SIDS)                          |  |
| LD50 dermal rabbit  | 9143 mg/kg (Source: OECD_SIDS)                           |  |
| LC50 Inhalation - Rat   | > 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)        |  |
| Anisic aldehyde (123-11-5)  |  |  |
| LD50 oral rat   | > 2000 mg/kg (Source: OECD_SIDS)                         |  |
| LD50 oral   | 3210 mg/kg bodyweight                                    |  |
| LD50 dermal rabbit  | > 5000 mg/kg (Source: EPA_HPV)                           |  |
| LC50 Inhalation - Rat   | > 0.32 mg/l (Exposure time: 7 h Source: OECD_SIDS)       |  |
| Ethylene brassylate (105-95-3)  |  |  |
| LD50 oral rat   | > 5000 mg/kg (Source: ECHA)                              |  |
| LD50 dermal rabbit  | > 5000 mg/kg (Source: ECHA)                              |  |
| musk ketone; 3,5-dinitro-2,6-dimethyl-4-tert-butylacetophenone; 4'-tert-butyl-2', 6'-dimethyl-3',5'-dinitroacetophenone (81-<br>14-1) |  |  |
| LD50 oral rat   | 10 g/kg  |  |
| LD50 dermal rabbit  | > 10 g/kg (Source: NLM_HSDB)                             |  |
| LC50 Inhalation - Rat   | > 2.99 mg/l/4h   |  |
| Phenylpropyl alcohol (122-97-4)   |  |  |
| LD50 oral rat   | 2250 mg/kg (Source: NICNAS)                              |  |
| LD50 oral   | 2275 mg/kg bodyweight                                    |  |
| LD50 dermal rabbit  | < 5000 mg/kg (Source: NICNAS)                            |  |
| LD50 dermal   | 5000 mg/kg bodyweight                                    |  |
| Citronellol Pure (106-22-9)   |  |  |
| LD50 oral rat   | 3450 mg/kg (Source: NLM_CIP)                             |  |
| LD50 oral   | 3450 mg/kg bodyweight                                    |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Citronellol Pure (106-22-9)          |  |  |
|--------------------------------------|--|--|
| LD50 dermal rabbit                   | 2650 mg/kg (Source: EPA_HPV)           |  |
| LD50 dermal                          | 2650 mg/kg bodyweight                  |  |
| isoeugenol (97-54-1)                 |  |  |
| LD50 oral rat                        | 1560 mg/kg (Source: NLM_CIP)           |  |
| LD50 oral                            | 1500 mg/kg bodyweight                  |  |
| LD50 dermal                          | 1912 mg/kg bodyweight                  |  |
| Skin corrosion/irritation            | : Causes skin irritation.              |  |
| Serious eye damage/irritation        | : Causes serious eye irritation.       |  |
| Respiratory or skin sensitisation    | : May cause an allergic skin reaction. |  |
| Germ cell mutagenicity               | : Not classified                       |  |
| Carcinogenicity                      | : Suspected of causing cancer.         |  |
| Bis(2-ethylhexyl) adipate (103-23-1) |  |  |
| IARC group                           | 3 - Not classifiable                   |  |
| Benzyl acetate (140-11-4)            |  |  |
| IARC group                           | 3 - Not classifiable                   |  |
| Reproductive toxicity                | Not classified                         |  |
| STOT-single exposure                 | : Not classified                       |  |
| isoeugenol (97-54-1)                 |  |  |
| STOT-single exposure                 | May cause respiratory irritation.      |  |
| STOT-repeated exposure               | Not classified                         |  |
| Aspiration hazard                    | : Not classified                       |  |
| Heliotropine (120-57-0)              |  |  |
| Viscosity, kinematic                 | Not applicable                         |  |
| 11.2. Information on other hazards   |  |  |

11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

| 12.1. Toxicity   |  |
|--|--|
| Hazardous to the aquatic environment, short-term : (acute) | Harmful to aquatic life with long lasting effects.<br>Not classified<br>Harmful to aquatic life with long lasting effects. |
| Bis(2-ethylhexyl) adipate (103-23-1)                       |  |
| LC50 - Fish [1]  | 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source:<br>EPA)                              |
| LC50 - Fish [2]  | 0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)                                 |
| EC50 - Crustacea [1]                                       | > 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)  |
| EC50 72h - Algae [1]                                       | > 500 mg/l (Species: Desmodesmus subspicatus)  |
| Phenylethyl alcohol (60-12-8)                              |  |
| EC50 - Crustacea [1]                                       | 287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)   |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Phenylethyl alcohol (60-12-8) |   |  |
|-------------------------------|---|--|
| EC50 72h - Algae [1]          | 490 mg/l (Species: Desmodesmus subspicatus)   |  |
| Linalool (78-70-6)            |   |  |
| EC50 96h - Algae [1]          | 88.3 mg/l (Species: Desmodesmus subspicatus)  |  |
| Benzyl salicylate (118-58-1)  |   |  |
| LC50 - Fish [1]               | 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)                     |  |
| Heliotropine (120-57-0)       |   |  |
| LC50 - Fish [1]               | 2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)                       |  |
| Carbitol (111-90-0)           |   |  |
| LC50 - Fish [1]               | 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)                  |  |
| LC50 - Fish [2]               | 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]<br>Source: EPA) |  |
| EC50 - Crustacea [1]          | 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                       |  |
| EC50 - Crustacea [1]          | 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                       |  |

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

| Bis(2-ethylhexyl) adipate (103-23-1)   |                              |  |
|--|------------------------------|--|
| BCF - Fish [1]   | (27 dimensionless)           |  |
| Partition coefficient n-octanol/water (Log Pow)  | 8.94 (at 25 °C)              |  |
| Phenylethyl alcohol (60-12-8)  |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 1.36 (at 20 °C (at pH 7)     |  |
| Benzyl acetate (140-11-4)  |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 1.96 (at 25 °C (at pH 7)     |  |
| Cinnamic alcohol (104-54-1)  |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 1.636 (at 27 °C (at pH 3.52) |  |
| Benzyl salicylate (118-58-1)   |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 4                            |  |
| Heliotropine (120-57-0)  |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 1.2 (at 35 °C)               |  |
| Anisic alcohol (105-13-5)  |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | -0.08 (at 27 °C (at pH 4.57) |  |
| Hydroxy (107-75-5)   |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 1.68 (at 25 °C)              |  |
| 3-(2,2-dimethyl-3-hydroxypropyl)toluene; (alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol (103694-68-4) |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | 3.07 (at 20 °C)              |  |
| Carbitol (111-90-0)  |                              |  |
| Partition coefficient n-octanol/water (Log Pow)  | -0.8                         |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Aninin aldebude (402-44-5)  |                                   |  |
|---|-----------------------------------|--|
| Anisic aldehyde (123-11-5)  |                                   |  |
| Partition coefficient n-octanol/water (Log Pow)   | 1.56 (at 25 °C (at pH >7.9-<8.25) |  |
| Ethylene brassylate (105-95-3)  |                                   |  |
| Partition coefficient n-octanol/water (Log Pow)   | 4.3 (at 25 °C (at pH 6.4-7)       |  |
| musk ketone; 3,5-dinitro-2,6-dimethyl-4-tert-butylacetophenone; 4'-tert-butyl-2', 6'-dimethyl-3',5'-dinitroacetophenone (81-14-1) |                                   |  |
| Partition coefficient n-octanol/water (Log Pow)   | 4.24 (at 25 °C)                   |  |
| Phenylpropyl alcohol (122-97-4)   |                                   |  |
| Partition coefficient n-octanol/water (Log Pow)   | 1.6 (at 35 °C (at pH 7)           |  |
| Citronellol Pure (106-22-9)   |                                   |  |
| Partition coefficient n-octanol/water (Log Pow)   | 3.41 (at 25 °C)                   |  |
| 12.4. Mobility in soil  |                                   |  |
| No additional information available   |                                   |  |
| 12.5. Results of PBT and vPvB assessment  |                                   |  |
| No additional information available   |                                   |  |
| 12.6. Endocrine disrupting properties   |                                   |  |
| No additional information available   |                                   |  |
|   |                                   |  |

12.7. Other adverse effects

No additional information available

| SECTION 13: Disposal considerations |  |
|-------------------------------------|--|
| 13.1. Waste treatment methods       |  |
| Waste treatment methods<br>HP Code  | <ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence<br/>HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin<br/>irritation or damage to the eye.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one<br/>or more sectors of the environment</li> </ul> |

# SECTION 14: Transport information

| In accordance with ADR / IMDG / IATA / ADN / RID |  |
|--|--|
|--|--|

| IMDG                             | ΙΑΤΑ   | ADN   | RID  |  |  |
|----------------------------------|--|---|--|--|--|
| 14.1. UN number or ID number     |  |   |  |  |  |
| Not applicable                   | Not applicable   | Not applicable  | Not applicable   |  |  |
| 14.2. UN proper shipping name    |  |   |  |  |  |
| Not applicable                   | Not applicable   | Not applicable  | Not applicable   |  |  |
| 14.3. Transport hazard class(es) |  |   |  |  |  |
| Not applicable                   | Not applicable   | Not applicable  | Not applicable   |  |  |
| 14.4. Packing group              |  |   |  |  |  |
| Not applicable                   | Not applicable   | Not applicable  | Not applicable   |  |  |
|                                  | umber<br>Not applicable<br>g name<br>Not applicable<br>class(es)<br>Not applicable | umber       Not applicable       Not applicable       Not applicable       Not applicable       Not applicable       Not applicable | umber     Not applicable     Not applicable       Not applicable     Not applicable     Not applicable       Not applicable     Not applicable     Not applicable       Not applicable     Not applicable     Not applicable |  |  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                    | IMDG   | ΙΑΤΑ | ADN | RID |  |
|--|--|------|-----|-----|--|
| 14.5. Environmental hazards            |  |      |     |     |  |
| Not applicable                         | Not applicable         Not applicable         Not applicable |      |     |     |  |
| No supplementary information available |  |      |     |     |  |
| 4.6. Special precautions               | s for user   |      |     |     |  |

### Overland transport

Not applicable

#### Transport by sea Not applicable

Air transport Not applicable

#### **Inland waterway transport** Not applicable

#### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

### **EU restriction list (REACH Annex XVII)**

| Reference code | Applicable on   | Entry title or description  |
|----------------|---|---|
| 3(b)           | Fresh-Cut Lilac<br>#EU42138F; Terpineol;<br>Phenylethyl alcohol;<br>Linalool; Benzyl salicylate<br>; Anisic alcohol; Hydroxy<br>; 3-(2,2-dimethyl-3-<br>hydroxypropyl)toluene;<br>(alt.): 2,2-dimethyl-3-(3-<br>methylphenyl)propanol;<br>musk ketone; 3,5-dinitro-<br>2,6-dimethyl-4-tert-<br>butylacetophenone; 4'-<br>tert-butyl-2', 6'-dimethyl-<br>3',5'-dinitroacetophenone<br>; Phenylpropyl alcohol;<br>Citronellol Pure;<br>isoeugenol | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| EU restriction list (REACH Annex XVII) |  |   |  |
|--|--|---|--|
| Reference code                         | Applicable on  | Entry title or description  |  |
| 3(c)                                   | Fresh-Cut Lilac<br>#EU42138F ; Benzyl<br>acetate ; Benzyl salicylate<br>; 3-(2,2-dimethyl-3-<br>hydroxypropyl)toluene;<br>(alt.): 2,2-dimethyl-3-(3-<br>methylphenyl)propanol ;<br>Anisic aldehyde ;<br>Ethylene brassylate ;<br>musk ketone; 3,5-dinitro-<br>2,6-dimethyl-4-tert-<br>butylacetophenone; 4'-<br>tert-butyl-2', 6'-dimethyl-<br>3',5'-dinitroacetophenone | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |  |

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

| Name      | CN<br>designation | CAS-No.  | CN code    | Category   | Threshold | Annex   |
|-----------|-------------------|----------|------------|------------|-----------|---------|
| Piperonal |                   | 120-57-0 | 2932 93 00 | Category 1 |           | Annex I |

#### 15.1.2. National regulations

| Germany   |  |
|---|--|
| Employment restrictions                                 | : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).<br>Observe restrictions according Act on the Protection of Young People in Employment<br>(JArbSchG). |
| Water hazard class (WGK)                                | : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).   |
| Hazardous Incident Ordinance (12. BImSchV)              | : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)   |
| Netherlands   |  |
| ABM category  | : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic<br>environment  |
| SZW-lijst van kankerverwekkende stoffen                 | : Terpineol is listed  |
| SZW-lijst van mutagene stoffen                          | : Terpineol is listed  |
| SZW-lijst van reprotoxische stoffen – Borstvoeding      | None of the components are listed  |
| SZW-lijst van reprotoxische stoffen –<br>Vruchtbaarheid | : None of the components are listed  |
| SZW-lijst van reprotoxische stoffen – Ontwikkeling      | : None of the components are listed  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Denmark

 Classification remarks
 : Emergency management guidelines for the storage of flammable liquids must be followed

 Danish National Regulations
 : Young people below the age of 18 years are not allowed to use the product

 Pregnant/breastfeeding women working with the product must not be in direct contact with the product

 The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

| Full text of H- and EUH   | I-statements:  |
|---------------------------|--|
| Acute Tox. 4 (Dermal)     | Acute toxicity (dermal), Category 4  |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4  |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4  |
| Aquatic Acute 1           | Hazardous to the aquatic environment – Acute Hazard, Category 1                            |
| Aquatic Chronic 1         | Hazardous to the aquatic environment – Chronic Hazard, Category 1                          |
| Aquatic Chronic 2         | Hazardous to the aquatic environment – Chronic Hazard, Category 2                          |
| Aquatic Chronic 3         | Hazardous to the aquatic environment – Chronic Hazard, Category 3                          |
| Carc. 2                   | Carcinogenicity, Category 2  |
| Eye Irrit. 2              | Serious eye damage/eye irritation, Category 2  |
| H302                      | Harmful if swallowed.  |
| H312                      | Harmful in contact with skin.  |
| H315                      | Causes skin irritation.  |
| H317                      | May cause an allergic skin reaction.   |
| H319                      | Causes serious eye irritation.   |
| H332                      | Harmful if inhaled.  |
| H335                      | May cause respiratory irritation.  |
| H351                      | Suspected of causing cancer.   |
| H400                      | Very toxic to aquatic life.  |
| H410                      | Very toxic to aquatic life with long lasting effects.                                      |
| H411                      | Toxic to aquatic life with long lasting effects.   |
| H412                      | Harmful to aquatic life with long lasting effects.   |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1              | Skin sensitisation, Category 1   |
| Skin Sens. 1A             | Skin sensitisation, category 1A  |
| Skin Sens. 1B             | Skin sensitisation, category 1B  |
| STOT SE 3                 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.