

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 15/04/2021 Revision date: 07/08/2025 Supersedes version of: 16/11/2023 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

 Trade name
 : AMBER #EU45748F

 UFI
 : VPP2-W469-P00E-KCND

Product code : EU45748F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture

Function or use category

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances
: Odour agents

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains : 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Linalool;

CUPRESSUS FUNEBRIS WOOD OIL; Cinnamic aldehyde; Eugenol; Cumin oil; Canthoxal;

d-Limonene; Cuminic aldehyde; Orange oil ; .alpha.-Pinene; Cashmeran

Safety Data Sheet

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	15 – 30	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	4.3 – 8.55	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	4.1 – 8.25	Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	1.609 – 3.268	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	1.4 – 2.75	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-	0.4 – 0.75	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.3 – 0.55	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cumin oil	CAS-No.: 8014-13-9 EC-No.: 616-945-2	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Canthoxal	CAS-No.: 5462-06-6 EC-No.: 226-749-5	0.3 – 0.5	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.2 – 0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Cuminic aldehyde	CAS-No.: 122-03-2 EC-No.: 204-516-9	0.2 – 0.3	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.2 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.1 – 0.2	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131-	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.1	Aquatic Chronic 3, H412
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH, TR)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0 – 0.05	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Diphenyl oxide substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0.002 - 0.004	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.000495 – 0.00099	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Dimethyl sulfide substance with national workplace exposure limit(s) (BE, EE, ES, IE, LT, LV, PT, SE)	CAS-No.: 75-18-3 EC-No.: 200-846-2	0.000005 – 0.00001	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

irritation or rash occurs: Get medical advice/attention.

persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

07/08/2025 (Revision date) IE - en 4/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

07/08/2025 (Revision date) IE - en 5/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Dimethyl sulfide (75-18-3)		
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Diphenyl oxide (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	7 mg/m³	
	1 ppm	
IOEL STEL	14 mg/m³	
	2 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapour)	
	1 ppm (vapour)	
OEL STEL	14 mg/m³ (vapor)	
	2 ppm (vapor)	
Benzyl acetate (140-11-4)		
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Camphor (76-22-2)		
Ireland - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
	2 ppm	
OEL STEL	18 mg/m³	
	3 ppm	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):





Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

Respiratory protection

Respiratory protection:

Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point : Not applicable Flammability Lower explosion limit : Not available : Not available Upper explosion limit > 93 °C Flash point Not available Auto-ignition temperature Decomposition temperature Not available рΗ Not available Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.000693872 mm Hg (calculated value)

Vapour pressure at 50° C : Not available Density : Not available Relative density : ≈ 0.95 Relative vapour density at 20° C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : 1.46701 % (calculated value)(CARB VOC) (%w/w)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

···		
Methyl ionone (mixture of isomers) (1335-46-2)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
LD50 dermal	2900 mg/kg bodyweight	
Ethylene brassylate (105-95-3)		
LD50 oral rat	> 5000 mg/kg (Source: ECHA)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)	
LD50 oral	2790 mg/kg	
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
LD50 dermal	1260 mg/kg	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eugenol (97-53-0)			
LC50 Inhalation - Rat	> 2.58 mg/l/4h		
Cumin oil (8014-13-9)	Cumin oil (8014-13-9)		
LD50 oral rat	2500 mg/kg (Source: NLM_CIP)		
LD50 oral	2300 mg/kg		
LD50 dermal rabbit	3560 mg/kg (Source: NLM_HSDB)		
LD50 dermal	3275 mg/kg		
Canthoxal (5462-06-6)			
LD50 oral	4000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)		
Cuminic aldehyde (122-03-2)			
LD50 oral rat	1390 mg/kg (Source: NLM_CIP)		
LD50 oral	1390 mg/kg		
LD50 dermal	2800 mg/kg		
Orange oil (8008-57-9)			
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)		
LD50 oral	1570 mg/kg		
Dimethyl sulfide (75-18-3)			
LD50 oral rat	> 2000 mg/kg (Source: ECHA)		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		
LC50 Inhalation - Rat [ppm]	40250 ppm/4h		
Diphenyl oxide (101-84-8)			
LD50 oral rat	2450 mg/kg (Source: NLM_CIP)		
LD50 oral	2830 mg/kg bodyweight		
LD50 dermal rabbit	> 7940 mg/kg (Source: NLM_CIP)		
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h		
.alphaPinene (80-56-8)			
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)		
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)		
Cashmeran (33704-61-9)			
LD50 oral rat	2685 mg/kg (Source: ECHA_API)		
LD50 oral	2900 mg/kg bodyweight		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Camphor (76-22-2)	
LD50 oral	1500 mg/kg
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Camphor (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure :	Not classified
Cashmeran (33704-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Hydrocarbon	Yes
.alphaPinene (80-56-8)	
Hydrocarbon	Yes
44.0.1.6	

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

07/08/2025 (Revision date) IE - en 10/20

Methyl ionone (mixture of isomers) (1335-46-2)

Safety Data Sheet

LC50 - Fish [1]

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	l e e e e e e e e e e e e e e e e e e e
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
(R)-p-mentha-1,8-diene; d-limonene (5	5989-27-5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
Cuminic aldehyde (122-03-2)	
LC50 - Fish [1]	6.62 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
Dimethyl sulfide (75-18-3)	
LC50 - Fish [1]	213 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: Daphnia pulex)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Cashmeran (33704-61-9)	
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
12.2. Persistence and degradability	
AMBER #EU45748F	
Persistence and degradability	Not established.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-te	tramethyl-2-naphthalenyl)ethanone (54464-57-2)
Persistence and degradability	Rapidly degradable
Methyl ionone (mixture of isomers) (1	335-46-2)
Persistence and degradability	Rapidly degradable
Ethylene brassylate (105-95-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
07/08/2025 (Revision date)	IE - en 11/2

2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

-		
CUPRESSUS FUNEBRIS WOOD OIL (85085-29-6)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Eugenol (97-53-0)		
Persistence and degradability	Rapidly degradable	
Cumin oil (8014-13-9)		
Persistence and degradability	Rapidly degradable	
Canthoxal (5462-06-6)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Persistence and degradability	Rapidly degradable	
Cuminic aldehyde (122-03-2)		
Persistence and degradability	Rapidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
Dimethyl sulfide (75-18-3)		
Persistence and degradability	Rapidly degradable	
Diphenyl oxide (101-84-8)		
Persistence and degradability	Rapidly degradable	
.alphaPinene (80-56-8)		
Persistence and degradability	Rapidly degradable	
Cashmeran (33704-61-9)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Camphor (76-22-2)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
AMBER #EU45748F		
Bioaccumulative potential	Not established.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	vl-2-naphthalenyl)ethanone (54464-57-2)	
Partition coefficient n-octanol/water (Log Pow)	5.65 (at 30°C)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethylene brassylate (105-95-3) Partition coefficient n-octanol/water (Log Pow)	Methyl ionone (mixture of isomers) (1335-46-2)		
Partition coefficient n-octanol/water (Log Pow)	Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)	
Not established. Not established.	Ethylene brassylate (105-95-3)		
Linalool (78-70-6) Partition coefficient n-octanol/water (Log Pow) 2.9 (at 20 °C (at pH 7) Cinnamic aldehyde (104-55-2) Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C) Eugenol (97-53-0) Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5) Canthoxal (5462-06-6) Partition coefficient n-octanol/water (Log Pow) 2.5 (at 25 °C) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) 2.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) 2.78 − ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 1.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)	
Partition coefficient n-octanol/water (Log Pow) 2,9 (at 20 °C (at pH 7)	Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2) Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C) Eugenol (97-53-0) Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5) Canthoxal (5462-06-6) Partition coefficient n-octanol/water (Log Pow) 2.5 (at 25 °C) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) 2.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) 2.2 78 − ≤ 4.88 Denzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 4.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl accate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Linalool (78-70-6)		
Partition coefficient n-octanol/water (Log Pow) 2.1065 (at 25 °C) Eugenol (97-53-0) Partition coefficient n-octanol/water (Log Pow) 1.83 (at 30 °C (at pH 5.5) Canthoxal (5462-06-6) Partition coefficient n-octanol/water (Log Pow) 2.5 (at 25 °C) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) 2.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) 2.2.78 − ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 1.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)	Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)	
Eugenol (97-53-0) Partition coefficient n-octanol/water (Log Pow) Canthoxal (5462-06-6) Partition coefficient n-octanol/water (Log Pow) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) 2.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 - ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 1.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow) Canthoxal (5462-06-6) Partition coefficient n-octanol/water (Log Pow) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) A 38 (at 37 °C (at pH 7.2) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) D 2.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) D 3.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) D 1.05 D 1	Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
Canthoxal (5462-06-6) Partition coefficient n-octanol/water (Log Pow) 2.5 (at 25 °C) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Partition coefficient n-octanol/water (Log Pow) 4.38 (at 37 °C (at pH 7.2) Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) 2.8 (at 35 °C (at pH 7) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) 2.78 − ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 1.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow) 2.5 (at 25 °C)	Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Recomplete Re	Canthoxal (5462-06-6)		
Partition coefficient n-octanol/water (Log Pow) Qualition coefficient n-octanol/water (Log Pow) Qualition coefficient n-octanol/water (Log Pow) Qualition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Qualitication coefficient n-octanol/water (Log Pow) AughaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Qualitication coefficient n-octanol/water (Log Pow	Partition coefficient n-octanol/water (Log Pow)	2.5 (at 25 °C)	
Cuminic aldehyde (122-03-2) Partition coefficient n-octanol/water (Log Pow) Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 - ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow) Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Orange oil (8008-57-9) Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 – ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 1.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) JalphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Cuminic aldehyde (122-03-2)		
Partition coefficient n-octanol/water (Log Pow) ≥ 2.78 – ≤ 4.88 benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) 1.05 Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	2.8 (at 35 °C (at pH 7)	
benzyl alcohol (100-51-6) Partition coefficient n-octanol/water (Log Pow) Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Orange oil (8008-57-9)		
Partition coefficient n-octanol/water (Log Pow) Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	≥ 2.78 - ≤ 4.88	
Diphenyl oxide (101-84-8) BCF - Fish [1] (470 dimensionless) Partition coefficient n-octanol/water (Log Pow) 4.21 (at 25 °C) alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) 4.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow) A.21 (at 25 °C) AlphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) A.1 Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) A.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	1.05	
Partition coefficient n-octanol/water (Log Pow) .alphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Diphenyl oxide (101-84-8)		
AlphaPinene (80-56-8) Partition coefficient n-octanol/water (Log Pow) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	BCF - Fish [1]	(470 dimensionless)	
Partition coefficient n-octanol/water (Log Pow) Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	4.21 (at 25 °C)	
Cashmeran (33704-61-9) BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	.alphaPinene (80-56-8)		
BCF - Fish [1] (81 dimensionless (whole body w.w.) Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	4.1	
Partition coefficient n-octanol/water (Log Pow) 4.2 (at 20 °C) Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Cashmeran (33704-61-9)		
Benzyl acetate (140-11-4) Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	BCF - Fish [1]	(81 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7) Camphor (76-22-2)	Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)	
Camphor (76-22-2)	Benzyl acetate (140-11-4)		
	Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Partition coefficient n-octanol/water (Log Pow) 2.414 (at 25 °C)	Camphor (76-22-2)		
	Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

AMBER #EU45748F	
Other information	Avoid release to the environment.
Ethylene brassylate (105-95-3)	
Other information Avoid release to the environment.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

HP Code

Ecological waste information

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone), 9, III, (-) 14.3. Transport hazard (UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone), 9, III
9	9	9	9	9

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
**************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601, 650

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

Transport by sea

Special provisions (IMDG) : 274, 335, 375, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) : T4 Tank instructions (IMDG) : TP1. TP29 Tank special provisions (IMDG) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) 274, 335, 375, 601, 650

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) Τ : PP Equipment required (ADN) Number of blue cones/lights (ADN) 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601, 650

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1 Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T4 : TP1, TP29

Portable tank and bulk container special provisions

(RID)

Tank codes for RID tanks (RID) : LGBV : 3 Transport category (RID) : W12 Special provisions for carriage – Packages (RID) Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Cumin oil ; d-Limonene ; Orange oil ; Dimethyl sulfide ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	AMBER #EU45748F; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Methyl ionone (mixture of isomers); Linalool; CUPRESSUS FUNEBRIS WOOD OIL; Cinnamic aldehyde; Eugenol; Cumin oil; Canthoxal; d-Limonene; Cuminic aldehyde; Orange oil; Benzyl alcohol; Dimethyl sulfide; .alphaPinene; Cashmeran	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	AMBER #EU45748F; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Methyl ionone (mixture of isomers); Ethylene brassylate; CUPRESSUS FUNEBRIS WOOD OIL; Cinnamic aldehyde; Cumin oil; Canthoxal; d-Limonene; Orange oil; .alphaPinene; Cashmeran; Benzyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 1.46701 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H371	May cause damage to organs.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.