

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/28/2021 Revision date: 2/21/2024 Supersedes version of: 10/4/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : PINECONE HONEY #EU46275F UFI : 1CGX-H889-P00A-Y2H7

Product code : EU46275F

Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Industrial

> For professional use only : Perfumes, fragrances : Odour agents

1.2.2. Uses advised against

Use of the substance/mixture

Function or use category

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H319 H317 Skin sensitisation, Category 1 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. Causes skin irritation.

2.2. Label elements

Signal word (CLP)

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 : Warning

GHS09

Safety Data Sheet

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Cinnamic aldehyde; Benzyl salicylate; Iso E Super; Pine Needle Oil ; Eucalyptus oil;

Eugenol; Triplal (Vertocitral); Vertofix; COUMARIN; Cedar leaf oil; Cinnamalva; beta-

Caryophyllene; Orange oil; CUPRESSUS FUNEBRIS WOOD OIL

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	2.4 – 4.7826	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	2.2 – 4.3478	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	1.5 – 3.0435	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Pine Needle Oil	CAS-No.: 8002-09-3 EC-No.: 306-895-7	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.7 – 1.3913	Eye Irrit. 2, H319

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.7 – 1.3043	Aquatic Chronic 3, H412
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.5 – 1.0435	Acute Tox. 4 (Oral), H302
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	0.4 – 0.8696	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.4 – 0.8696	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.4 – 0.7826	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.4 – 0.7826	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.3 – 0.6957	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.6957	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Cedar leaf oil	CAS-No.: 8007-20-3 EC-No.: 290-370-1 REACH-no: 01-2120763401-62	0.3 – 0.6522	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.3 – 0.522	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.2 – 0.4696	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.2 – 0.4348	Skin Sens. 1B, H317 Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.2 – 0.3478	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.1 – 0.2609	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamalva	CAS-No.: 1885-38-7 EC-No.: 217-552-5	0.1 – 0.2609	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	0 – 0.0652	Flam. Liq. 2, H225
acetaldehyde; ethanal substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 75-07-0 EC-No.: 200-836-8 EC Index-No.: 605-003-00-6	0 – 0.0652	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures after skin contact

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.

: If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Irritation.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

2/21/2024 (Revision date) EN (English) 4/26

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective

equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Switzerland

Storage class (LK) : LK 10/12 - Liquids

2/21/2024 (Revision date) EN (English) 5/26

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits	o nig/iii	
	4.4 mg/m³	
HTP (OEL TWA)		
UTD (OFL 6)	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
ethanol; ethyl alcohol (64-17-5)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	1900 mg/m³	
	1000 ppm	
MAK (OEL STEL)	3800 mg/m³	
	2000 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	1907 mg/m³	
	1000 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	1900 mg/m³	
	1000 ppm	

Safety Data Sheet

ethanol; ethyl alcohol (64-17-5)		
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	1000 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
	1000 ppm	
OEL STEL	3800 mg/m³	
	2000 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
	500 ppm	
OEL STEL	1900 mg/m³	
	1000 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	1900 mg/m³	
	1000 ppm	
HTP (OEL STEL)	2500 mg/m³	
	1300 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	1900 mg/m³	
	1000 ppm	
VLE (OEL C/STEL)	9500 mg/m³	
	5000 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	380 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Greece - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
	1000 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	1900 mg/m³	
CK (OEL STEL)	3800 mg/m³	
Ireland - Occupational Exposure Limits		
OEL STEL	1000 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	1000 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	1000 mg/m³	
	500 ppm	

Safety Data Sheet

ethanol; ethyl alcohol (64-17-5)		
TPRV (OEL STEL)	1900 mg/m³	
	1000 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	260 mg/m³	
	137 ppm	
TGG-15min (OEL STEL)	1900 mg/m³	
	1000 ppm	
MAC chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	1900 mg/m³	
Portugal - Occupational Exposure Limits		
OEL STEL	1000 ppm	
OEL chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	
Romania - Occupational Exposure Limits		
OEL TWA	1900 mg/m³	
	1000 ppm	
OEL STEL	9500 mg/m³	
	5000 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	960 mg/m³	
	500 ppm	
NPHV (OEL C)	1920 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	960 mg/m³	
	500 ppm	
OEL STEL	1920 mg/m³	
	1000 ppm	
Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL)	1910 mg/m³	
	1000 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	1000 mg/m³	
	500 ppm	
KGV (OEL STEL)	1900 mg/m³	
	1000 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	1920 mg/m³	
	1000 ppm	
WEL STEL (OEL STEL)	5760 mg/m³ (calculated)	

Safety Data Sheet

ethanol; ethyl alcohol (64-17-5)		
	3000 ppm (calculated)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	950 mg/m³	
	500 ppm	
Korttidsverdi (OEL STEL)	1187.5 mg/m³ (value calculated)	
	625 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	960 mg/m³	
	500 ppm	
KZGW (OEL STEL)	1920 mg/m³	
	1000 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL STEL	1000 ppm	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	
acetaldehyde; ethanal (75-07-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	90 mg/m³	
	50 ppm	
MAK (OEL STEL)	90 mg/m³	
	50 ppm	
OEL C	90 mg/m³	
	50 ppm	
OEL chemical category	Group B Carcinogen	
Belgium - Occupational Exposure Limits		
OEL TWA	25 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	30 mg/m³	
OEL STEL	200 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	37 mg/m³	
	20 ppm	
KGVI (OEL STEL)	92 mg/m³	
	50 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	50 mg/m³	
Denmark - Occupational Exposure Limits		
OEL C	45 mg/m³	
	25 ppm	
	I The state of the	

Safety Data Sheet

acetaldehyde; ethanal (75-07-0)		
Estonia - Occupational Exposure Limits		
OEL TWA	45 mg/m³	
	25 ppm	
OEL STEL	90 mg/m³	
	50 ppm	
OEL chemical category	Carcinogenic substance	
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	46 mg/m³	
	25 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	180 mg/m³	
	100 ppm	
OEL chemical category	Carcinogen category 1B, Mutagen category 2	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	91 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Greece - Occupational Exposure Limits		
OEL TWA	180 mg/m³	
	100 ppm	
OEL STEL	270 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	45 mg/m³	
CK (OEL STEL)	45 mg/m³	
Ireland - Occupational Exposure Limits		
OEL STEL	45 mg/m³	
	25 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	45 mg/m³	
	25 ppm	
TPRV (OEL STEL)	90 mg/m³	
	50 ppm	
OEL chemical category	Carcinogen	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	37 mg/m³	
	20 ppm	

Safety Data Sheet

Solution Solution	acetaldehyde; ethanal (75-07-0)		
Poland - Occupational Exposure Limits	TGG-15min (OEL STEL)	92 mg/m³	
NDSP (OEL C)		50 ppm	
Portugal - Occupational Exposure Limits OEL C	Poland - Occupational Exposure Limits		
OEL C 25 ppm OEL chemical category A2 - Suspected Human Carcinogen Romania - Occupational Exposure Limits 90 mg/m² OEL TWA 90 mg/m² 50 ppm 180 mg/m² OEL STEL 180 mg/m² Slovakia - Occupational Exposure Limits 91 mg/m² NPHV (OEL TWA) 91 mg/m² Slovenia - Occupational Exposure Limits 91 mg/m² OEL STEL 91 mg/m² 0Ppm OEL chemical category OEL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 0EL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m² 25 ppm KGV (OEL STEL) 90 mg/m² KGV (OEL STEL) 90 mg/m² Foolure 50 ppm OEL chemical category Carcinogen	NDSP (OEL C)	45 mg/m³	
OEL chemical category A2 - Suspected Human Carcinogen Romania - Occupational Exposure Limits 90 mg/m² OEL TWA 90 mg/m² 50 ppm 180 mg/m² 100 ppm 180 mg/m² Slovakia - Occupational Exposure Limits 91 mg/m² NPHV (OEL TWA) 91 mg/m² Slovenia - Occupational Exposure Limits 91 mg/m² OEL STEL 91 mg/m² OEL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m² VLA-EC (OEL STEL) 46 mg/m² Sweden - Occupational Exposure Limits VCIB Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m² KGV (OEL STEL) 90 mg/m² 50 ppm OEL chemical category Carcinogen Carcinogen	Portugal - Occupational Exposure Limits		
Romania - Occupational Exposure Limits	OEL C	25 ppm	
OEL TWA 90 mg/m³ 50 ppm 180 mg/m² OEL STEL 180 mg/m² 100 ppm 100 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 91 mg/m³ 50 ppm 50 ppm OEL TWA 91 mg/m³ 50 ppm 50 ppm OEL STEL 91 mg/m³ 0EL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m³ 0EL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm 00 mg/m³	OEL chemical category	A2 - Suspected Human Carcinogen	
So ppm S	Romania - Occupational Exposure Limits		
180 mg/m³ 100 ppm	OEL TWA	90 mg/m³	
100 ppm		50 ppm	
Slovakia - Occupational Exposure Limits	OEL STEL	180 mg/m³	
NPHV (OEL TWA) 91 mg/m³ 50 ppm 50 ppm Slovenia - Occupational Exposure Limits OEL STEL 91 mg/m³ 50 ppm 50 ppm OEL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m³ 25 ppm OEL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen		100 ppm	
Slovenia - Occupational Exposure Limits	Slovakia - Occupational Exposure Limits		
Slovenia - Occupational Exposure Limits	NPHV (OEL TWA)	91 mg/m³	
OEL TWA 91 mg/m³ 50 ppm 50 ppm OEL STEL 91 mg/m³ 50 ppm 50 ppm OEL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m³ 25 ppm C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen		50 ppm	
50 ppm 50 ppm 50 ppm			
OEL STEL 91 mg/m³ 50 ppm 50 ppm OEL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m³ 25 ppm C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category OEL chemical category Carcinogen	OEL TWA	91 mg/m³	
50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm 50 ppm		50 ppm	
OEL chemical category Category 2 Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m³ 25 ppm OEL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen	OEL STEL	91 mg/m³	
Spain - Occupational Exposure Limits VLA-EC (OEL STEL) 46 mg/m³ 25 ppm OEL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen		50 ppm	
VLA-EC (OEL STEL) 46 mg/m³ 25 ppm 25 ppm OEL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen	OEL chemical category	Category 2	
OEL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen	Spain - Occupational Exposure Limits		
OEL chemical category C1B Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen	VLA-EC (OEL STEL)	46 mg/m³	
Sweden - Occupational Exposure Limits NGV (OEL TWA) 45 mg/m³ 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen		25 ppm	
NGV (OEL TWA) 45 mg/m³ 25 ppm 25 ppm KGV (OEL STEL) 90 mg/m³ 50 ppm OEL chemical category Carcinogen	OEL chemical category	C1B	
25 ppm			
KGV (OEL STEL) 90 mg/m³ 50 ppm Carcinogen	NGV (OEL TWA)	45 mg/m³	
50 ppm OEL chemical category Carcinogen		25 ppm	
OEL chemical category Carcinogen	KGV (OEL STEL)	90 mg/m³	
		50 ppm	
United Kingdom - Occupational Exposure Limits	OEL chemical category	Carcinogen	
WEL TWA (OEL TWA) 37 mg/m³	WEL TWA (OEL TWA)	37 mg/m³	
20 ppm		20 ppm	
WEL STEL (OEL STEL) 92 mg/m³	WEL STEL (OEL STEL)	92 mg/m³	
50 ppm		50 ppm	
WEL chemical category Capable of causing cancer and/or heritable genetic damage	WEL chemical category	Capable of causing cancer and/or heritable genetic damage	
Norway - Occupational Exposure Limits	Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) 45 mg/m³	Grenseverdi (OEL TWA)	45 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetaldehyde; ethanal (75-07-0)		
	25 ppm	
Korttidsverdi (OEL STEL)	67.5 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Carcinogen	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	90 mg/m³	
	50 ppm	
KZGW (OEL STEL)	90 mg/m³	
	50 ppm	
OEL chemical category	Category C2 carcinogen	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL C	25 ppm	
ACGIH chemical category	Suspected Human Carcinogen	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

: Not applicable

Odour : characteristic. : Not available Odour threshold Melting point : Not applicable Freezing point : Not available Boiling point Not available Flammability Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 0.98 Relative vapour density at 20°C : Not available

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified
Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
LD50 dermal	1100 mg/kg bodyweight
Benzyl salicylate (118-58-1)	
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Pine Needle Oil (8002-09-3)	
LD50 oral rat	3200 mg/kg
LD50 oral	3200 mg/kg bodyweight
LD50 dermal rabbit	400 mg/kg
LC50 Inhalation - Rat	> 3.79 mg/l/4h
benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Anisic aldehyde (123-11-5)	
LD50 oral rat	3210 mg/kg (Source: ECHA)
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)

Safety Data Sheet

Cedarwood oil, Virginia (8000-27-9)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Eucalyptus oil (8000-48-4)	
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
LD50 oral	2500 mg/kg bodyweight
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Vertofix (32388-55-9)	
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral	290 mg/kg bodyweight
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Cedar leaf oil (8007-20-3)	
LD50 oral rat	830 mg/kg (Source: NLM_CIP)
LD50 oral	830 mg/kg bodyweight
LD50 dermal	4100 mg/kg bodyweight
Sandela (66068-84-6)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 5.27 mg/l/4h
Cinnamalva (1885-38-7)	
LD50 oral	100 mg/kg bodyweight
LD50 dermal	1100 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	133.8 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetaldehyde; ethanal (75-07-0)	
LD50 oral rat	660 mg/kg (Source: JAPAN_GHS)
LD50 oral	700 mg/kg bodyweight
LD50 dermal rabbit	3540 mg/kg (Source: NLM_HSDB)
LD50 dermal	3540 mg/kg bodyweight
LC50 Inhalation - Rat [ppm]	13000 ppm/4h
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Causes serious eye irritation.
	May cause an allergic skin reaction.
	Not classified
	Not classified
- J	Not classified
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
acetaldehyde; ethanal (75-07-0)	
IARC group	1 - Carcinogenic to humans,2B - Possibly carcinogenic to humans
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
acetaldehyde; ethanal (75-07-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
·	Not classified
benzyl benzoate (120-51-4)	1101 5105511100
Viscosity, kinematic	7.456 mm²/s
Orange oil (8008-57-9)	
Hydrocarbon	Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

: Not classified

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)
Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

Benzyl salicylate (118-58-1)		
	LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)

2/21/2024 (Revision date) EN (English) 16/26

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Pine Needle Oil (8002-09-3)		
EC50 - Crustacea [1]	17 – 28 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])	
benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
ethanol; ethyl alcohol (64-17-5)		
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 - Crustacea [2]	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
acetaldehyde; ethanal (75-07-0)		
LC50 - Fish [1]	28 – 34 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	53 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3.64 – 6.15 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 - Crustacea [2]	48.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2 Parsistance and degradability		

12.2. Persistence and degradability

PINECONE HONEY #EU46275F		
Persistence and degradability	Not established.	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Iso E Super (54464-57-2)		
Persistence and degradability	Rapidly degradable	
Pine Needle Oil (8002-09-3)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

Ethyl vanillin (121-32-4)	
Persistence and degradability	Rapidly degradable
Anisic aldehyde (123-11-5)	
Persistence and degradability	Rapidly degradable
Cedarwood oil, Virginia (8000-27-9)	
Persistence and degradability	Rapidly degradable
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Triplal (Vertocitral) (68039-49-6)	
Persistence and degradability	Rapidly degradable
Vertofix (32388-55-9)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Cedar leaf oil (8007-20-3)	
Persistence and degradability	Rapidly degradable
Sandela (66068-84-6)	
Persistence and degradability	Rapidly degradable
Cinnamalva (1885-38-7)	
Persistence and degradability	Rapidly degradable
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
beta-Caryophyllene (87-44-5)	
Persistence and degradability	Rapidly degradable
Orange oil (8008-57-9)	
Persistence and degradability	Rapidly degradable
CUPRESSUS FUNEBRIS WOOD OIL (85085-29-6)	
Persistence and degradability	Rapidly degradable
ethanol; ethyl alcohol (64-17-5)	
Persistence and degradability	Rapidly degradable
acetaldehyde; ethanal (75-07-0)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

12.5. Bloaccumulative potential		
PINECONE HONEY #EU46275F		
Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	
Anisic aldehyde (123-11-5)		
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)	
Eucalyptus oil (8000-48-4)		
Bioaccumulative potential	Not established.	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Vertofix (32388-55-9)		
BCF - Fish [1]	(3920 dimensionless (organ w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9	
Cinnamalva (1885-38-7)		
Partition coefficient n-octanol/water (Log Pow)	1.96	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)	
ethanol; ethyl alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)	
acetaldehyde; ethanal (75-07-0)		
Partition coefficient n-octanol/water (Log Pow)	0.45 – 0.63 (at 25 °C (at pH 7)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
**************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group	14.4. Packing group			
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	No supplementary information available			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REA	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Eucalyptus oil ; Cedar leaf oil ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	PINECONE HONEY #EU46275F; Iso E Super ; Cinnamic aldehyde; Benzyl salicylate; Pine Needle Oil; benzaldehyde; Cedarwood oil, Virginia; Eucalyptus oil; Triplal (Vertocitral); Eugenol; Vertofix; Cedar leaf oil; benzyl benzoate; Orange oil; Cinnamalva; Sandela; CUPRESSUS FUNEBRIS WOOD OIL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	PINECONE HONEY #EU46275F; Iso E Super ; Cinnamic aldehyde; Benzyl salicylate; Pine Needle Oil; Anisic aldehyde; Cedarwood oil, Virginia; Eucalyptus oil; Triplal (Vertocitral); Vertofix; Cedar leaf oil; benzyl benzoate; Orange oil; Sandela; CUPRESSUS FUNEBRIS WOOD OIL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	Eucalyptus oil ; Cedar leaf oil ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

SZW-lijst van reprotoxische stoffen – Borstvoeding

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany	
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
	Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
List of sensitizing substances (TRGS 907)	: Contains sensitizing substances according TRGS 907.
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Pine Needle Oil ,Cedarwood oil, Virginia,Eucalyptus oil,Triplal (Vertocitral),Sandela,Orange oil ,CUPRESSUS FUNEBRIS WOOD OIL,Ethyl alcohol,Acetaldehyde are listed
SZW-lijst van mutagene stoffen	: Pine Needle Oil ,Cedarwood oil, Virginia,Eucalyptus oil,Triplal (Vertocitral),Sandela,Orange oil ,CUPRESSUS FUNEBRIS WOOD OIL are listed

2/21/2024 (Revision date) EN (English) 23/26

: Ethyl alcohol is listed

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van reprotoxische stoffen -

: Ethyl alcohol is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : Ethyl alcohol is listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 1B	Carcinogenicity, Category 1B	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H224	Extremely flammable liquid and vapour.	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.