

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 28/10/2021 Revision date: 13/05/2025 Supersedes version of: 21/02/2024 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PINECONE HONEY #EU46275F UFI 1CGX-H889-P00A-Y2H7

Product code : EU46275F

Type of product : Perfumes, fragrances Product group Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Industrial

> For professional use only : Perfumes, fragrances

Use of the substance/mixture Function or use category Odour agents

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; **Emergency number**

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H319 Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. Causes skin irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Cinnamic

aldehyde; Benzyl salicylate; Pine Needle Oil ; Eucalyptus oil; Eugenol; Triplal (Vertocitral);

Vertofix; COUMARIN; Cedar leaf oil; CUPRESSUS FUNEBRIS WOOD OIL; beta-

Caryophyllene; Orange oil; Cinnamalva

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	2.4 – 4.7826	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-	2.2 – 4.3478	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442-31	1.5 – 3.0435	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Pine Needle Oil	CAS-No.: 8002-09-3 EC-No.: 306-895-7	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.665 – 1.377387	Eye Irrit. 2, H319

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.7 – 1.3043	Aquatic Chronic 3, H412
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.5 – 1.0435	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.4 – 0.8696	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cedarwood oil, Virginia	CAS-No.: 8000-27-9 EC-No.: 285-370-3	0.4 – 0.8696	Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.4 – 0.7826	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1 EC Index-No.: 605-043-00-4	0.4 – 0.7826	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.3 – 0.6957	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.6957	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Cedar leaf oil	CAS-No.: 8007-20-3 EC-No.: 290-370-1 REACH-no: 01-2120763401-62	0.3 – 0.6522	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.3 – 0.522	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.2 – 0.4696	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.2 – 0.4348	Asp. Tox. 1, H304 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.2 – 0.3478	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.1 – 0.2609	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Cinnamalva	CAS-No.: 1885-38-7 EC-No.: 217-552-5	0.1 – 0.2609	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317
acetaldehyde; ethanal substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 75-07-0 EC-No.: 200-836-8 EC Index-No.: 605-003-00-6	0 – 0.0652	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H335
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	0 – 0.0652	Flam. Liq. 2, H225

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde	EC-No.: 203-213-9	(0.001 < C < 0.01) EUH208 (0.01 ≤ C < 0.1) Skin Sens. 1; H317 (0.1 ≤ C < 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid

instruction on this label). If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

13/05/2025 (Revision date) IE - en 4/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work. Provide

good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

13/05/2025 (Revision date) IE - en 5/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

: Keep only in the original container in a cool, well ventilated place away from : Keep away Storage conditions

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids. Incompatible materials

Sources of ignition. Direct sunlight.

25 °C

Storage area Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container. Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

Storage temperature

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

acetaldehyde; ethanal (75-07-0)	
Ireland - Occupational Exposure Limits	
OEL STEL	45 mg/m³
	25 ppm
ethanol; ethyl alcohol (64-17-5)	
Ireland - Occupational Exposure Limits	
OEL STEL 1000 ppm	

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

Respiratory protection

Respiratory protection:

Wear appropriate mask

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow)

Vapour pressure : 0.018582896 mm Hg (calculated value)

Vapour pressure at 50° C : Not available Density : Not available Relative density : ≈ 0.98 Relative vapour density at 20° C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : 10.2244 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1 Inform	ation on hazare	I clacene ac	defined in Bea	udation (E	C) No 1272/2008
11.1. Intorm	iation on nazard	i ciasses as (detined in Red	iulation (E	C) NO 12/2/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified		
Cinnamic aldehyde (104-55-2)			
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)		
LD50 oral	2220 mg/kg		
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)		
LD50 dermal	1260 mg/kg		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2227 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Pine Needle Oil (8002-09-3)			
LD50 oral rat	3200 mg/kg		
LD50 oral	3200 mg/kg bodyweight		
LD50 dermal rabbit	400 mg/kg		
LD50 dermal	5000 mg/kg		
LC50 Inhalation - Rat	> 3.79 mg/l/4h		
Ethyl vanillin (121-32-4)			
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)		
LD50 oral	3000 mg/kg		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
Anisic aldehyde (123-11-5)			
LD50 oral rat	3210 mg/kg (Source: ECHA)		
LD50 oral	3210 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)		
Benzaldehyde (100-52-7)			
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)		
LC50 Inhalation - Rat	< 5 mg/l/4h		
Eucalyptus oil (8000-48-4)	Eucalyptus oil (8000-48-4)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)		
Cedarwood oil, Virginia (8000-27-9)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
Eugenol (97-53-0)			
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)		
•			

13/05/2025 (Revision date) IE - en 8/20

Safety Data Sheet

	Eugenol (97-53-0)	
Triplal (Vertocitral) (68039-49-6) LD50 oral 2330 mg/kg Vertofix (32388-56-9) LD50 oral 4500 mg/kg (Source: ECHA_API) COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg (Source: LAPAN_GHS) LD50 oral rat > 5000 mg/kg (Source: ECHA_API) Coder leaf oil (8007-20-3) LD50 oral rat 830 mg/kg (Source: NLM_CIP) LD50 oral 830 mg/kg LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: NLM_CIP) LD50 oral rat 4000 mg/kg LD50 oral rat > 2000 mg/kg (Source: NLM_CIP) LD50 oral rat 4000 mg/kg (Source: NLM_CIP) LD50 oral (8008-57-8) ************************************	LD50 oral	2500 mg/kg bodyweight
Description 2330 mg/kg 24500 mg/kg 2	LC50 Inhalation - Rat	> 2.58 mg/l/4h
Vertofix (32388-55-9) 4500 mg/kg LD50 oral 4500 mg/kg (Source: ECHA_API) COUMARIN (91-64-5) LD50 oral rat > 5000 mg/kg (Source: ECHA_API) LD50 oral rat > 5000 mg/kg (Source: ECHA_API) Cedar leaf oil (8007-20-3) LD50 oral 830 mg/kg (Source: NLM_CIP) LD50 oral 830 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat 4000 mg/kg (Source: NLM_CIP) Orange oil (8008-57-9) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) Sandela (66068-84-6) LD50 oral rat 4000 mg/kg (Source: NZ_CCID) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral rat > 2000 mg/kg (Source: NZ_CCID) LD50 oral rat > 2000 mg/kg (Source: NZ_CCID) LD50 oral rat > 2000 mg/kg (Source: NZ_CCID) LD50 oral rat > 2000	Triplal (Vertocitral) (68039-49-6)	
A500 mg/kg A500 mg/kg (Source: ECHA_API)	LD50 oral	2330 mg/kg
DESO dermal rabbit > 5000 mg/kg (Source: ECHA_API)	Vertofix (32388-55-9)	
COUMARIN (91-64-5) LD50 oral rat	LD50 oral	4500 mg/kg
LD50 oral rat	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
LD50 dermal rat 293 mg/kg (Source: ECHA_API)	COUMARIN (91-64-5)	
Cedar loaf oil (8007-20-3) 830 mg/kg (Source: NLM_CIP) LD50 oral rat 830 mg/kg LD50 dermal 4100 mg/kg benzyl benzoate (120-51-4) LD50 oral rat > 2000 mg/kg (Source: ECHA_API) LD50 oral 1160 mg/kg LD50 dermal rabbit 4000 mg/kg (Source: NLM_CIP) Orange oil (8008-57-9) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW) Sandala (66068-84-6) LD50 dermal rat > 5.27 mg/l/4h LC50 Inhalation - Rat > 5.27 mg/l/4h Cinnamalva (1885-38-7) LD50 dermal 100 mg/kg Description of the state o	LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 oral rat	LD50 dermal rat	293 mg/kg (Source: ECHA_API)
LD50 oral 830 mg/kg LD50 dermal 4100 mg/kg LD50 dermal 4100 mg/kg LD50 oral rat 2000 mg/kg (Source: ECHA_API) LD50 oral rat 4000 mg/kg (Source: NLM_CIP) LD50 oral rat 4400 mg/kg (Source: NLM_CIP) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit 5000 mg/kg (Source: NZ_CCID) LD50 dermal rabbit 5000 mg/kg (Source: NZ_CCID) LD50 dermal rabbit 5000 mg/kg (Source: CHEMVIEW) LD50 dermal rat 2000 mg/kg (Source: ECHA_API) LD50 dermal rat 5000 mg/kg (Source: ECHA_API) LD50 dermal rat 5000 mg/kg (Source: ECHA_API) LD50 dermal rat 5000 mg/kg (Source: ECHA_API) LD50 oral 100 mg/kg LD50 dermal 100 mg/kg (Source: JAPAN_GHS) LD50 oral rat 660 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal LD50 dermal 3540 mg/kg (So	Cedar leaf oil (8007-20-3)	
LD50 dermal	LD50 oral rat	830 mg/kg (Source: NLM_CIP)
Denzyl benzoate (120-51-4)	LD50 oral	830 mg/kg
LD50 oral rat	LD50 dermal	4100 mg/kg
LD50 oral	benzyl benzoate (120-51-4)	
LD50 dermal rabbit	LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
Crange oil (8008-57-9) 4400 mg/kg (Source: NZ_CCID) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW) Sandela (66068-84-6) LD50 dermal rat > 2000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 5.27 mg/l/4h Cinnamalva (1885-38-7) LD50 oral 100 mg/kg LD50 dermal 1100 mg/kg acetaldehyde; ethanal (75-07-0) LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral rat 3540 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 3540 mg/kg LD50 dermal 3540 mg/kg LD50 dermal 3540 mg/kg LD50 dermal 3540 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg (Source: NLM_CIP) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LD50 oral rat 7060 mg/kg (Source: SLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 oral	1160 mg/kg
LD50 oral rat	LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	Orange oil (8008-57-9)	
Sandela (66068-84-6) LD50 dermal rat	LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rat	LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Cinnamalva (1885-38-7) LD50 oral 100 mg/kg LD50 dermal 1100 mg/kg LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LD50 dermal 13000 ppm/4h Ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	Sandela (66068-84-6)	
Cinnamalva (1885-38-7) LD50 oral 100 mg/kg LD50 dermal 1100 mg/kg acetaldehyde; ethanal (75-07-0) LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral 100 mg/kg LD50 dermal 1100 mg/kg acetaldehyde; ethanal (75-07-0) LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LC50 Inhalation - Rat	> 5.27 mg/l/4h
LD50 dermal 1100 mg/kg acetaldehyde; ethanal (75-07-0) LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) Company (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	Cinnamalva (1885-38-7)	
acetaldehyde; ethanal (75-07-0) LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 oral	100 mg/kg
LD50 oral rat 660 mg/kg (Source: JAPAN_GHS) LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 dermal	1100 mg/kg
LD50 oral 700 mg/kg LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	acetaldehyde; ethanal (75-07-0)	
LD50 dermal rabbit 3540 mg/kg (Source: NLM_HSDB) LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 oral rat	660 mg/kg (Source: JAPAN_GHS)
LD50 dermal 3540 mg/kg LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 oral	700 mg/kg
LC50 Inhalation - Rat [ppm] 13000 ppm/4h ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 dermal rabbit	3540 mg/kg (Source: NLM_HSDB)
ethanol; ethyl alcohol (64-17-5) LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LD50 dermal	3540 mg/kg
LD50 oral rat 7060 mg/kg (Source: NLM_CIP) LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	LC50 Inhalation - Rat [ppm]	13000 ppm/4h
LC50 Inhalation - Rat 133.8 mg/l/4h Skin corrosion/irritation : Causes skin irritation.	ethanol; ethyl alcohol (64-17-5)	
Skin corrosion/irritation : Causes skin irritation.	LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
		Causes skin irritation. Causes serious eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Eugenol	(97-53-0)
---------	-----------

IARC group 3 - Not classifiable

COUMARIN (91-64-5)

IARC group 3 - Not classifiable

acetaldehyde; ethanal (75-07-0)

IARC group 1 - Carcinogenic to humans,2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified

Benzaldehyde (100-52-7)

STOT-single exposure May cause respiratory irritation.

acetaldehyde; ethanal (75-07-0)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

beta-Caryophyllene (87-44-5)

Hydrocarbon Yes

11.2. Information on other hazards

Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : I

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Pine Needle Oil (8002-09-3)	
EC50 - Crustacea [1]	17 – 28 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

13/05/2025 (Revision date) IE - en 10/20

Safety Data Sheet

Benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
acetaldehyde; ethanal (75-07-0)		
LC50 - Fish [1]	28 – 34 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	53 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3.64 – 6.15 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 - Crustacea [2]	48.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
ethanol; ethyl alcohol (64-17-5)		
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 - Crustacea [2]	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
12.2. Persistence and degradability		
PINECONE HONEY #EU46275F		
Persistence and degradability	Not established.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		

,		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Pine Needle Oil (8002-09-3)		
Persistence and degradability	Rapidly degradable	
Ethyl vanillin (121-32-4)		
Persistence and degradability	Not established.	
Anisic aldehyde (123-11-5)		
Persistence and degradability	Rapidly degradable	
Benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Eucalyptus oil (8000-48-4)		
Persistence and degradability	Not established.	

Safety Data Sheet

Cedarwood oil, Virginia (8000-27-9)		
Persistence and degradability Ra	apidly degradable	
Eugenol (97-53-0)		
Persistence and degradability Ra	apidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability Ra	apidly degradable	
Vertofix (32388-55-9)		
Persistence and degradability Ra	apidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability Ra	apidly degradable	
Cedar leaf oil (8007-20-3)		
Persistence and degradability Ra	apidly degradable	
CUPRESSUS FUNEBRIS WOOD OIL (85085-29-6)		
Persistence and degradability Ra	apidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability Ma	ay cause long-term adverse effects in the environment.	
beta-Caryophyllene (87-44-5)		
Persistence and degradability Ra	apidly degradable	
Orange oil (8008-57-9)		
Persistence and degradability Ra	apidly degradable	
Sandela (66068-84-6)		
Persistence and degradability Ra	apidly degradable	
Cinnamalva (1885-38-7)		
Persistence and degradability Ra	apidly degradable	
acetaldehyde; ethanal (75-07-0)		
Persistence and degradability Ra	apidly degradable	
ethanol; ethyl alcohol (64-17-5)		
Persistence and degradability Ra	apidly degradable	
12.3. Bioaccumulative potential		
PINECONE HONEY #EU46275F		
Bioaccumulative potential No	ot established.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-	-naphthalenyl)ethanone (54464-57-2)	
Partition coefficient n-octanol/water (Log Pow) 5.6	65 (at 30°C)	
Cinnamic aldehyde (104-55-2)		
Cinnamic aldehyde (104-55-2)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl salicylate (118-58-1)			
Partition coefficient n-octanol/water (Log Pow)	4		
Ethyl vanillin (121-32-4)			
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)		
Bioaccumulative potential	Not established.		
Anisic aldehyde (123-11-5)			
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)		
Benzaldehyde (100-52-7)			
BCF - Fish [1]	(no significant bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)		
Eucalyptus oil (8000-48-4)			
Bioaccumulative potential	Not established.		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Triplal (Vertocitral) (68039-49-6)			
Partition coefficient n-octanol/water (Log Pow)	2.6		
Vertofix (32388-55-9)			
BCF - Fish [1]	(3920 dimensionless (organ w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9		
COUMARIN (91-64-5)			
Partition coefficient n-octanol/water (Log Pow)	≥ 1.91 – ≤ 1.51 (at 25 °C (at pH 7)		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
beta-Caryophyllene (87-44-5)			
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)		
Orange oil (8008-57-9)	Orange oil (8008-57-9)		
Partition coefficient n-octanol/water (Log Pow)	≥ 2.78 – ≤ 4.88		
Cinnamalva (1885-38-7)	Cinnamalva (1885-38-7)		
Partition coefficient n-octanol/water (Log Pow)	1.96		
acetaldehyde; ethanal (75-07-0)			
Partition coefficient n-octanol/water (Log Pow)	0.45 – 0.63 (at 25 °C (at pH 7)		
ethanol; ethyl alcohol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)		

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

PINECONE HONEY #EU46275F	
Other information	Avoid release to the environment.
Ethyl vanillin (121-32-4)	
Other information Avoid release to the environment.	
Eucalyptus oil (8000-48-4)	
Other information	Avoid release to the environment.
benzyl benzoate (120-51-4)	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- Avoid release to the environment.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	Environmentally hazardous substance, liquid, n.o.s. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
**************************************		**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) : T4 Tank instructions (IMDG) : TP1. TP29 Tank special provisions (IMDG) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L

13/05/2025 (Revision date) IE - en 15/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Eucalyptus oil ; Cedar leaf oil ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	PINECONE HONEY #EU46275F; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Cinnamic aldehyde; Benzyl salicylate; Pine Needle Oil; Benzaldehyde; Cedarwood oil, Virginia; Eucalyptus oil; Triplal (Vertocitral); Eugenol; Vertofix; Cedar leaf oil; Benzyl benzoate; Orange oil; Cinnamalva; Sandela; CUPRESSUS FUNEBRIS WOOD OIL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	PINECONE HONEY #EU46275F; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Cinnamic aldehyde; Benzyl salicylate; Pine Needle Oil; Anisic aldehyde; Cedarwood oil, Virginia; Eucalyptus oil; Triplal (Vertocitral); Vertofix; Cedar leaf oil; Benzyl benzoate; Orange oil; Sandela; CUPRESSUS FUNEBRIS WOOD OIL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Eucalyptus oil ; Cedar leaf oil ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content : 10.2244 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	

13/05/2025 (Revision date) IE - en 18/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Other information : None.

Acute Tox. 4 (Dermal) Acute to Acute Tox. 4 (Inhalation) Acute to	oxicity (oral), Category 3 oxicity (dermal), Category 4 oxicity (inhal.), Category 4 oxicity (oral), Category 4 ous to the aquatic environment – Acute Hazard, Category 1
Acute Tox. 4 (Inhalation) Acute to	oxicity (inhal.), Category 4 oxicity (oral), Category 4
` '	oxicity (oral), Category 4
Acute Toy 4 (Oral) Acute to	
Acute 10x. 4 (Oral)	ous to the agustic environment. Acute Hazard, Category 1
Aquatic Acute 1 Hazard	ous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1 Hazard	ous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2 Hazard	ous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3 Hazard	ous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1 Aspirati	ion hazard, Category 1
Carc. 1B Carcino	ogenicity, Category 1B
I I	ns {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an reaction.
Eye Irrit. 2 Serious	s eye damage/eye irritation, Category 2
Flam. Liq. 1 Flamma	able liquids, Category 1
Flam. Liq. 2 Flamma	able liquids, Category 2
Flam. Liq. 3 Flamma	able liquids, Category 3
Muta. 2 Germ c	cell mutagenicity, Category 2
Repr. 2 Reprod	luctive toxicity, Category 2
Skin Corr. 1 Skin co	prrosion/irritation, Category 1
Skin Irrit. 2 Skin co	prrosion/irritation, Category 2
Skin Sens. 1 Skin se	ensitisation, Category 1
Skin Sens. 1A Skin se	ensitisation, category 1A
Skin Sens. 1B Skin se	ensitisation, category 1B
STOT SE 3 Specific	c target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H224 Extreme	ely flammable liquid and vapour.
H225 Highly f	flammable liquid and vapour.
H226 Flamma	able liquid and vapour.
H301 Toxic if	swallowed.
H302 Harmfu	l if swallowed.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.