

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 1/22/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : COTTON FLOWER #EU47247F UFI : SDU6-K4UC-T008-5353

Product code : EU47247F

Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Industrial

> For professional use only : Perfumes, fragrances

Use of the substance/mixture Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 H319 Skin sensitisation, Category 1 H317 Reproductive toxicity, Category 2 H361 Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Contains : Linalyl acetate; (R)-p-mentha-1,8-diene; d-limonene; Citrus medica limonum (Lemon) peel

oil; Bergamot oil; Linalool; Cyclamal; citral; Geranyl acetate; Citronellol Pure; Orange oil; Melonal; Helional; trans-Anethole; 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-,

(E)-; L-Carvone; Triplal (Vertocitral)

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	5.9811144 – 11.93688745 64	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	5.473332 – 10.92152684 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	4.275 – 8.4378375	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	3.3 – 6.5378	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	3 – 6.0003	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	2.5 – 4.9502	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	2.3633902 – 4.717446188 7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	2.3 – 4.5002	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	1 – 2.0001	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.9 – 1.7501	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.9 – 1.7501	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.9 – 1.7001	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	0.76 – 1.50006	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methyl pamplemousse	CAS-No.: 67674-46-8	0.5 – 1	Aquatic Chronic 3, H412 Skin Irrit. 2, H315
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.145369 – 0.399423976 5	Flam. Liq. 3, H226
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.1 – 0.25	Skin Sens. 1B, H317
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
L-Carvone	CAS-No.: 6485-40-1 EC-No.: 229-352-5 EC Index-No.: 606-148-00-8	0.1 – 0.25	Skin Sens. 1B, H317
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Aquatic Chronic 1, H410
trans-Anethole	CAS-No.: 4180-23-8 EC-No.: 224-052-0	0.1 – 0.2458	Skin Sens. 1B, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.16875	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.1 – 0.15	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≤ 0.093	Not classified
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	≤ 0.0075	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures after eye contact

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Ta

: If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.

1/22/2024 (Issue date) EN (English) 4/28

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials. Notify

authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Exposure controls and personal protection. For further information refer to section 13.

1/22/2024 (Issue date) EN (English) 5/28

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store locked up. Store in a well-ventilated place.

Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

	27-5)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	168 mg/m³
	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	40 mg/m³
	7 ppm
KZGW (OEL STEL)	80 mg/m³
NEOW (OLL STEE)	14 ppm
OEL chamical catagory	Sensitizer
OEL chemical category	Sensuzer
.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer

Safety Data Sheet

<u> </u>	
.betaPinene (127-91-3)	
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
citral (5392-40-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	32 mg/m³ (vapor and aerosol)
	5 ppm (vapor and aerosol)
OEL chemical category	Skin
Ireland - Occupational Exposure Limits	
OEL TWA	5 ppm
OEL STEL	15 ppm (calculated)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	27 mg/m³
NDSCh (OEL STEL)	54 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	5 ppm (inhalable fraction; vapor)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
	I.

Safety Data Sheet

.alphaPinene (80-56-8)		
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
	50 ppm	
Portugal - Occupational Exposure Limits	·	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m³	
	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m³	
	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits	·	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
Dipropylene glycol monomethyl ether (345	590-94-8)	
EU - Indicative Occupational Exposure Limit (IC	DEL)	
IOEL TWA	308 mg/m³	
	50 ppm	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA	309 mg/m³	
	50 ppm	
OEL STEL	618 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	310 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)			
France - Occupational Exposure Limits			
VME (OEL TWA)	308 mg/m³ (restrictive limit)		
	50 ppm (restrictive limit)		
OEL chemical category	Risk of cutaneous absorption		
Germany - Occupational Exposure Limits (TRGS	900)		
AGW (OEL TWA)	310 mg/m³ (isomer mixture)		
	50 ppm (isomer mixture)		
Gibraltar - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
	50 ppm		
OEL chemical category	Skin notation		
Greece - Occupational Exposure Limits			
OEL TWA	600 mg/m³		
	100 ppm		
OEL STEL	900 mg/m³		
	150 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	308 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)		
	50 ppm ((2-Methoxymethylethoxy)propanol)		
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)		
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)		
OEL chemical category	Potential for cutaneous absorption		
Italy - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
	50 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Latvia - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
	50 ppm		
OEL chemical category	skin - potential for cutaneous exposure		
Lithuania - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)		
	50 ppm (2-(2-Methoxypropoxy)-propanol)		
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)		
	75 ppm (2-(2-Methoxypropoxy)-propanol)		
OEL chemical category	Skin notation		

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
	48.7 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL STEL	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL STEL	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	308 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Dipropylene glycol monomethyl ether (34590-94-8)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
	50 ppm	
KGV (OEL STEL)	450 mg/m³	
	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	308 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	300 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	
	75 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. Odour threshold : Not available : Not applicable Melting point Freezing point : Not available : Not available Boiling point Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : 20.5 mm²/s Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 0.92

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Citrus medica limonum (Lemon) peel oil (800	8-56-8)	
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)	
Bergamot oil (8007-75-8)		
LD50 oral rat	11520 mg/kg (Source: NLM_CIP)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	

1/22/2024 (Issue date) EN (English) 15/28

Safety Data Sheet

.betaPinene (127-91-3)		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
LD50 dermal	2650 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Melonal (106-72-9)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Amyl salicylate (2050-08-0)		
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)	
LD50 oral	2000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
trans-Anethole (4180-23-8)		
LD50 oral rat	2090 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 4900 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 5.1 mg/l/4h	
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexer	n-1-yl)-, (E)- (24720-09-0)	
LD50 oral	1670 mg/kg bodyweight	
LD50 dermal rat	2150 – 2780 mg/kg (Source: ECHA_API)	

Safety Data Sheet

	2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexer	n-1-yl)-, (E)- (24720-09-0)
LD50 oral rat	LD50 dermal	2900 mg/kg bodyweight
LD50 oral	L-Carvone (6485-40-1)	
D50 dermal rat	LD50 oral rat	5400 mg/kg (Source: KR_NIER)
Allyl amyl glycolate (67634-00-8) LD50 oral 500 mg/kg bodyweight	LD50 oral	2500 mg/kg bodyweight
Allyl amyl glycolate (67634-00-8) LD50 oral 500 mg/kg bodyweight	LD50 dermal rat	> 2000 mg/kg (Source: ECHA API)
Allyl amyl glycolate (67634-00-8) LD50 oral 500 mg/kg bodyweight	LD50 dermal	
LD50 dermal rat	Allyl amyl glycolate (67634-00-8)	
LC50 Inhalation - Rat (Dust/Mist) 0.5 mg/l/4h LC50 Inhalation - Rat (Dust/Mist) 0.5 mg/l/4h ACETYL HEXAMETHYL TETRALIN (21145-77-7) LD50 oral rat 570 mg/kg (Source: NLM_CIP) LD50 oral 1000 mg/kg bodyweight 1000 mg/kg (Source: NLM_CIP) 1000 mg/kg (LD50 oral	500 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
ACETYL HEXAMETHYL TETRALIN (21145-77-7) LD50 oral rat 570 mg/kg (Source: NLM_CIP) LD50 oral 1000 mg/kg bodyweight LD50 dermal rabbit > 5 g/kg (Source: NLM_HSDB) Triplal (Vertocitral) (68039-49-6) LD50 oral 3990 mg/kg bodyweight alphaPinene (80-56-8) LD50 oral 3700 mg/kg (Source: NLM_CIP) LD50 oral 590 mg/kg (Source: NLM_CIP) D50 oral 590 mg/kg (Source: NLM_CIP) D50 oral 790 mg/kg (Source: CHEMVIEW) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5,35 g/kg (Source: NLM_HSDB) D50 oral rat 5,35 g/kg (Source: NLM_CIP) Skin corrosion/irritation 5,35 g/kg (Source: NLM_CIP) Skin corrosion/irritation 5 Causes skin irritation. Respiratory or skin sensitisation 6 May cause an allergic skin reaction. Germ cell mutagenicity 1 Not classified Carcinogenicity 1 Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classified Reproductive toxicity 1 Suspected of damaging fertility or the unborn child. STOT-repeated exposure 1 Not classified STOT-repeated exposure 2 Not classified STOT-repeated exposure 3 Not classified STOT-repeated exposure 3 Not classified STOT-repeated exposure 4 Not classified STOT-repeated exposure 5 Not classified STOT-repeated exposure 6 Not classified STOT-repeated exposure 7 Not classified STOT-repeated exposure 8 Not classified STOT-repeated exposure 9 Not classified STOT-repeated e	LC50 Inhalation - Rat	0.43 mg/l/4h
LD50 oral rat S70 mg/kg (Source: NLM_CIP)	LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h
LD50 oral 1000 mg/kg bodyweight LD50 dermal rabbit 5 5 g/kg (Source: NLM_HSDB) Tripial (Vertocitral) (68039-49-6) LD50 oral 3900 mg/kg bodyweight alphaPinene (80-56-8) LD50 oral at 3700 mg/kg (Source: NLM_CIP) LD50 oral 500 mg/kg bodyweight LD50 oral 500 mg/kg bodyweight LD50 dermal rat 500 mg/kg (Source: CHEMVIEW) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral at 5.35 g/kg (Source: NLM_HSDB) LD50 oral rat 5.35 g/kg (Source: NLM_CIP) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes skin irritation. Serious eye damage/irritation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Carcinogenicity Not classified CR)-p-mentha-1,8-diene; d-limonene (5989-27-5) LARC group 3 - Not classifiable Reproductive toxicity Suspected of damaging fertility or the unborn child. STOT-single exposure Not classified STOT-single exposure Not classified STOT-single exposure Not classified StoT-single exposure Not classified Aspirator May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
LD50 dermal rabbit > 5 g/kg (Source: NLM_HSDB) Triplal (Vertocitral) (68039-49-6) LD50 oral 3990 mg/kg bodyweight LD50 oral rat 3700 mg/kg (Source: NLM_CIP) LD50 oral rat 5000 mg/kg bodyweight LD50 dermal rat 5000 mg/kg (Source: NLM_CIP) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 535 g/kg (Source: NLM_HSDB) LD50 oral rat 535 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LARC group 3 - Not classified TRO - Singue exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	LD50 oral rat	570 mg/kg (Source: NLM_CIP)
Triplal (Vertocitral) (68039-49-6) LD50 oral 3990 mg/kg bodyweight LD50 oral rat 3700 mg/kg (Source: NLM_CIP) LD50 oral rat 5000 mg/kg (Source: NLM_CIP) LD50 dermal rat 5000 mg/kg (Source: CHEMVIEW) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 5500 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 5500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation 1 Causes skin irritation. Serious eye damage/irritation 2 Causes skin irritation. Respiratory or skin sensitisation 2 May cause an allergic skin reaction. Germ cell mutagenicity 3 Not classified Carcinogenicity 3 Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LARC group 3 - Not classified STOT-single exposure 5 Not classified STOT-repeated exposure 6 Not classified STOT-repeated exposure 7 Not classified STOT-repeated exposure 8 Not classified STOT-repeated exposure 9 Not classified STOT-repeated exposure 1 Not classified STOT-repeated exposure 1 Not classified STOT-repeated exposure 2 Not classified STOT-repeated exposure 3 Not classified STOT-repeated exposure 5 Not classified STOT-repeated exposure 6 Not classified STOT-repeated exposure 7 Not classified STOT-repeated exposure 8 Not classified STOT-repeated exposure 9 Not classified S	LD50 oral	1000 mg/kg bodyweight
LD50 oral alphaPinene (80-56-8) LD50 oral rat 3700 mg/kg (Source: NLM_CIP) LD50 oral 500 mg/kg (Source: CHEMVIEW) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation causes skin irritation. Serious eye damage/irritation causes skin irritation. Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity carcinogenicit	LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)
LD50 oral rat 3700 mg/kg (Source: NLM_CIP) LD50 oral rat 5500 mg/kg bodyweight LD50 dermal rat >5000 mg/kg (Source: CHEMVIEW) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	Triplal (Vertocitral) (68039-49-6)	
LD50 oral rat LD50 oral and some glycol monomethyl ether (34590-94-8) LD50 dermal rat Dipropylene glycol monomethyl ether (34590-94-8) LD50 dermal rabbit Dipropylene glycol monomethyl ether (34590-94-8) ELD50 dermal rabbit Dipropylene glycol monomethylene Salt glycol monomethy	LD50 oral	3900 mg/kg bodyweight
LD50 oral LD50 dermal rat > 5000 mg/kg (Source: CHEMVIEW) Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Serious eye damage/irritation Serious eye damage/irritation Serious eye amage/irritation Serious eye amage/irritation Serious eye irritation. Serious eye amage/irritation Serious eye irritation. Serious eye amage/irritation Serious eye irritation. Serious eye irrita	.alphaPinene (80-56-8)	
Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classified Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
Dipropylene glycol monomethyl ether (34590-94-8) LD50 oral rat 5.35 g/kg (Source: NLM_HSDB) LD50 dermal rabbit 9500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	LD50 oral	500 mg/kg bodyweight
LD50 oral rat LD50 dermal rabbit D500 mg/kg (Source: NLM_CIP) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity ROBER CARROS SARROS SAR	LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Exerious eye irritation. Exerious extination. Exerious extinat	Dipropylene glycol monomethyl ether (34590-	94-8)
Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)
Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s	LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)
Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s		
Germ cell mutagenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)		•
Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) IARC group 3 - Not classifiable Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)		
IARC group 3 - Not classifiable Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s S1 - Not classifiable A - Not classifiable Suspected of damaging fertility or the unborn child. Suspected of damaging f	3 ,	
IARC group 3 - Not classifiable Reproductive toxicity STOT-single exposure TOT-repeated exposure STOT-repeated exposure STOT-repeated exposure Aspiration hazard STOT-Repeated exposure Aspiration hazard STOT-Repeated exposure Aspiration hazard STOT-Repeated exposure Aspiration hazard STOT-Repeated exposure STOT-Repeated exposu		
Reproductive toxicity : Suspected of damaging fertility or the unborn child. STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)	· · · · · · · · · · · · · · · · · · ·	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)	<u> </u>	
STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)		
Aspiration hazard : May be fatal if swallowed and enters airways. COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)	3	
COTTON FLOWER #EU47247F Viscosity, kinematic 20.5 mm²/s benzyl benzoate (120-51-4)		
benzyl benzoate (120-51-4)		
	Viscosity, kinematic	20.5 mm²/s
Viscosity, kinematic 7.456 mm²/s	benzyl benzoate (120-51-4)	
	Viscosity, kinematic	7.456 mm²/s

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange oil (8008-57-9)	
Hydrocarbon	Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

chronic)			
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
citral (5392-40-5)			
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		
benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
NOEC (chronic)	0.168 mg/l		
L-Carvone (6485-40-1)			
LC50 - Fish [1]	6.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
.alphaPinene (80-56-8)			
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)		
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Dipropylene glycol monomethyl ether (34590-	Dipropylene glycol monomethyl ether (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability			
COTTON FLOWER #EU47247F			
Persistence and degradability	Not established.		
Linalyl acetate (115-95-7)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Persistence and degradability	Rapidly degradable		
Citrus medica limonum (Lemon) peel oil (800	8-56-8)		
Persistence and degradability	Rapidly degradable		
Bergamot oil (8007-75-8)			
Persistence and degradability	Rapidly degradable		
Linalool (78-70-6)			
Persistence and degradability	Rapidly degradable		
.betaPinene (127-91-3)			
Persistence and degradability	Rapidly degradable		
Cyclamal (103-95-7)			
Persistence and degradability	Rapidly degradable		
citral (5392-40-5)			
Persistence and degradability	Rapidly degradable		
Geranyl acetate (105-87-3)			
Persistence and degradability	Rapidly degradable		
Citronellol Pure (106-22-9)			
Persistence and degradability	Rapidly degradable		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
Orange oil (8008-57-9)			
Persistence and degradability	Rapidly degradable		
Melonal (106-72-9)			
Persistence and degradability	Rapidly degradable		
Helional (1205-17-0)			
Persistence and degradability	Rapidly degradable		
Amyl salicylate (2050-08-0)	Amyl salicylate (2050-08-0)		
Persistence and degradability	Rapidly degradable		
trans-Anethole (4180-23-8)			
Persistence and degradability	Rapidly degradable		
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexe	n-1-yl)-, (E)- (24720-09-0)		
Persistence and degradability	Rapidly degradable		

1/22/2024 (Issue date) EN (English) 19/28

Safety Data Sheet

L-Carvone (6485-40-1)			
Persistence and degradability	Rapidly degradable		
Allyl amyl glycolate (67634-00-8)			
Persistence and degradability	Rapidly degradable		
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)		
Persistence and degradability	Rapidly degradable		
Triplal (Vertocitral) (68039-49-6)			
Persistence and degradability	Rapidly degradable		
.alphaPinene (80-56-8)			
Persistence and degradability	Rapidly degradable		
Dipropylene glycol monomethyl ether (34590-	94-8)		
Persistence and degradability	Rapidly degradable		
Methyl pamplemousse (67674-46-8)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
COTTON FLOWER #EU47247F			
Bioaccumulative potential	Not established.		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
Cyclamal (103-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)		
citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)		
Geranyl acetate (105-87-3)			
Partition coefficient n-octanol/water (Log Pow)	4.04		
Citronellol Pure (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
Melonal (106-72-9)			
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)		
Helional (1205-17-0)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Amyl salicylate (2050-08-0)			
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)		
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexer	n-1-yl)-, (E)- (24720-09-0)		
BCF - Fish [1]	(>8.4 - <20)		
Partition coefficient n-octanol/water (Log Pow)	3.66 (at 25 °C (at pH 5.82)		
L-Carvone (6485-40-1)	L-Carvone (6485-40-1)		
Partition coefficient n-octanol/water (Log Pow)	2.74 (at 37 °C (at pH 7.2)		
Allyl amyl glycolate (67634-00-8)	Allyl amyl glycolate (67634-00-8)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 2.3)		
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)		
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)		
.alphaPinene (80-56-8)			
Partition coefficient n-octanol/water (Log Pow)	4.1		
Dipropylene glycol monomethyl ether (34590-94-8)			
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)		
Methyl pamplemousse (67674-46-8)			
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C (at pH 7)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Ecological information

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)	Environmentally hazardous substance, liquid, n.o.s. (Amyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate)
Transport document descri	ption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Amyl Salicylate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Amyl Salicylate), 9
14.3. Transport hazard c	lass(es)			
9	9	9	9	9
1 1 2	**************************************	**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	111	111
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) · S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene; Citrus medica limonum (Lemon) peel oil; Bergamot oil; .betaPinene; Orange oil ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	COTTON FLOWER #EU47247F; Linalyl acetate; (R)-p-mentha- 1,8-diene; d-limonene; Citrus medica limonum (Lemon) peel oil; Bergamot oil; Linalool; Cyclamal; citral; Geranyl acetate; Citronellol Pure; benzyl benzoate; Orange oil; Melonal; Helional; Amyl salicylate; trans- Anethole; 2-Buten-1-one, 1-(2,6,6-trimethyl-2- cyclohexen-1-yl)-, (E)-; L- Carvone; Allyl amyl glycolate; Triplal (Vertocitral); Methyl pamplemousse	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	COTTON FLOWER #EU47247F; (R)-p- mentha-1,8-diene; d- limonene; Citrus medica limonum (Lemon) peel oil ; Bergamot oil; Cyclamal; Geranyl acetate; benzyl benzoate; Orange oil; Helional; Amyl salicylate; 2-Buten-1-one, 1-(2,6,6- trimethyl-2-cyclohexen-1- yl)-, (E)-; Allyl amyl glycolate; Triplal (Vertocitral); Methyl pamplemousse	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	(R)-p-mentha-1,8-diene; d-limonene; Citrus medica limonum (Lemon) peel oil; Bergamot oil; .betaPinene; Orange oil; .alphaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	Occupational diseases	
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Lemon oil ,Bergamot oil,Orange oil ,Allyl amyl glycolate,Triplal (Vertocitral) are listed

SZW-lijst van mutagene stoffen : Lemon oil ,Bergamot oil,Orange oil ,Allyl amyl glycolate,Triplal (Vertocitral) are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.