

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/21/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : MILK & SUGAR #EU47264F
UFI : 6UV6-64K4-000N-EW26

Product code : EU47264F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use,Industrial use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains : Benzyl benzoate; Ethyl maltol

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H302 - Harmful if swallowed.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH-statements : EUH208 - Contains Linalool, Hexyl cinnamic aldehyde, Heliotropine, Iso E Super. May

produce an allergic reaction.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	29.3 – 58.6	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Methyl ester of rosin (partially hydrogenated)	CAS-No.: 8050-15-5 EC-No.: 232-476-2	5 – 10	Aquatic Chronic 3, H412
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	3 – 6	Eye Irrit. 2, H319
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	2.6 – 5.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	2.5 – 5	Eye Irrit. 2, H319
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.9 – 3.75	Acute Tox. 4 (Oral), H302

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Butanol, 3-methoxy-3-methyl-	CAS-No.: 56539-66-3 EC-No.: 260-252-4 REACH-no: 01-2119976333- 33	1 – 1.92	Eye Irrit. 2, H319
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.2 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-	0.1 – 0.25	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.1 – 0.25	Skin Sens. 1B, H317
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.1 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.1 – 0.15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
acetyl propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0 – 0.03	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water.

First-aid measures after eye contact

: Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

8/21/2023 (Issue date) EN (English) 3/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective

equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

8/21/2023 (Issue date) EN (English) 4/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl alcohol (100-51-6)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	40 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	45 mg/m³		
HTP (OEL TWA) [2]	10 ppm		
Germany - Occupational Exposure Limits (TRGS 90	0)		
AGW (OEL TWA) [1]	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
OEL chemical category	Skin notation		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	240 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	22 mg/m³		
OEL TWA [ppm]	5 ppm		
OEL STEL	44 mg/m³		
OEL STEL [ppm]	10 ppm		
OEL chemical category	Potential for cutaneous absorption		
Switzerland - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)		
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)		
OEL chemical category	Skin notation		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetyl propionyl (600-14-6)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	0.083 mg/m³	
AGW (OEL TWA) [2]	0.02 ppm	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	0.083 mg/m³	
OEL TWA [ppm]	0.02 ppm	
OEL STEL	0.083 mg/m³	
OEL STEL [ppm]	0.02 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	0.08 mg/m³	
MAK (OEL TWA) [2]	0.02 ppm	
KZGW (OEL STEL)	0.16 mg/m³	
KZGW (OEL STEL) [ppm]	0.04 ppm	
OEL chemical category	Sensitizer, Skin notation	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Odour threshold Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : > 93.3 °C Flash point Auto-ignition temperature Not available Decomposition temperature Not available Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density Relative density : 1.04

Relative density : 1.04

Relative vapour density at 20°C : Not available

Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified
MILK & SUGAR #EU47264F	
ATE CLP (oral)	830.145 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Methyl ester of rosin (partially hydrogenated)	(8050-15-5)
LD50 oral rat	> 2000 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA_API)
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)
LD50 dermal	2600 mg/kg bodyweight
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Ethyl maltol (4940-11-8)	
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)
LD50 oral	1200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.	1-Butanol, 3-methoxy-3-methyl- (56539-66-3)	
LD50 oral	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Hexyl cinnamic aldehyde (101-86-0) LD50 oral rat	Linalool (78-70-6)	
LD50 oral rat	LD50 oral	2790 mg/kg bodyweight
LD50 oral	Hexyl cinnamic aldehyde (101-86-0)	
LD50 dermal rabbit	LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	LD50 oral	3100 mg/kg bodyweight
Heliotropine (120-57-0) LD50 oral rat LD50 oral 2700 mg/kg (Source: NLM_CIP) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) Benzyl alcohol (100-51-6) LD50 oral 1230 mg/kg (Source: NLM_CIP) LD50 oral 1620 mg/kg (Source: NLM_CIP) LD50 oral 1620 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight LD50 oral 3 g/kg (Source: NLM_CIP) LD50 oral 3 g/kg (Source: NLM_CIP) LD50 oral 4 3 g/kg (Source: NLM_CIP) LD50 oral 5 g/kg (Source: NLM_CIP) LD50 oral 6 g/kg (Source: NLM_CIP) LD50 oral 7 g/kg bodyweight LD50 dermal 8 g/kg (Source: NLM_CIP) LD50 dermal 9 g/kg (Source: NICM_CIP) LD50 dermal 1 g/kg (Source: NICM_CIP) LD50 dermal 1 both 1 consistent 2 source: NICMSH) LD50 dermal 2 source: NICMSH) LD50 dermal 1 consistent 2 source: NICMSH) LD50 dermal 2 source: NICMSH LD50 dermal 1 consistent 2 source: NICMSH LD50 dermal 1 consistent 3 source: NICMSH LD50 dermal 1 consistent 3 source: NICMSH LD50 dermal 1 consistent 4 source: NICMSH LD50 dermal 1 consistent 5 source: NICMSH LD50 dermal 1 consistent 6 source: NICMSH LD50 dermal consistent 6 source: NICMSH LD50 dermal consistent 6 source: NICMSH LD50 dermal con	LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LD50 oral rat	LC50 Inhalation - Rat	> 5 mg/l/4h
LD50 oral 2700 mg/kg bodyweight LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1620 mg/kg bodyweight LD50 dermal 2500 mg/kg bodyweight acetyl propionyl (600-14-6) LD50 oral at 3 g/kg (Source: NLM_CIP) LD50 oral rat 3 g/kg (Source: NLM_CIP) LD50 oral 3000 mg/kg bodyweight LD50 dermal 2500 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg (Source: NIOSH) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell multagenicity : Not classified Germ cell multagenicity : Not classified Serious eye damage/irritation : Not classified Stort-repeated exposure : Not classified Stort-repeated	Heliotropine (120-57-0)	
LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) Benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1620 mg/kg bodyweight acetyl propionyl (600-14-6) LD50 oral rat 3 g/kg (Source: NLM_CIP) LD50 oral rat 3 g/kg (Source: NLM_CIP) LD50 oral rat 3 3000 mg/kg bodyweight LD50 oral rat 2 5000 mg/kg (Source: NLM_CIP) LD50 oral 30000 mg/kg (Source: NIOSH) LD50 dermal 25000 mg/kg (Source: NIOSH) LD50 dermal 25000 mg/kg (Source: NIOSH) LD50 dermal 25000 mg/kg bodyweight Skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Serious eye damage/irritation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Serpoductive toxicity Not classified STOT-single exposure Not classified STOT-single exposure Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	LD50 oral rat	2700 mg/kg (Source: NLM_CIP)
Benzyl alcohol (100-51-6) LD50 oral rat	LD50 oral	2700 mg/kg bodyweight
LD50 oral rat LD50 oral LD50 oral LD50 oral LD50 dermal 2500 mg/kg bodyweight acetyl propionyl (600-14-6) LD50 oral 3000 mg/kg (Source: NLM_CIP) LD50 oral 3000 mg/kg bodyweight LD50 oral LD50 oral 3000 mg/kg bodyweight LD50 dermal 3000 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LD50 oral LD50 dermal acetyl propionyl (600-14-6) LD50 oral rat 3 g/kg (Source: NLM_CIP) LD50 oral 3000 mg/kg bodyweight LD50 dermal 3000 mg/kg (Source: NIOSH) LD50 dermal rabbit > 2000 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation : Not classified Serious eye damage/irritation Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure i Not classified Aspiration hazard i Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s	Benzyl alcohol (100-51-6)	
LD50 dermal 2500 mg/kg bodyweight 2500 mg/kg bodyweight LD50 oral rat 3 g/kg (Source: NLM_CIP) LD50 oral 3000 mg/kg bodyweight LD50 dermal rabbit > 2000 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Serious eye irritation Source: NIOSH) Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation Source: NIOSH) LD50 dermal Source: NIOSH) Source: NIOSH) LD50 dermal Source: NIOSH So	LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
acetyl propionyl (600-14-6) LD50 oral rat 3000 mg/kg bodyweight LD50 dermal rabbit > 2000 mg/kg (Source: NICNH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s	LD50 oral	1620 mg/kg bodyweight
LD50 oral at 3 g/kg (Source: NLM_CIP) LD50 oral 3000 mg/kg bodyweight LD50 dermal rabbit > 2000 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	LD50 dermal	2500 mg/kg bodyweight
LD50 oral LD50 dermal rabbit > 2000 mg/kg (Source: NIOSH) LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation Skin corrosion/irritation Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin corrosion/irritation Not classified Germ cell mutagenicity Not classified Carcinogenicity Carcinogenicity Not classified STOT-repeated exposure Not classified STOT-repeated exposure Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s	acetyl propionyl (600-14-6)	
LD50 dermal rabbit D50 dermal D50 mg/kg (Source: NIOSH)	LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 dermal 2500 mg/kg bodyweight Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	LD50 oral	3000 mg/kg bodyweight
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure	LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)
Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic : 7.456 mm²/s	LD50 dermal	2500 mg/kg bodyweight
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s		Not classified
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	-	
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)		
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)		
STOT-single exposure : Not classified STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)		
STOT-repeated exposure : Not classified acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	•	
acetyl propionyl (600-14-6) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)		
Aspiration hazard : Not classified Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)		
Benzyl benzoate (120-51-4) Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Viscosity, kinematic 7.456 mm²/s Heliotropine (120-57-0)	Aspiration hazard :	Not classified
Heliotropine (120-57-0)	Benzyl benzoate (120-51-4)	
	Viscosity, kinematic	7.456 mm²/s
Viscosity, kinematic Not applicable	Heliotropine (120-57-0)	
	Viscosity, kinematic	Not applicable

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Very toxic to aquatic life. : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, long-term

(chronic)

(chronic)	
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)
1-Butanol, 3-methoxy-3-methyl- (56539-66-3)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static] Source: ECHA)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

MILK & SUGAR #EU47264F		
Persistence and degradability	Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
1-Butanol, 3-methoxy-3-methyl- (56539-66-3)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

MILK & SUGAR #EU47264F		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
, , ,		
Bioaccumulative potential	Not established.	
Methyl ester of rosin (partially hydrogenated)	(8050-15-5)	
Partition coefficient n-octanol/water (Log Pow)	6.4 – 7.6 (at pH 6)	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	
Ethyl maltol (4940-11-8)		
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)	
1-Butanol, 3-methoxy-3-methyl- (56539-66-3)		
Partition coefficient n-octanol/water (Log Pow)	0.18 (at 24.8 °C (at pH 6.4)	
Bioaccumulative potential	Not established.	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)	
Benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Tartition Cochicient II-octanol/water (Log FOW)	1.00	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Dispose in a safe manner in accordance with local/national regulations.
- Avoid release to the environment.
- HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IME	n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	umber				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shippin	g name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	
14.3. Transport hazard class(es)					
9	9	9	9	9	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental ha	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

: PP1 Special packing provisions (ADR) : MP19 Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1, TP29

(ADR)

: LGBV Tank code (ADR) : AT Vehicle for tank carriage Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) 90

Orange plates

90 3082

Tunnel restriction code (ADR) EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 : 450L PCA max net quantity (IATA) CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	acetyl propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	MILK & SUGAR #EU47264F; Benzyl benzoate; 1-Butanol, 3- methoxy-3-methyl-; Linalool; Hexyl cinnamic aldehyde; Iso E Super; Benzyl alcohol; acetyl propionyl	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(c)	MILK & SUGAR #EU47264F; Benzyl benzoate; Methyl ester of rosin (partially hydrogenated); Hexamethylindanopyran; Hexyl cinnamic aldehyde; Iso E Super	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	acetyl propionyl	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

: Resin acids and Rosin acids, hydrogenated, methyl esters is listed SZW-lijst van mutagene stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

8/21/2023 (Issue date) EN (English) 15/17

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH208	Contains Linalool, Hexyl cinnamic aldehyde, Heliotropine, Iso E Super. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.