

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/21/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : COASTAL NEROLI & AMBER #EU55474F

UFI : 7SDQ-PAQY-100C-M8DH

Product code : EU55474F.

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE- 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : d-Limonene; Hexyl cinnamic aldehyde; Vertenex; Petitgrain oil; Linalyl acetate; Orange oil;

Linalool; Triplal (Vertocitral); Nerol; Lemon oil; CUPRESSUS FUNEBRIS WOOD OIL; Lime

oil distilled; Geranyl propionate; Dipentene

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	2.8 – 5.5168	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	2.7 – 5.46	Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	2.1 – 4.2	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	1.5 – 2.94	Skin Sens. 1B, H317
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	1.1 – 2.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Petitgrain oil	CAS-No.: 8014-17-3 EC-No.: 277-143-2, 616-946-8 REACH-no: 01-2120748358-44	0.9 – 1.8639	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Verdyl acetate	CAS-No.: 5413-60-5 EC-No.: 226-501-6	0.8 – 1.68	Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.8 – 1.6	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.8 – 1.5144	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.7 – 1.4462	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.7 – 1.4346	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.6 – 1.26	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.6 – 1.26	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexamethylindanopyran	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.6 – 1.26	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.2 – 0.4589	Flam. Liq. 3, H226
Lemon oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.2 – 0.42	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Musk ketone	CAS-No.: 81-14-1 EC-No.: 201-328-9 EC Index-No.: 609-069-00-7	0.2 – 0.42	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.2 – 0.42	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Lime oil distilled	CAS-No.: 8008-26-2 EC-No.: 290-010-3 REACH-no: 01-2120138646- 51	0.1 – 0.1475	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 1A, H360FD Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Geranyl propionate	CAS-No.: 105-90-8 EC-No.: 203-344-1	0.1 – 0.13	Aquatic Chronic 2, H411 Skin Sens. 1B, H317 Skin Irrit. 2, H315
Dipentene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3	0.1 – 0.1055	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.0139	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water.

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand. Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. **Emergency procedures**

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or Methods for cleaning up

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

> soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

9/21/2023 (Issue date) EN (English) 5/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	

Safety Data Sheet

d-Limonene (5989-27-5)	
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
OEL chemical category	Sensitizer
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL TWA [ppm]	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL [ppm]	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
IPRV (OEL TWA) [ppm]	25 ppm
TPRV (OEL STEL)	300 mg/m³
TPRV (OEL STEL) [ppm]	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	113 mg/m³
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m³
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m³
Grenseverdi (OEL TWA) [2]	25 ppm

Safety Data Sheet

Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Skin notation USA - AGGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] 50 ppm DEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 50 ppm NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) [ppm] 50 ppm	.alphaPinene (80-56-8)	
Kortidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated) OEL chemical category Skin notation USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitzer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) [ppm] 50 ppm TVV (OEL STEL) [ppm] 50 ppm		175 mg/m³ (value calculated)
OEL chemical category USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m² 1PRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 26 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) 50 ppm	,	<u> </u>
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 300 mg/m² TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Seeden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m² KTV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) [ppm] 50 ppm		
ACGIH OEL TWA [ppm] 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Seeden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm TYV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) [ppm] 50 ppm		
Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) [ppm] 50 ppm 150 mg/m³ IPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) [ppm] 50 ppm		20 ppm (Turpentine and selected Monoterpenes)
Musk ketone (81-14-1) Austria - Occupational Exposure Limits OEL chemical category Group B Carcinogen Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 3000 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) 150 mg/m³ TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) 50 ppm 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Seveden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) 50 ppm 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) 50 ppm] 55 ppm		, ,
Austria - Occupational Exposure Limits OEL chemical category Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [300 mg/m³ TPRV (OEL STEL) [300 mg/m³ OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [50 mg/m³	<u> </u>	
Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) 50 ppm 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) 50 ppm 50 ppm KTV (OEL STEL) 50 ppm 50 ppm	, ,	
Dipentene (138-86-3) Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) 150 mg/m³ TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) [ppm] 50 ppm 50 ppm		Group R Carcinogen
Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ TPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL TWA) [ppm] 50 ppm TNOV (OEL TWA) [ppm] 50 ppm	<u> </u>	Group & Carcinogen
DEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] 50 ppm DEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm		
monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA [ppm] 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) 50 ppm KTV (OEL STEL) [ppm] 50 ppm	· · ·	
monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) IPRV (OEL TWA) [ppm] TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) I50 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	OEL TWA	
monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL [ppm] 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) [ppm] 50 ppm KTV (OEL STEL) [ppm] 50 ppm	OEL TWA [ppm]	
monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) 50 ppm	OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits IPRV (OEL TWA)	OEL STEL [ppm]	,, , , ,
IPRV (OEL TWA) 150 mg/m³ IPRV (OEL TWA) [ppm] 25 ppm TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	Lithuania - Occupational Exposure Limits	
TPRV (OEL STEL) 300 mg/m³ TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	IPRV (OEL TWA)	150 mg/m³
TPRV (OEL STEL) [ppm] 50 ppm OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	IPRV (OEL TWA) [ppm]	25 ppm
OEL chemical category Sensitizer coniferous resin sensitizes the skin Sweden - Occupational Exposure Limits NGV (OEL TWA) NGV (OEL TWA) [ppm] Limits 150 mg/m³ 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	TPRV (OEL STEL)	300 mg/m³
Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	TPRV (OEL STEL) [ppm]	50 ppm
NGV (OEL TWA) 150 mg/m³ NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	OEL chemical category	Sensitizer coniferous resin sensitizes the skin
NGV (OEL TWA) [ppm] 25 ppm KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	Sweden - Occupational Exposure Limits	
KTV (OEL STEL) 300 mg/m³ KTV (OEL STEL) [ppm] 50 ppm	NGV (OEL TWA)	150 mg/m³
KTV (OEL STEL) [ppm] 50 ppm	NGV (OEL TWA) [ppm]	25 ppm
	KTV (OEL STEL)	300 mg/m³
	KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category Sensitizer	OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1] 140 mg/m³	Grenseverdi (OEL TWA) [1]	140 mg/m³
Grenseverdi (OEL TWA) [2] 25 ppm	Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated)	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm] 37.5 ppm (value calculated)	Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category Allergenic substance	OEL chemical category	Allergenic substance
Citral (5392-40-5)	Citral (5392-40-5)	
Belgium - Occupational Exposure Limits	Belgium - Occupational Exposure Limits	
OEL TWA 32 mg/m³ (vapor and aerosol)	OEL TWA	32 mg/m³ (vapor and aerosol)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citral (5392-40-5)		
OEL TWA [ppm]	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	5 ppm	
OEL STEL [ppm]	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA [ppm]	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour characteristic. Odour threshold : Not available : Not applicable Melting point Freezing point : Not available Boiling point : Not available : Not applicable Flammability **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : 81 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available : Not available Density : Not available Relative density

9.2. Other information

Particle characteristics

Relative vapour density at 20°C

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

9/21/2023 (Issue date) EN (English) 10/20

: Not available

: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

LD50 dermal rabbit

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
LD50 oral	3370 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Dihydromyrcenol (18479-58-8)	
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
LD50 oral	3600 mg/kg bodyweight

> 5 g/kg (Source: CHEMVIEW)

Safety Data Sheet

Petitgrain oil (8014-17-3)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 oral	4029 mg/kg bodyweight
Verdyl acetate (5413-60-5)	
LD50 oral	3050 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
LD50 oral rat	570 mg/kg (Source: NLM_CIP)
LD50 oral	1000 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
Lemon oil (8008-56-8)	
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)
Musk ketone (81-14-1)	
LD50 oral rat	10 g/kg
LD50 dermal rabbit	> 10 g/kg (Source: NLM_HSDB)
LC50 Inhalation - Rat	> 2.99 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lime oil distilled (8008-26-2)	
, ,	
LD50 oral rat	5600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Geranyl propionate (105-90-8)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Dipentene (138-86-3)	
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Orange oil (8008-57-9)	
Hydrocarbon	Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(GIIOIIIC)	
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)

Safety Data Sheet

Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
12.2. Persistence and degradability	
COASTAL NEROLI & AMBER #EU55474F	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
COASTAL NEROLI & AMBER #EU55474F	
Bioaccumulative potential	Not established.
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Ethylene brassylate (105-95-3)	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)
Petitgrain oil (8014-17-3)	
Partition coefficient n-octanol/water (Log Pow)	3.38 – 4.88
Verdyl acetate (5413-60-5)	
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 30 °C (at pH 5.92)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ACETYL HEXAMETHYL TETRALIN (21145-77-	ETYL HEXAMETHYL TETRALIN (21145-77-7)	
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)	
Linalyl acetate (115-95-7)	acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
Nerol (106-25-2)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)	
Hexamethylindanopyran (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
Musk ketone (81-14-1)		
Partition coefficient n-octanol/water (Log Pow)	4.24 (at 25 °C)	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecology - waste materials

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

9/21/2023 (Issue date) EN (English) 15/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN)	Environmentally hazardous substance, liquid, n.o.s. (ACETYL HEXAMETHYL TETRALIN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document descri	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACETYL HEXAMETHYL TETRALIN), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ACETYL HEXAMETHYL TETRALIN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
	9			
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	d-Limonene; Orange oil; .alphaPinene; Lemon oil; Lime oil distilled; Dipentene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	COASTAL NEROLI & AMBER #EU55474F; d- Limonene; Hexyl cinnamic aldehyde; Vertenex; Dihydromyrcenol; Petitgrain oil; Linalyl acetate; Orange oil; Linalool; Triplal (Vertocitral); Nerol; Lemon oil; Musk ketone; CUPRESSUS FUNEBRIS WOOD OIL; Lime oil distilled; Geranyl propionate; Dipentene; Citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	COASTAL NEROLI & AMBER #EU55474F; d- Limonene; Ethylene brassylate; Hexyl cinnamic aldehyde; Petitgrain oil; Verdyl acetate; Orange oil; Triplal (Vertocitral); Hexamethylindanopyran; Lemon oil; Musk ketone; CUPRESSUS FUNEBRIS WOOD OIL; Lime oil distilled; Geranyl propionate; Dipentene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	d-Limonene; Orange oil; .alphaPinene; Lemon oil; Lime oil distilled; Dipentene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids.

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7. Joint storage not permitted for

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2.

Joint storage permitted for : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Petitgrain oil, Orange oil , Triplal (Vertocitral), Lemon oil , CUPRESSUS FUNEBRIS WOOD

OIL are listed

: Petitgrain oil, Orange oil , Triplal (Vertocitral), Lemon oil , CUPRESSUS FUNEBRIS WOOD SZW-lijst van mutagene stoffen

OIL are listed

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Class for fire hazard : Class III-1 : 50 liter Store unit

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

9/21/2023 (Issue date) EN (English) 19/20

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H351	Suspected of causing cancer.	
H360FD	May damage fertility. May damage the unborn child.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 1A	Reproductive toxicity, Category 1A	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.