

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/26/2024 Revision date: 9/18/2025 Supersedes version of: 8/26/2024 Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : ALMOND MACAROON CLP #EU56473F

UFI : YTCN-VCGA-S00U-S2QC

Product code : EU56473F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH

Mittlerer Weg 35 DE 79424 Auggen Germany

- ...

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains : 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Benzyl alcohol;

Hexyl cinnamic aldehyde; Benzyl salicylate; Vertenex; Triplal (Vertocitral); d-Limonene

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699-	35.1 – 70.1	Not classified
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	3.8 – 7.545	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	2.09 – 4.4055	Eye Irrit. 2, H319
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	1.3 – 2.6	Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1 – 2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	1 – 2	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1 – 2	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Acetoin	CAS-No.: 513-86-0 EC-No.: 208-174-1	0.9 – 1.8	Flam. Liq. 3, H226 STOT RE 2, H373

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0.6 – 1.25	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.6 – 1.2	Aquatic Chronic 3, H412
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	0.5 – 1	Acute Tox. 4 (Oral), H302
Sandal Mysore Core	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.5 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.4 – 0.75	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.2 – 0.3	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.1 – 0.2	Skin Sens. 1B, H317
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1 EC Index-No.: 605-043-00-4	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.1 – 0.1056	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
dipentene; limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3 EC-No.: 205-341-0	0 – 0.0114	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0.0042	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.0015	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool. Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Germany

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids

Joint storage table : IGK 1

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2

9/18/2025 (Revision date) EN (English) 5/25

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage permitted for : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

National occupational exposure and biological limit values

Bis(2-ethylhexyl) adipate (103-23-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	400 mg/m³
benzyl alcohol (100-51-6)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	40 mg/m³
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	45 mg/m³
	10 ppm
Germany - Occupational Exposure Limits (TRGS 90	00)
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
OEL chemical category	Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	22 mg/m³
	5 ppm
OEL STEL	44 mg/m³
	10 ppm
OEL chemical category	Potential for cutaneous absorption

# Safety Data Sheet

Switzerland - Occupational Exposure Limits         22 mg/m² (aerosol, vapour)           OEL chemical catagory         Skin notation           acetophenone (98-86-2)           Bolgium - Occupational Exposure Limits           OEL TWA         50 mg/m²           Bulgaria - Occupational Exposure Limits         Framework           OEL TWA         5 mg/m²           Denmark - Occupational Exposure Limits         49 mg/m²           OEL TWA         88 mg/m²           Denmark - Occupational Exposure Limits         70 ppm           Finland - Occupational Exposure Limits           Finland - Occupational Exposure Limits           Finland - Occupational Exposure Limits           A (OEL TWA)           5 ppm           Hungary - Occupational Exposure Limits           Foliand - Occupational Exposure Limits           Foliand - Occupational Exposure Limits           OEL TWA         49 mg/m²           Latvia - Occupational Exposure Limits           Foliand - Occupational Exposure Limits	benzyl alcohol (100-51-6)	
Spm (serosol, vapour)	Switzerland - Occupational Exposure Limits	
Skin notation	MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)
Belgium - Occupational Exposure Limits		5 ppm (aerosol, vapour)
Belgium - Occupational Exposure Limits  OEL TWA  50 mg/m³ 10 ppm  Bulgaria - Occupational Exposure Limits  OEL TWA  5 mg/m³  OEL TWA  49 mg/m³ 10 ppm  OEL STEL  88 mg/m³ 20 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA)  25 mg/m³ 5 ppm  Hungary - Occupational Exposure Limits  AK (OEL TWA)  50 mg/m³ 10 ppm  OEL STEL  49 mg/m³ 5 ppm  Hungary - Occupational Exposure Limits  AK (OEL TWA)  50 mg/m³ 10 ppm  OEL STEL  147 mg/m³ (calculated) 30 ppm (calculated) 20 ppm  CEL TWA  Smg/m³ 10 ppm  OEL STEL  147 mg/m³ (calculated) 50 mg/m³  Eithuania - Occupational Exposure Limits  OEL TWA  Smg/m³  OEL TWA  OEL TWA  Smg/m³  OEL TWA  OEL TWA  OEL TWA  OEL TWA  OEL TWA  OEL STEL  100 mg/m³  Portugal - Occupational Exposure Limits  Portugal - Occupational Exposure Limits  OEL TWA  100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA  100 mg/m³  OEL TWA  OEL TWA  100 mg/m³  OEL TWA  OEL TWA  100 mg/m³  OEL TWA  OEL	OEL chemical category	Skin notation
Som g/m²   10 ppm	acetophenone (98-86-2)	
Bulgaria - Occupational Exposure Limits  OEL TWA  Denmark - Occupational Exposure Limits  OEL TWA  49 mg/m² 10 ppm  OEL STEL 98 mg/m² 20 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) 25 mg/m² 5 ppm  Hungary - Occupational Exposure Limits  HTP (OEL TWA) 50 mg/m³ 10 ppm  OEL STEL 10 ppm  60 ppm  Hungary - Occupational Exposure Limits  Finland - Occupational Exposure Limits  OEL TWA 49 mg/m³ 10 ppm  OEL STEL 147 mg/m² (calculated) 30 ppm (calculated)  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  FRV (OEL TWA) 5 mg/m³  OEL TWA 10 ppm  OEL STEL 10 mg/m²  Del Chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  OEL demical Category Skin notation  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits	Belgium - Occupational Exposure Limits	
Bulgaria - Occupational Exposure Limits	OEL TWA	50 mg/m³
OEL TWA         5 mg/m²           Denmark - Occupational Exposure Limits         49 mg/m²           OEL STEL         98 mg/m²           20 ppm         25 mg/m²           Finland - Occupational Exposure Limits           HTP (OEL TWA)         25 mg/m²           5 ppm         5 ppm           Hungary - Occupational Exposure Limits           AK (OEL TWA)         50 mg/m³           Ireland - Occupational Exposure Limits         49 mg/m²           OEL TWA         49 mg/m²           10 ppm         0           OEL STEL         47 mg/m² (calculated)           30 ppm (calculated)         30 ppm (calculated)           Latvia - Occupational Exposure Limits         0           UPRY (OEL TWA)         5 mg/m²           Lithuania - Occupational Exposure Limits         1           IPRY (OEL TWA)         5 mg/m²           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         NDS (no EL TWA)           NDS (no EL TWA)         60 mg/m²           NDS (no EL TWA)         10 ppm           Romania - Occupational Exposure Limits         100 mg/m²           OEL TWA         10 ppm           Romania - Occupational Exposure Limits <td></td> <td>10 ppm</td>		10 ppm
Denmark - Occupational Exposure Limits           OEL TWA         49 mg/m²           10 ppm         98 mg/m²           20 ppm         25 ppm           Finland - Occupational Exposure Limits           HTML (OEL TWA)         25 mg/m²           5 ppm         5 ppm           Hungary - Occupational Exposure Limits           OEL TWA)         50 mg/m²           Ireland - Occupational Exposure Limits           OEL STEL         147 mg/m² (calculated)           Jampin² (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         6 mg/m²           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m²           OEL chemical category         Skin notation           Portugal - Occupational Exposure Limits           NDS (OEL STEL)         100 mg/m²           Portugal - Occupational Exposure Limits           OEL TWA         10 ppm           Romania - Occupational Exposure Limits           OEL TWA         100 mg/m²           Q ppm	Bulgaria - Occupational Exposure Limits	
OEL TWA         49 mg/m³           10 ppm         10 ppm           OEL STEL         98 mg/m³           20 ppm         20 ppm           Finland - Occupational Exposure Limits         25 mg/m³           HTP (OEL TWA)         25 mg/m³           5 ppm         10 ppm           Hungary - Occupational Exposure Limits         50 mg/m³           OEL TWA         49 mg/m³           10 ppm           OEL TWA         147 mg/m³ (calculated)           30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         100 mg/m³           NDS (OEL TWA)         50 mg/m³           NDSCh (OEL STEL)         100 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA         10 ppm           Romania - Occupational Exposure Limits           OEL TWA         100 mg/m³           20 ppm	OEL TWA	5 mg/m³
10 ppm	Denmark - Occupational Exposure Limits	
OEL STEL         98 mg/m³           Finland - Occupational Exposure Limits         25 mg/m³           HTP (OEL TWA)         25 mg/m³           5 ppm         5 ppm           Hungary - Occupational Exposure Limits         50 mg/m³           K (OEL TWA)         50 mg/m³           Ireland - Occupational Exposure Limits         49 mg/m³           OEL STEL         147 mg/m³ (calculated)           30 ppm (calculated)         30 ppm (calculated)           Latvia - Occupational Exposure Limits         5 mg/m³           Lithuania - Occupational Exposure Limits         Forg/m³           IPRV (OEL TWA)         5 mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         50 mg/m³           NDS (OEL TWA)         50 mg/m³           NDS (OEL STEL)         100 mg/m³           Portugal - Occupational Exposure Limits         100 mg/m³           OEL TWA         10 ppm           Romania - Occupational Exposure Limits         100 mg/m³           OEL TWA         100 mg/m³           20 ppm	OEL TWA	49 mg/m³
Finland - Occupational Exposure Limits  HTP (OEL TWA)  25 mg/m³ 5 ppm  Hungary - Occupational Exposure Limits  AK (OEL TWA)  Ireland - Occupational Exposure Limits  OEL TWA  49 mg/m³ 10 ppm  OEL STEL  147 mg/m³ (calculated) 30 ppm (calculated)  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  OPEL Chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  50 mg/m³  NDSCh (OEL STEL)  100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA  10 ppm  Romania - Occupational Exposure Limits  OEL TWA  100 mg/m³  20 ppm		10 ppm
Finland - Occupational Exposure Limits           HTP (OEL TWA)         25 mg/m³           5 ppm         5 ppm           Hungary - Occupational Exposure Limits           AK (OEL TWA)         50 mg/m³           Ireland - Occupational Exposure Limits           OEL TWA         49 mg/m³           10 ppm         0           OEL STEL         147 mg/m³ (calculated)           30 ppm (calculated)         30 ppm (calculated)           Latvia - Occupational Exposure Limits         PRW (OEL TWA)           1PRV (OEL TWA)         5 mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         50 mg/m³           NDS (OEL TWA)         50 mg/m³           Portugal - Occupational Exposure Limits         100 mg/m³           Portugal - Occupational Exposure Limits         OEL TWA           OEL TWA         10 ppm           Romania - Occupational Exposure Limits         OEL TWA           OEL TWA         100 mg/m³           20 ppm	OEL STEL	98 mg/m³
HTP (OEL TWA)   25 mg/m²   5 ppm		20 ppm
Sppm   Hungary - Occupational Exposure Limits	Finland - Occupational Exposure Limits	
Hungary - Occupational Exposure Limits  AK (OEL TWA)    So mg/m³	HTP (OEL TWA)	25 mg/m³
AK (OEL TWA)   50 mg/m³		5 ppm
Ireland - Occupational Exposure Limits  OEL TWA  49 mg/m³ 10 ppm  OEL STEL  147 mg/m³ (calculated) 30 ppm (calculated)  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  50 mg/m³  NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA  10 ppm  Romania - Occupational Exposure Limits  OEL TWA  10 ppm  Romania - Occupational Exposure Limits  OEL TWA  100 mg/m³  20 ppm	Hungary - Occupational Exposure Limits	
OEL TWA         49 mg/m³           10 ppm         10 ppm           OEL STEL         147 mg/m³ (calculated)           Latvia - Occupational Exposure Limits         5 mg/m³           OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits         IPRV (OEL TWA)           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         NDS (OEL TWA)           NDS (OEL TWA)         50 mg/m³           NDSCh (OEL STEL)         100 mg/m³           Portugal - Occupational Exposure Limits         OEL TWA           OEL TWA         10 ppm           Romania - Occupational Exposure Limits         100 mg/m³           OEL TWA         100 mg/m³           20 ppm         20 ppm	AK (OEL TWA)	50 mg/m³
10 ppm   10 ppm     10 ppm	Ireland - Occupational Exposure Limits	
OEL STEL         147 mg/m³ (calculated)           30 ppm (calculated)           Latvia - Occupational Exposure Limits           OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits           NDS (OEL TWA)         50 mg/m³           NDSCh (OEL STEL)         100 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA         10 ppm           Romania - Occupational Exposure Limits           OEL TWA         100 mg/m³           20 ppm	OEL TWA	49 mg/m³
Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 50 mg/m³  NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits		10 ppm
Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 50 mg/m³  NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 100 mg/m³  20 ppm	OEL STEL	147 mg/m³ (calculated)
OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 50 mg/m³  NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 100 mg/m³  20 ppm		30 ppm (calculated)
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 50 mg/m³  NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 100 mg/m³  20 ppm	Latvia - Occupational Exposure Limits	
IPRV (OEL TWA) 5 mg/m³ OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 50 mg/m³ NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 100 mg/m³ 20 ppm	OEL TWA	5 mg/m³
OEL chemical category  Poland - Occupational Exposure Limits  NDS (OEL TWA)  NDSCh (OEL STEL)  Portugal - Occupational Exposure Limits  OEL TWA  10 ppm  Romania - Occupational Exposure Limits  OEL TWA  100 mg/m³  20 ppm	Lithuania - Occupational Exposure Limits	
Poland - Occupational Exposure Limits  NDS (OEL TWA) 50 mg/m³  NDSCh (OEL STEL) 100 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 100 mg/m³  20 ppm	IPRV (OEL TWA)	5 mg/m³
NDS (OEL TWA)         50 mg/m³           NDSCh (OEL STEL)         100 mg/m³           Portugal - Occupational Exposure Limits           OEL TWA         10 ppm           Romania - Occupational Exposure Limits           OEL TWA         100 mg/m³           20 ppm	OEL chemical category	Skin notation
NDSCh (OEL STEL)  Portugal - Occupational Exposure Limits  OEL TWA  Romania - Occupational Exposure Limits  OEL TWA  10 ppm  100 mg/m³  20 ppm	Poland - Occupational Exposure Limits	1
Portugal - Occupational Exposure Limits  OEL TWA 10 ppm  Romania - Occupational Exposure Limits  OEL TWA 100 mg/m³ 20 ppm	NDS (OEL TWA)	50 mg/m³
OEL TWA         10 ppm           Romania - Occupational Exposure Limits           OEL TWA         100 mg/m³           20 ppm	NDSCh (OEL STEL)	100 mg/m³
Romania - Occupational Exposure Limits  OEL TWA  100 mg/m³  20 ppm	Portugal - Occupational Exposure Limits	•
OEL TWA         100 mg/m³           20 ppm	OEL TWA	10 ppm
20 ppm	Romania - Occupational Exposure Limits	
	OEL TWA	100 mg/m³
OEL STEL 200 mg/m³		20 ppm
	OEL STEL	200 mg/m³

# Safety Data Sheet

acetophenone (98-86-2)		
	41 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH® TLV® TWA	10 ppm	
Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m³	
	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	-5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	

# Safety Data Sheet

DEL STEL         112 mg/m²           OEL chemical category         Potential for cutaneous absorption           Spain - Occupational Exposure Limits           VILA-ED (OEL TWA)         168 mg/m²           30 ppm         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits           Kortildsverdi (OEL TWA)         140 mg/m²           25 ppm         Tri mg/m² (value calculated)           Kortildsverdi (OEL STEL)         175 mg/m² (value calculated)           All mg/m²           Switzerland - Occupational Exposure Limits           MAK (OEL TWA)         40 mg/m²           7 ppm           KZGW (OEL STEL)         80 mg/m²           14 ppm           OEL chemical category         9 mg/m²           All ppm           OEL chemical category         9 mg/m²           Sensitizer           Mg/m²           14 ppm           OEL TWA           150 mg/m² (Tupentine produced from Nordic conifers has an initiating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)           OEL STEL         300 mg/m² (Tupentin	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
OEL chemical category         Potential for cutaneous absorption           Spain - Occupational Exposure Limits           VLA-ED (OEL TWA)         168 mg/m² / 30 ppm           OEL chemical category         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA)         140 mg/m² / 25 ppm           Korttidsverdi (OEL STEL)         175 mg/m² (value calculated)           OEL chemical category         Allergenic substance           Switzerland - Occupational Exposure Limits         40 mg/m² / 7 ppm           KZGW (OEL STEL)         80 mg/m² / 7 ppm           KZGW (OEL STEL)         80 mg/m² / 14 ppm           OEL chemical category         Sensitizer           dipontone; Ilmonene (138-86-3)         50 mg/m² / (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpense, with the exception of 3-Carene, have a lesser effect)           OEL TWA         150 mg/m² / (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpense, with the exception of 3-Carene, have a lesser effect)           OEL STEL         300 mg/m² / (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpense, with the exception of 3-Carene, have a lesser effect)           OEL STEL         300 mg/m² / (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpense, with the exception of 3-Carene, have a lesser effect)	OEL STEL	112 mg/m³	
Spain - Occupational Exposure Limits  VLA-ED (CEL TWA)  168 mg/m³ 30 ppm  OEL chemical category  Norway - Occupational Exposure Limits  Grenseverd (CEL TWA)  25 ppm  175 mg/m² (value calculated) 37.5 ppm (value calculated)  KZGW (CEL STEL)  40 mg/m³ 7 ppm  KZGW (CEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  8 sensitizer  dipentene; limonene (138-86-3)  Eatonia - Occupational Exposure Limits  OEL TWA  50 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  CEL STEL  OEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  DEL STEL  OEL STEL  OEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  DEL STEL  OEL STEL  OCEL STEL  OCEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  DEL STEL  OCEL STEL  OCEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  DEL STEL  OCEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  SO ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  SO ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a leaser effect)  SO ppm (Turpentine produced fro		20 ppm	
VLA-ED (OEL TWA)  168 mg/m² 30 ppm  OEL chemical category Sensitizer, skin - potential for cutaneous absorption  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) 140 mg/m² 25 ppm  Korttidsverdi (OEL STEL) 175 mg/m² (value calculated) 37.5 ppm (value calculated)  OEL chemical category Allergenic substance  Witzerland - Occupational Exposure Limits  KZGW (OEL STEL) 40 mg/m² 7 ppm  RZGW (OEL STEL) 80 mg/m² 14 ppm  OEL chemical category Sensitizer  OEL chemical category Sensitizer  OEL chemical category To pm  OEL chemical category To pm  To pm  To pm  To pm  To pm  To pm  OEL chemical category To pm  To pm pm  To pm  To pm  To pm  To pm  To pm pm/m² To pm/m² To pm pm/m² To	OEL chemical category	Potential for cutaneous absorption	
So ppm   Sensitizer, skin - potential for cutaneous absorption	Spain - Occupational Exposure Limits		
OEL chemical category         Sensitizer, skin - potential for cutaneous absorption           Norway - Occupational Exposure Limits           Grenseverdi (OEL TWA)         140 mg/m²           5 ppm         175 mg/m² (value calculated)           OEL chemical category         Allergenic substance           Switzerland - Occupational Exposure Limits           MAK (OEL TWA)         40 mg/m²           7 ppm         7 ppm           KZGW (OEL STEL)         80 mg/m²           14 ppm         14 ppm           OEL chemical category         Sensitizer           dipentene; limonene (138-86-3)           Estonia - Occupational Exposure Limits           OEL TWA           150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)           25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)           OEL STEL           Diagram (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)           25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	VLA-ED (OEL TWA)	168 mg/m³	
Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA)  25 ppm  Kortidsverdi (OEL STEL)  4175 mg/m² (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated)  OEL chemical category  Allergenic substance  MAK (OEL TWA)  40 mg/m² 7 ppm  KZGW (OEL STEL)  80 mg/m² 14 ppm  OEL chemical category  Sensitizer  MOEL Chemical category  Mognim² 14 ppm  OEL Chemical category  Mognim² 150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL TWA  OEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL STEL  100 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL STEL  110 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL STEL  110 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  110 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Soppin (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Soppin (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Soppin (Turpentine p		30 ppm	
Grenseverdi (OEL TWA)     140 mg/m³       25 ppm       Korttidsverdi (OEL STEL)     175 mg/m³ (value calculated)       OEL chemical category     All ergenic substance       Witzerland - Occupational Exposure Limits     40 mg/m³       7 ppm     7 ppm       KZGW (OEL STEL)     80 mg/m²       14 ppm     14 ppm       OEL chemical category     Sensitizer       Gipentical Exposure Limits     150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       DEL TWA     300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL     300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       DEL STEL     300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       Lithuania - Occupational Exposure Limits     150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       Lithuania - Occupational Exposure Limits     150 mg/m²       DEL Chemical Category     300 mg/m²       Sensitizer coniferous resin sensitizes the skin       Svector - Occupational Exposure Limits	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Kortidsverdi (OEL STEL)  Alfra mg/m² (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated)  OEL chemical category  Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  All mg/m² 7 ppm  KZGW (OEL STEL)  Bomg/m³ 14 ppm  OEL chemical category  Sensitizer  dipentenc; limonene (138-86-3)  Estonia - Occupational Exposure Limits  OEL TWA  All mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  ODEL STEL	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL)     175 mg/m² (value calculated)       OEL chemical category     Allergenic substance       Switzerland - Occupational Exposure Limits       MAK (OEL TWA)     40 mg/m²       7 ppm     7 ppm       KZGW (OEL STEL)     9mg/m³       0EL chemical category     9mg/m³       OEL chemical category       dipentene; limonene (138-36-3)       Estonia - Occupational Exposure Limits       OEL TWA       150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL       300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL       OEL STEL       500 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL       So mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL       So mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL TWA) <td>Grenseverdi (OEL TWA)</td> <td>140 mg/m³</td>	Grenseverdi (OEL TWA)	140 mg/m³	
OEL chemical category Allergenic substance  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 40 mg/m³ 7 ppm  KZGW (OEL STEL) 80 mg/m³ 14 ppm OEL chemical category Sensitizer  dipentene; limonene (138-86-3)  Estonia - Occupational Exposure Limits  OEL TWA 150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL 250 pm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL 50 pm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL 50 pm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL 50 pm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Figure (OEL STEL) 50 pm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Figure (OEL TWA) 150 mg/m³  OEL chemical category 50 pm  OEL chemica		25 ppm	
OEL chemical category     Allergenic substance       Switzerland - Occupational Exposure Limits       MAK (OEL TWA)     40 mg/m²       7 ppm       KZGW (OEL STEL)     80 mg/m³       14 ppm       OEL chemical category     Sensitizer       dipentene; limonene (138-86-3)       Estonia - Occupational Exposure Limits       OEL TWA     150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL     300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       OEL STEL     300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)       Lithuania - Occupational Exposure Limits       Lithuania - Occupational Exposure Limits       PRY (OEL TWA)     150 mg/m³       25 ppm     25 ppm       OEL chemical category     Sensitizer coniferous resin sensitizes the skin       Sweden - Occupational Exposure Limits       NGV (OEL TWA)     150 mg/m³       150 mg/m³       50 ppm       OEL chemical category     Sensitizer coniferous resin sensitizes the skin       Sweden - Occupational Ex	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  40 mg/m² 7 ppm  RZGW (OEL STEL)  80 mg/m² 14 ppm  OEL chemical category  Sensitizer  dipentene; limonene (138-86-3)  Estonia - Occupational Exposure Limits  OEL TWA  150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  DEL STEL  Lithuania - Occupational Exposure Limits  PRV (OEL TWA)  150 mg/m² 25 ppm  TPRV (OEL STEL)  300 mg/m² 50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m² 25 ppm  KGV (OEL TWA)  300 mg/m³		37.5 ppm (value calculated)	
MAK (OEL TWA)  40 mg/m² 7 ppm  KZGW (OEL STEL)  80 mg/m² 14 ppm  OEL chemical category Sensitizer  dipentene; limonene (138-86-3)  Estonia - Occupational Exposure Limits  OEL TWA  150 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m² (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m² 25 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m² 25 ppm  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m² 25 ppm  Sensitizer coniferous resin sensitizes the skin	OEL chemical category	Allergenic substance	
KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  sensitizer  dipentene; limonene (138-86-3)  Estonia - Occupational Exposure Limits  OEL TWA  150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL)  80 mg/m³ 14 ppm  OEL chemical category  Sensitizer  dipentene; limonene (138-86-3)  Estonia - Occupational Exposure Limits  OEL TWA  150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  TPRV (OEL STEL)  300 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³	MAK (OEL TWA)	40 mg/m³	
14 ppm		7 ppm	
Color   Colo	KZGW (OEL STEL)	80 mg/m³	
Sestinate - Occupational Exposure Limits   150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   Lithuania - Occupational Exposure Limits   150 mg/m³   25 ppm     25 ppm     25 ppm   25		14 ppm	
Estonia - Occupational Exposure Limits  OEL TWA  150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  300 mg/m³  300 mg/m³  300 mg/m³	OEL chemical category	Sensitizer	
DEL TWA    150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)   50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesse	dipentene; limonene (138-86-3)		
monoterpenes, with the exception of 3-Carene, have a lesser effect)  25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  TPRV (OEL STEL)  300 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  300 mg/m³	Estonia - Occupational Exposure Limits		
monoterpenes, with the exception of 3-Carene, have a lesser effect)  OEL STEL  300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  300 mg/m³	OEL TWA		
monoterpenes, with the exception of 3-Carene, have a lesser effect)  50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  TPRV (OEL STEL)  300 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  25 ppm			
monoterpenes, with the exception of 3-Carene, have a lesser effect)  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  150 mg/m³  25 ppm  TPRV (OEL STEL)  300 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³	OEL STEL		
IPRV (OEL TWA)         150 mg/m³           25 ppm         25 ppm           TPRV (OEL STEL)         300 mg/m³           50 ppm         50 ppm           OEL chemical category         Sensitizer coniferous resin sensitizes the skin           Sweden - Occupational Exposure Limits           NGV (OEL TWA)         150 mg/m³           25 ppm           KGV (OEL STEL)         300 mg/m³			
25 ppm  TPRV (OEL STEL)  300 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³	Lithuania - Occupational Exposure Limits		
TPRV (OEL STEL)  300 mg/m³  50 ppm  OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³	IPRV (OEL TWA)	150 mg/m³	
DEL chemical category Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³		25 ppm	
OEL chemical category  Sensitizer coniferous resin sensitizes the skin  Sweden - Occupational Exposure Limits  NGV (OEL TWA)  150 mg/m³  25 ppm  KGV (OEL STEL)  300 mg/m³	TPRV (OEL STEL)	300 mg/m³	
Sweden - Occupational Exposure Limits           NGV (OEL TWA)         150 mg/m³           25 ppm         25 ppm           KGV (OEL STEL)         300 mg/m³		50 ppm	
NGV (OEL TWA) 150 mg/m³ 25 ppm  KGV (OEL STEL) 300 mg/m³	OEL chemical category	Sensitizer coniferous resin sensitizes the skin	
25 ppm  KGV (OEL STEL)  300 mg/m³			
KGV (OEL STEL)  300 mg/m³	Sweden - Occupational Exposure Limits		
		150 mg/m³	
50 ppm			
	NGV (OEL TWA)	25 ppm	

# Safety Data Sheet

dipentene; limonene (138-86-3)	
OEL chemical category	Skin sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m³
	50 ppm
OEL chemical category	Skin sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
	25 ppm

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.alphaPinene (80-56-8)	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
citral (5392-40-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	32 mg/m³ (vapor and aerosol)
	5 ppm (vapor and aerosol)
OEL chemical category	Skin
Ireland - Occupational Exposure Limits	
OEL TWA	5 ppm
OEL STEL	15 ppm (calculated)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	27 mg/m³
NDSCh (OEL STEL)	54 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	5 ppm (inhalable fraction; vapor)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer

## 8.2. Exposure controls

## Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### **Skin protection**

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### **Respiratory protection**

#### Respiratory protection:

Wear appropriate mask

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

characteristic. Odour Odour threshold Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : > 93.3 °C Flash point Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available

Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.004055751 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

## 9.2. Other information

## Other safety characteristics

VOC content : 5.551 % (calculated value)(CARB VOC) (%w/w)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

#### Not established.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified
Bis(2-ethylhexyl) adipate (103-23-1)	
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 5.7 mg/l/4h
benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral	1160 mg/kg
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)
LD50 dermal	2600 mg/kg
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1570 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
Acetoin (513-86-0)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)

# Safety Data Sheet

acetophenone (98-86-2)	
LD50 oral rat	2081 mg/kg (Source: ECHA_API)
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)
Anisic aldehyde (123-11-5)	
LD50 oral rat	3210 mg/kg (Source: ECHA)
LD50 oral	3210 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)
Ethyl maltol (4940-11-8)	
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)
LD50 oral	1200 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	< 5 mg/l/4h
Benzyl salicylate (118-58-1)	
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)
LD50 oral	2227 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Vertenex (32210-23-4)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
LD50 oral	3370 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	2330 mg/kg
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
dipentene; limonene (138-86-3)	
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)
.alphaPinene (80-56-8)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)
citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Bis	2-ethy	vlhexy	l) adii	pate (	(103-23-1)	
013	Z-Ctil	y II ICA y	I/ UUI	putt	100-20-1)	

IARC group 3 - Not classifiable

## (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

#### Benzaldehyde (100-52-7)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

#### Acetoin (513-86-0)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

#### benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm<sup>2</sup>/s

#### (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

#### dipentene; limonene (138-86-3)

Hydrocarbon Yes

## .alpha.-Pinene (80-56-8)

Hydrocarbon

#### 11.2. Information on other hazards

### Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term :

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

Bis(2-ethylhexyl) adipate (103-23-1)	
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)

# Safety Data Sheet

Bis(2-ethylhexyl) adipate (103-23-1)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
acetophenone (98-86-2)	
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)
Benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability		
ALMOND MACAROON CLP #EU56473F		
Persistence and degradability	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
Persistence and degradability	Rapidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Vanillin (121-33-5)		
Persistence and degradability	Not established.	
Ethylene brassylate (105-95-3)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	yl-2-naphthalenyl)ethanone (54464-57-2)	
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Acetoin (513-86-0)		
Persistence and degradability	Rapidly degradable	
acetophenone (98-86-2)		
Persistence and degradability	Rapidly degradable	
Anisic aldehyde (123-11-5)		
Persistence and degradability	Rapidly degradable	
Ethyl maltol (4940-11-8)		
Persistence and degradability	Rapidly degradable	
Sandal Mysore Core (28219-60-5)		
Persistence and degradability	Rapidly degradable	
Benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Vertenex (32210-23-4)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	

9/18/2025 (Revision date) EN (English) 17/25

# Safety Data Sheet

dipentene; limonene (138-86-3)		
Persistence and degradability	Rapidly degradable	
.alphaPinene (80-56-8)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
ALMOND MACAROON CLP #EU56473F		
Bioaccumulative potential	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
BCF - Fish [1]	(27 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	
Bioaccumulative potential	Not established.	
Ethylene brassylate (105-95-3)		
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)	
Bioaccumulative potential	Not established.	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Partition coefficient n-octanol/water (Log Pow)	5.65 (at 30°C)	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Acetoin (513-86-0)		
Partition coefficient n-octanol/water (Log Pow)	0.1 (at 25 °C (at pH >2-<8)	
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	
Anisic aldehyde (123-11-5)		
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)	
Ethyl maltol (4940-11-8)		
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)	
Sandal Mysore Core (28219-60-5)		
Partition coefficient n-octanol/water (Log Pow) 3.8		
Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzaldehyde (100-52-7)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Vertenex (32210-23-4)		
Partition coefficient n-octanol/water (Log Pow) 4.8 (at 25 °C)		
Triplal (Vertocitral) (68039-49-6)		
Partition coefficient n-octanol/water (Log Pow)	2.6	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow) 4.1		
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

ALMOND MACAROON CLP #EU56473F		
Other information	Avoid release to the environment.	
benzyl benzoate (120-51-4)		
Other information Avoid release to the environment.		
Vanillin (121-33-5)		
Other information	Avoid release to the environment.	
Ethylene brassylate (105-95-3)		
Other information	Avoid release to the environment.	

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

9/18/2025 (Revision date) EN (English) 19/25

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,
14.3. Transport hazard o	class(es)			
9	9	9	9	9
**************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available			1

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : -

EAC code : •3Z

#### Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 Stowage category (IMDG) : A

#### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

#### Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU-Regulations**

## **REACH Annex XVII (Restriction List)**

EU restriction list (	(REACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(a)	Acetoin ; d-Limonene ; Dipentene ; .alpha Pinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	ALMOND MACAROON CLP #EU56473F; Benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Benzyl alcohol; Hexyl cinnamic aldehyde; Acetoin; Acetophenone; Sandal Mysore Core; Benzaldehyde; Benzyl salicylate; Vertenex; Triplal (Vertocitral); d- Limonene; Dipentene; .alphaPinene; Citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	ALMOND MACAROON CLP #EU56473F; Benzyl benzoate; Ethylene brassylate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Hexyl cinnamic aldehyde; Anisic aldehyde; Sandal Mysore Core; Benzyl salicylate; Triplal (Vertocitral); d-Limonene; Dipentene; .alpha Pinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Acetoin ; d-Limonene ; Dipentene ; .alpha Pinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### VOC Directive (2004/42)

VOC content : 5.551 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### **National regulations**

#### **France**

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

VOC ordinance (ChemVOCFarbV) : VOC content : 5.551 % (calculated value)(CARB VOC) (%w/w)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment SZW-lijst van kankerverwekkende stoffen : Triplal (Vertocitral) is listed

SZW-lijst van mutagene stoffen : Triplal (Vertocitral) is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed : None of the components are listed

SZW-lijst van reprotoxische stoffen -Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

**Danish National Regulations** Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Poland**

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as ammended)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.